
Family Accipitridae (n = 12) 1 min 3 min 5 min 10 min 1.00 -



Family Aegithalidae (n = 1)1 min 3 min 5 min 10 min 1.00 -0.50 -

0.25 -


0.00 -150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210

Family Alaudidae (n = 1) 1 min 3 min 10 min 5 min

Family Alcedinidae (n = 1) 1 min 3 min 10 min 5 min 0.25 ------

150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180

Family Apodidae (n = 3)




Family Bombycillidae (n = 1) 1 min 3 min 5 min 10 min 1.00 -0.75 -0.50 -

0.25 -0.00 -180 210 90 120 150 180 210 90 120 150 180 210 90

Family Calcariidae (n = 1) 1 min 3 min 10 min 5 min 0.50 -0.25 -

Family Caprimulgidae (n = 3) 1 min 3 min 5 min 10 min

180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180



Family Cathartidae (n = 2) 1 min 3 min 10 min 5 min

Family Certhiidae (n = 1) 3 min 1 min 5 min 10 min 1.00 -0.50 -

0.25 -

0.00 -

150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210


Family Cinclidae (n = 1)1 min 3 min 10 min 5 min 1.00 -0.50 -



150 180 210 90

Family Columbidae (n = 5) 1 min 3 min 5 min 10 min 1.00 -0.75 -0.50 -

180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210



1 min 3 min 5 min 10 min

Family Cuculidae (n = 4)



0.25 -


Family Falconidae (n = 3)1 min 3 min 5 min 10 min 0.25 -


Family Fringillidae (n = 11) 1 min 3 min 5 min 10 min 1.00 -0.75 -0.50 -0.25 -0.00 -120 150 180 210 90 120 150 180 210 90

Family Gruidae (n = 1)1 min 3 min 5 min 10 min 1.00 -0.50 -

150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210

0.00 -





Family Icteriidae (n = 1) 1 min 3 min 10 min 5 min 1.00 -


150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180

Family Laniidae (n = 1) 1 min 3 min 5 min 10 min 150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180

Family Mimidae (n = 6)1 min 3 min 5 min 10 min 1.00 -0.50 -0.25 -0.00 120 150 180 210 90 120 150 180 210 90


Family Motacillidae (n = 2) 1 min 3 min 5 min 10 min 1.00 -0.25 -0.00 -180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210


Family Odontophoridae (n = 5) 1 min 3 min 10 min 5 min 0.50 -



1 min 3 min 5 min 10 min 1.00 - 0.75 -

Family Paridae (n = 9)






Family Passerellidae (n = 31)

1 min 3 min 5 min 10 min

1.00




Family Passeridae (n = 1) 1 min 3 min 5 min 10 min 1.00 -0.50 -


150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210

0.25 -

0.00 -

Family Phasianidae (n = 12) 1 min 3 min 5 min 10 min 1.00 -0.75 -






Family Polioptilidae (n = 2) 1 min 3 min 5 min 10 min 1.00 -0.50 -0.00 -150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180 210

Family Ptiliogonatidae (n = 1) 1 min 3 min 10 min 5 min 0.50 -


150 180 210 90 120 150 180 210 90 120 150 180 210 90 120 150 180

Family Regulidae (n = 2) 1 min 3 min 5 min 10 min 1.00 -0.50 -0.25 -0.00 -



Family Sittidae (n = 4) 1 min 3 min 10 min 5 min


Family Strigidae (n = 5)



Family Sturnidae (n = 1)1 min 3 min 5 min 10 min 1.00 -0.50 -

120 150 180 210 90 120 150 180 210 90


0.00 -




Family Trochilidae (n = 7)1 min 3 min 5 min 10 min 1.00 -0.50 -0.25 -120 150 180 210 90 120 150 180 210 90 120 150 180

Family Troglodytidae (n = 10) 1 min 3 min 5 min 10 min 1.00 -0.50 -0.00 -120 150 180 210 90 120 150 180 210 90

Family Turdidae (n = 11) 1 min 3 min 5 min 10 min 1.00 -0.50 -





1 min 3 min 5 min 10 min

Family Vireonidae (n = 12)

