Open in Colab

`import` Statements

`import` statements are uset to import non builtin functions and objects from other python files.

To use a module which is already in standart library of python (the modules installed when installing Python) use `import` keyword like:

Obtaning The Modules Not in Standart Library

The modules not in standart library can also be imported like standart library using `import` statements. But before that they must be installed.

To install a module in The Python Package Index (PyPI) you can use: `pip install` in shell **not in Python interpreter**. You can do this in jupyter notebook by the following line:

In [ ]:
```
%pip install IPython
```

or

In [ ]:
```
!python -m pip install IPython
```

Then you can import like modules in standart library.

In [ ]:
```
from IPython.core.display import display_html
from urllib.request import urlopen

with urlopen("https://example.com/") as file:
    display_html(file.read().decode(), raw=True)
```

Using `Qt6` to Make GUI Applications

In [ ]:
```
%pip install PyQt6
```

In [ ]:
```
from PyQt6.QtWidgets import (
    QApplication,
    QWidget,
    QVBoxLayout,
    QPushButton,
    QLineEdit,
    QLabel,
)

app = QApplication([])

# Create the main window
window = QWidget()
window.setWindowTitle("Simple PyQt6 App")


# Set the layout for the window
```

```
window.setLayout(layout := QVBoxLayout())


# Create an input box
input_box = QLineEdit()
layout.addWidget(input_box)

# Create a button
button = QPushButton("Submit")
button.clicked.connect(lambda: label.setText(f"You entered: {input_box.text()}"))
layout.addWidget(button)


# Create a label
label = QLabel("Enter something:")
layout.addWidget(label)

# Show the window
window.show()

app.exec()
```

`uv` Package Manager

You can install `uv` package manager with `pip`

In [ ]:
```
%pip install uv
```

After installing you can initialize the current directory as a `uv` project and add the non standart modules you need. `uv` will automatically resolve the dependencies and install required packages for you.

In [ ]:
```
!uv init
```

To add PyQt6 to the project:

In [ ]:
```
!uv add PyQt6
```