

QUIZ - W2

Total points 26/32 ?

This will act as your attendance.

B03 - Monday

B04 - Tuesday

Submit before the **end of the day** of your class day.

Put the questions & answers in your GitHub :)

The respondent's email (**nabbyjk@gmail.com**) was recorded on submission of this form.

0 of 2 points

✗ Name *

.../1

NURNABIHAH IBTISAM BINTI ZAMREE

✗

Class *

☒ B03

☐ B04

✗ Student ID *

.../1

52215124482

✗



✓ LocalStack is used because it: *

1/1

- ☒ Simulates AWS services locally
- ☐ Installs Kubernetes
- ☐ Creates AWS accounts
- ☐ Replaces Docker



✗ Cloud computing refers to: *

0/1

- ☒ Delivering computing resources over the Internet
- ☐ Running applications only on Windows
- ☐ Installing software locally
- ☐ Buying more physical servers



Correct answer

- ☒ Buying more physical servers

✓ Access keys are mainly used for: *

1/1

- ☒ Programmatic access
- ☐ AWS Management Console login
- ☐ Kubernetes dashboard login
- ☐ Docker login



✗ A Kubernetes cluster consists of: *

0/1

- ☐ Multiple nodes
- ☐ Multiple policies
- ☐ Access keys
- ☒ Containers only

✗

Correct answer

- ☒ Multiple nodes

✓ Which endpoint is commonly used with LocalStack? *

1/1

- ☒ <http://localhost:4566>
- ☐ <http://localhost:22>
- ☐ <http://localhost:3389>
- ☐ <http://localhost:80>

✓

✓ Which AWS-managed policy provides full administrative access? *

1/1

- ☐ AmazonS3ReadOnlyAccess
- ☐ RootPolicy
- ☒ AdministratorAccess
- ☐ IAMReadOnlyAccess

✓

✓ Which AWS CLI command verifies the current identity? *

1/1

- ☒ aws sts get-caller-identity
- ☐ aws iam whoami
- ☐ aws login
- ☐ aws identity



✓ Which characteristic allows cloud resources to automatically grow or shrink?

*1/1

- ☐ On-demand Self-Service
- ☒ Rapid Elasticity
- ☐ Broad Network Access
- ☐ Resource Pooling



✓ For easier permission management, policies should preferably be attached to:

*1/1

- ☐ Access keys
- ☐ Individual users
- ☐ The Root User
- ☒ IAM Groups



✓ If an access key is compromised, what should be done first? *

1/1

- ☐ Delete the IAM user immediately
- ☐ Ignore it
- ☐ Restart Docker
- ☒ Deactivate or rotate the key



✓ Which deployment model provides the MOST control? *

1/1

- ☐ Community Cloud
- ☐ Public Cloud
- ☐ Hybrid Cloud
- ☒ Private Cloud



✓ Which is NOT an essential characteristic of cloud computing? *

1/1

- ☒ Manual Provisioning
- ☐ Rapid Elasticity
- ☐ Resource Pooling
- ☐ Measured Service



✓ Which IAM component contains permissions? *

1/1

- ☐ IAM Role
- ☐ IAM Group
- ☐ IAM User
- ☒ IAM Policy



✓ A collection of IAM users is called: *

1/1

- ☐ IAM Role
- ☐ IAM Policy
- ☒ IAM Group
- ☐ S3 Bucket



✓ Which service model requires customers to manage the operating system?

*1/1

- ☒ IaaS
- ☐ FaaS
- ☐ PaaS
- ☐ SaaS



✓ Docker is mainly used to: *

1/1

- ☒ Run containers
- ☐ Manage IAM
- ☐ Create AWS accounts
- ☐ Create databases



✓ Which service model provides virtual machines? *

1/1

- ☒ IaaS
- ☐ PaaS
- ☐ SaaS
- ☐ DBaaS



✓ Google Docs is an example of: *

1/1

- ☐ PaaS
- ☐ Virtual Machine
- ☒ SaaS
- ☐ IaaS



✓ Which account should never have access keys created for routine use? * 1/1

- ☐ IAM User
- ☒ Root User
- ☐ IAM Role
- ☐ Analyst User



✓ Which IAM identity is normally used as a temporary identity? * 1/1

- ☐ Root User
- ☒ IAM Role
- ☐ IAM User
- ☐ IAM Group



✓ Which tool creates a local Kubernetes cluster? * 1/1

- ☐ Docker Desktop
- ☒ kind
- ☐ Amazon EC2
- ☐ LocalStack



✓ In the ARN `arn:aws:s3:::my-bucket`, which component represents the AWS service? *1/1

- ☐ aws
- ☐ my-bucket
- ☒ s3
- ☐ arn



✓ Which security principle gives users only the permissions required to perform their tasks? *1/1

- ☐ Defense in Depth
- ☐ Zero Trust
- ☐ Confidentiality
- ☒ Principle of Least Privilege



✓ Which AWS identity has unlimited privileges? * 1/1

- ☐ IAM User
- ☐ IAM Role
- ☐ IAM Group
- ☒ Root User



✓ Which command lists Kubernetes nodes? *

1/1

- ☐ kubectl get buckets
- ☐ docker ps
- ☐ aws iam list-users
- ☒ kubectl get nodes



✗ Which deployment model combines private and public cloud? *

0/1

- ☐ Hybrid Cloud
- ☒ Multi-cloud
- ☐ Public Cloud
- ☐ Community Cloud



Correct answer

- ☒ Hybrid Cloud

✓ What does ARN stand for? *

1/1

- ☐ AWS Resource Namespace
- ☒ Amazon Resource Name
- ☐ Amazon Resource Number
- ☐ Amazon Registry Name



✓ The smallest deployable unit in Kubernetes is: *

1/1

- ☐ Cluster
- ☐ Node
- ☐ Virtual Machine
- ☒ Pod



✓ A node is: *

1/1

- ☒ A worker machine
- ☐ A Docker image
- ☐ A database
- ☐ A storage bucket



✗ Which ARN component identifies the AWS account that owns the resource?

*0/1

- ☐ Region
- ☐ Resource ID
- ☐ Service
- ☒ Account ID



Correct answer

- ☒ Resource ID

DONE :)

0 of 0 points



Dont forget to submit your Github Link :)

https://1drv.ms/x/c/7a38c24f0604aa60/IQBG5_ybRu7JT50WvBpQ_rgoAZlmon3KdjWW13ULus2yQdY?e=BayPJ8

Thank You :)

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms



