FAV Group of Companies

Schneider Electric



Altivar AC Drives

Advanced energy management and performance in motor control



STRONG & DURABLE
High quality stainless steel & aluminium for superior strength and protection

EASY INSTALLATION
User friendly design for quick and safe installation in any environment

IDEAL FOR INDUSTRIES
Oil Gas, Petrochemical, Power, Marine, Water Treatment & more

HEAD OFFICE
B-66/A, S.I.T.E., Area, Karachi-75700,Pakistan.
+92 (21) 32550093-98
info@vawda.com

LAHORE OFFICE
307/E, Nadir street, Ferry Meadowlane, West canal Bank, Lahore-54590,Pakistan.
+92 (42) 36113239
lhr@vawda.com

FAISALABAD OFFICE
P-68, Vawda House, Vawda Street 4, Zia Town Faisalabad-38000, Pakistan.
+92 (41) 8524576
fsd@vawda.com

MULTAN OFFICE
Plot # 62/A, Phase-1 Industrial Estate Multan.
+92 (61) 6538131
mul@vawda.com

Altivar Process Drives for industrial utility applications

Altivar process drives deliver added-value services to enable business and process optimization through improved life cycle asset management and optimized energy consumption. Designed to assist OEMs, system integrators, and industrial process owners, Altivar process drives improve process performance by enabling full information and operational technology convergence.

Embedded EcoStruxure Plant™ and Foxboro™ Evo architectures simplify system integration.

Water applications

- Booster pumps
- Lift station pumps
- Desalination pumps
- Water supply pumps
- Water suction pumps
- Progressing cavity pumps
- Influent and effluent pumps
- Secondary clean water pumps

Oil & Gas applications

- Rod pumps
- Feed pumps
- Pipeline, booster, and unloading pumps
- Water injection pumps
- Reciprocating and centrifugal compressors
- Progressing cavity pumps
- Electric submersible pumps

Mining & Metals applications

- Hoisting
- Crushers
- Extruding
- Conveyors
- Slurry pumps
- Induced draft fans
- Quenching pumps
- Dust collection fans
- Mine ventilation fans
- Hydro-transport pumps

SoMove Software Access for advance functions









	Altivar 630	Altivar 650	Altivar 930	Altivar 950
Voltage	208/230 480	480	208/230 480	480
HP	1 – 125 1 – 500	1 – 125	1 – 125 1 – 500	1 – 125
kW	0.75 – 90 kW 0.75 – 315 kW	0.75 90 kW	0.75 – 90 kW 0.75 – 315 kW	0.75 – 90 kW
Enclosure	UL Type 1 Heatsink kit option: 125 – 250 hp	UL Type 12	UL Type 1 Heatsink kit option: 125 – 250 hp	UL Type 12
Application functions	Multi-pump control, > 30 pump functions, fans, and simple material handling	Multi-pump control, > 30 pump functions, fans, and simple material handling	Load share, master slave, safety inputs, dynamic braking	Master slave, safety inputs, dynamic braking
Performance	Normal or heavy duty	Normal or heavy duty	High-torque capacity encoder options, dual Ethernet ports	High-torque capacity encoder options, dual Ethernet ports

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation

FAV Group of Companies

Schneider Electric

Altivar AC Drives for machines

Designed to assist OEMs, panel builders, and system integrators build tailored, high-performance equipment.

- Material handling
- Material working equipment
- Material forming and embossing
- Gappers, palletizing
- Packaging machinery
- Metal process machinery
- Hoisting
- Extruding
- pM motor control

Applications

Water & Waste Water | Oil & Gas | Mineral Mining | Food & Beverage | Marine | Fans | Screw Compressor | Conveyor | Mixers



	Altivar 12	Altivar 320 Compact	Altivar 320 Book	Altivar 340
Voltage	115 208/230	208/230 480 600	208/230 480	480
HP	0.25 – 1 0.25 – 5	0.25 - 20 0.5 - 5 1 - 20	0.25 - 20 0.5 - 20	1 - 100
kW	0.18 – 0.75 kW 0.18 – 4 kW	0.18 – 15 kW – 0.37 – 4 kW 0.75 – 15 kW	0.18 – 15 kW 0.37 – 15 kW	0.75 – 75 kW
Enclosure	IP20	IP20, UL Type 1 w/ Conduit Kit	IP20	IP20
Communication	Integrated Modbus	Integrated Modbus & CANopen Optional: Ethernet IP, Modbus TCP, CANopen Daisy Chain, Sub-D, & screw terminals, PROFINET, Profibus DP V1, EtherCat, DeviceNet, POWERLINK	Integrated Modbus & CANopen Optional: Ethernet IP, Modbus TCP, CANopen Daisy Chain, Sub-D, & screw terminals, PROFINET, Profibus DP V1, EtherCat, DeviceNet, POWERLINK	Integrated Modbus Integrated Ethernet IP/Modbus TCP on ATV340***N4E Optional: CANopen Daisy Chain, Sub-D, & screw ter- minals, PROFINET, Profibus DP V1, EtherCat, Devicenet
Performance	Simple Machines	Simple & Advanced Machines	Simple & Advanced Machines	High-Performance Machines

SoMove Software
Access for
advance functions

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation

FAV Group of Companies

Schneider Electric



Easy Altivar 310

Variable Speed Drive for General Purpose Application

380 V-460 V 3-Phase

0.37Kw to 22Kw
0.5HP to 30HP

Communication Protocol

- Modbus

Applications

Conveyor | Textile Machines | Machine Tools | Woodworking Machines | Material Handling

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation



Easy Altivar 610

Variable Speed Drive for Pumps & Fans

380 V-460 V 3-Phase

0.75Kw to 315Kw
1HP to 500HP



Easy Programming
Monitoring
& troubleshooting

IP20

Communication Protocol

- Modbus serial
- Profibus DP (Optional)

Applications

Fans | Pumps | Compressors

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation

FAV Group of Companies

Schneider Electric



ATH200 Series

Variable Frequency Drive for compact HVAC machine

0.37Kw to 22Kw
0.5HP to 30HP

IP20, IP21 & IP55

Communication Protocol

- Modbus
- BACnet MS/TP
- BACnet/IP (Optional Card)

SoMove Software
Access for advance functions

Cybersecurity
for your assets



Easy Programming
Monitoring
& troubleshooting

Applications

Fans | Pumps | Boiler | Roof Top Unit | Air Handling Unit

- > Easy selection
- > Expand it with options and accessories
- > Access technical and commercial documentation

Altivar212 Series (HVAC)

Variable Speed Drives for 3-phase asynchronous motor

0.75Kw to 75Kw
1HP to 100HP





Easy Programming
Monitoring
& troubleshooting

SoMove Software
Access for advance functions

Applications

Fans | Pumps | Boiler | Roof Top Unit | Air Handling Unit

IP20, IP21 & IP55

Communication Protocol

- Modbus
- BACnet MS/TP
- LonWorks (Optional Card)

- > Easy selection
- > Expand it with options and accessories
- > Access technical and commercial documentation

FAV Group of Companies

Schneider Electric

Altivar SoftStarter ATS480 Series

Softstarter for process & Infrastructures from 4 to 900kw 230 to 690VAC IP20 & IP21

Easy Programming Monitoring & troubleshooting

SoMove Software Access for advance functions

Cybersecurity for your assets

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation



Applications

Water & Waste Water

Oil & Gas

Mineral Mining

Food & Beverage

Marine

ATS480 also meets the needs of industrial machines.

The Altivar Soft Starter ATS480 range increases availability, helps to ensure continuous operations, and reduces downtime thanks to its:

- Torque control
- Simplicity
- Connectivity
- Communication services
- Robustness

Communication Option

- Modbus TCP
- Ethernet/IP
- CANopen
- Profibus DP
- Modbus Serial

Altivar SoftStarter ATS430 Series

Softstarter for standard machinery in industry from 4 to 400kw/3 to 500Hp 220VAC to 600VAC

Easy Programming Monitoring & troubleshooting

SoMove Software Access for advance functions

Cybersecurity for your assets

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation



Applications

Centrifugal compressor

Fans

Screw Compressor

Conveyor

Agitators

Mixers

The Altivar Soft Starter ATS430 range increases durability and availability of your machines, helps to ensure continuous operations, and reduces downtime thanks to its:

- Torque control system (TCS)
- Simplicity
- Reliability
- Integrated bypass relays
- Condition monitoring functions
- Repairable

Communication Option

- Modbus TCP
- Ethernet/IP
- CANopen
- Profibus DP
- Modbus Serial

Soft Starter For Asynchronous Motor, Altistart 22, Control 230v, 230 to 440v, 4 to 400 Kw



Overview

Altistart 22 soft start/soft stop units support the controlled starting and stopping, via voltage and torque, of three-phase squirrel cage asynchronous motors for power ratings ranging from 4 to 400 kW.

> Easy selection
> Expand it with options and accessories
> Access technical and commercial documentation

Applications

- Centrifugal pumps & piston pumps
- Fans
- Screw compressors
- Material handling
- agitators mixers centrifuges

Altistart 22 soft start/soft stop units offer a truly cost-effective solution by providing:

- A reduction in installation costs through optimum product sizes, integrated bypass function, and faster wiring time.
- A reduction in the stress associated with electrical distribution through fewer current peaks and line voltage drops caused by motor starting.
- A reduction in machine running costs through reduced mechanical stress.

SoMove Software
Access for advance functions

Improve your business operations with Altivar AC Drives

Schneider Electric offers a portfolio of AC Drives designed to provide value in your business operations.



Machine builders

- Space savings
- Certified safety connectability
- Complementary product offers
- Automation network integration
- Process performance improvement



Building managers

- Energy savings
- Energy management
- Green building compliance
- Building network integration
- Ready-to-install



Industrial process owners

- Energy management
- Process optimization
- Predictive maintenance
- Remote network access
- Packaged drive systems



Utility site operators

- Process monitoring
- Energy management
- Sitewide network control
- Coordinated drive systems
- Chemical and air particle pollution resistance

For more than 30 years, Schneider Electric has supplied AC Drives to energy-intensive industries across the world. We are a global-leading supplier of reliable, high-performance AC Drives, built for a wide range of applications across diverse and demanding segments.

FAV Group of Companies

Schneider Electric