



# Clone and migrate apps

## Project Astra

Ben Cammett, Erika Barcott  
November 11, 2020

This PDF was generated from <https://docs.netapp.com/us-en/project-astra/use/clone-apps.html> on November 17, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

Clone and migrate apps..... 1


# Clone and migrate apps

Clone an existing app to create a duplicate app on the same Kubernetes cluster or on another cluster. Cloning can help if you need to move applications and storage from one Kubernetes cluster to another. For example, you might want to move workloads through a CI/CD pipeline and across Kubernetes namespaces.

When Astra clones an app, it creates a clone of your application configuration and persistent storage.

## Steps

1. Click **Apps**.
2. Click the drop-down list in the **Action** column for the desired app.
3. Click **Clone**.



4. **Clone details:** Specify details for the clone:
  - Enter a name.
  - Choose a destination cluster for the clone.
  - Choose whether you want to create the clone from an existing snapshot or backup. If you don't select this option, Astra creates the clone from the app's current state.
5. **Source:** If you chose to clone from an existing snapshot or backup, choose the snapshot or backup that you'd like to use.

Clone Application

STEP 2/3: SOURCE

Filter

SnapshotsBackups

App Snapshot	Ready	Scheduled/On-Demand	Created ↑
<input checked="" type="radio"/> mariadb-mariadb-snapshot-20200923112806	✓	⦿ On-Demand	2020/09/23 15:28 UTC
<input type="radio"/> mariadb-mariadb-snapshot-20200923152858	✓	⦿ On-Demand	2020/09/23 15:28 UTC

← Select details

Review information →

6. **Clone Summary:** Review the details about the clone and click **Clone App**.



## Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.