

INDIVIDUAL CASE SAFETY REPORT

Report ID: ICSR-2025-001

Report Type: Spontaneous

Report Date: 2025-11-15

Reporter: Dr. Tanaka, Tokyo General Hospital

Reporter Qualification: Physician

Country of Occurrence: Japan

MedDRA Version: 27.0

PATIENT INFORMATION

Patient Initials: K.T.

Age: 65 years

Sex: Female

Weight: 58 kg

Ethnicity: Asian

Medical History: Essential hypertension diagnosed 10 years ago, well controlled prior to this event. No known drug allergies.

SUSPECT DRUG

Drug Name: DrugX

Active Ingredient: Compound-X 10 mg

Manufacturer: Pharma Sample Co., Ltd.

Dosage Form: Film-coated tablet

Dosage Regimen: 10 mg, oral, once daily in the morning

Route of Administration: Oral

Indication: Essential hypertension

Therapy Start Date: 2025-11-01

Therapy End Date: 2025-11-14 (discontinued due to adverse events)

Action Taken with Drug: Drug withdrawn

CONCOMITANT MEDICATIONS

None reported at the time of the event.

ADVERSE EVENTS

Event 1: Headache (severe)

Onset Date: 2025-11-04

Outcome: Recovering

Seriousness: Non-serious

Event 2: Dizziness

Onset Date: 2025-11-04

Outcome: Recovering

Seriousness: Non-serious

Event 3: Nausea

Onset Date: 2025-11-05

Outcome: Recovering

Seriousness: Non-serious

CAUSALITY ASSESSMENT

Reporter Causality: Possible

Company Causality: Possible

WHO-UMC Scale: Possible

NARRATIVE

A 65-year-old Japanese female with a 10-year history of well-controlled essential hypertension was initiated on DrugX 10 mg once daily on 2025-11-01 by her primary care physician. She had previously been managed with lifestyle modification alone and had no prior history of antihypertensive pharmacotherapy. Baseline blood pressure at the time of prescription was 152/94 mmHg.

Three days after the first dose (2025-11-04), the patient developed a severe throbbing frontal headache accompanied by dizziness on standing. The following day she additionally experienced episodes of nausea without vomiting. She did not seek immediate medical attention but contacted the prescribing physician on 2025-11-14, at which point DrugX was discontinued. No symptomatic treatment was required. By the date of this report all three symptoms had been gradually improving over approximately three days following drug withdrawal.

No alternative cause was identified. The patient reported no recent dietary changes, no new medications, and no intercurrent illness. The temporal relationship between drug initiation

and symptom onset supports a possible causal association with DrugX.

FOLLOW-UP

Follow-up planned at next scheduled visit on 2025-12-01 to confirm full recovery.