

C Program Tasks



NATIONAL UNIVERSITY
of Computer & Emerging Sciences

Assignment Title: C Programs Tasks

Subject Name: Programming Fundamentals Lab


Submitted By: Nabiha Shaukat

Roll Number: 26k-3166

Submitted To: Sir Shayan Ali

Date Of Submission: 9 Sep 2026

QUESTION 01:




The screenshot shows the Programiz C Online Compiler interface. On the left, there is a sidebar with icons for various programming languages: Python, R, Java, JavaScript, C, C++, C#, PHP, and TypeScript. The C language icon is selected and highlighted in blue. The main area displays a C program in a dark-themed editor. The program is named 'main.c' and contains the following code:

```
1 #include<stdio.h>
2 int main(){
3
4     int number1, number2;
5     printf("Enter number1: ");
6     scanf("%d",&number1);
7     printf("Enter number2: ");
8     scanf("%d",&number2);
9     printf("result=%d", number1+number2);
10    return 0;
11 }
12
13
```

At the top right of the editor, there is a blue button labeled 'Run' with a play icon.

Fig1: addition input on C Compiler



The screenshot shows the 'Output' window of the Programiz C Online Compiler. The output text is as follows:

```
Enter number1: 54
Enter number2: 24
result=78

=== Code Execution Successful ===
```

At the top right of the output window, there are icons for sharing and a menu.

Fig2: addition output on C Compiler

QUESTION 02:

```
main.c Run ▶  
1 #include<stdio.h>  
2 int main(){  
3  
4     int obtainedmarks, totalmarks;  
5     float percentage;  
6     printf("Enter obtainedmarks: ");  
7     scanf("%d",&obtainedmarks);  
8     printf("Enter totalmarks: ");  
9     scanf("%d",&totalmarks);  
10    printf("percentage = %f",(float)obtainedmarks / totalmarks * 100);  
11  
12    return 0;  
13 }  
14  
15
```

Fig3: Input of obtained marks, total marks & percentage on C Compiler

```
Output  
Enter obtainedmarks: 903  
Enter totalmarks: 1100  
percentage = 82.090912  
  
=== Code Execution Successful ===
```


Fig4: output of obtained marks, total marks & percentage on C Compiler

QUESTION 03:



```
main.c Run ▶  
  
1 #include<stdio.h>  
2 int main(){  
3  
4     int number;  
5     printf("Enter number: ");  
6     scanf("%d",&number);  
7     if (number /2 ==0)  
8     {  
9         printf("Number is even");  
10    }  
11    else  
12    {  
13        printf("Number is odd");  
14    }  
15  
16  
17    return 0;  
18 }  
19  
20
```

Fig5: Input of even or odd number on C Compiler



```
Output  
  
Enter number: 23  
Number is odd  
  
=== Code Execution Successful ===
```

Fig6: output of even odd number on C Compiler

QUESTION 04:




The screenshot shows a code editor with a file named 'main.c'. The code is a C program that prompts the user to enter their age and checks if they are eligible for voting based on whether their age is 18 or older. The code is as follows:

```
1 #include<stdio.h>
2 int main(){
3
4     int age;
5     printf("Enter age");
6     scanf("%d", &age);
7     if
8         (age >= 18)
9     {
10         printf("Person is eligible for voting");
11     }
12     else
13     {
14         printf("Person is not eligible for voting");
15     }
16
17
18     return 0;
19 }
20
```

A 'Run' button with a play icon is visible in the top right corner of the editor.

Fig7: Input of person's age on C Compiler



The screenshot shows the output of the program. It displays the prompt 'Enter age', the user input '54', and the resulting message 'Person is eligible for voting'. At the bottom, it indicates that the code execution was successful.


```
Output

Enter age54
Person is eligible for voting

=== Code Execution Successful ===
```


Fig8: output of person's age on C Compiler

QUESTION 05:



```
main.c Run ▶  
  
1 #include<stdio.h>  
2 int main(){  
3  
4     int studentmarks;  
5     printf("Enter studentmarks");  
6     scanf("%d", &studentmarks);  
7     if  
8     (studentmarks >= 80)  
9     {  
10         printf("display A");  
11     }  
12     else if  
13     (studentmarks >= 60)  
14     {  
15         printf("display B");  
16     }  
17 else  
18 {  
19     printf("display C");  
20 }  
21 return 0;  
22 }  
23  
24
```


Fig9: Input of student's grade on C Compiler



```
Output  
  
Enter studentmarks79  
display B  
  
=== Code Execution Successful ===
```


Fig10: output of student's grade on C Compiler

QUESTION 06:



```
main.c Run ▶  
  
1 #include<stdio.h>  
2 int main(){  
3  
4     int day;  
5     printf("Enter a number from 1 to 7");  
6     scanf("%d", &day);  
7     switch(day)  
8     {  
9         case 1:  
10        printf("Monday");  
11        break;  
12        case 2:  
13        printf("Tuesday");  
14        break;  
15        case 3 :  
16        printf("Wednesday");  
17        break;  
18        case 4:  
19        printf("Thursday");  
20        break;  
21        case 5:  
22        printf("Friday");  
23        break;  
24        case 6:  
25        printf("Saturday");  
26        break;  
27        case 7:  
28        printf("Sunday");  
29        break;  
30    }  
31    return 0;  
32 }  
33
```

Fig11: Input of weekdays on C Compiler



```
Output  
  
Enter a number from 1 to 7  
  
5  
Friday  
  
=== Code Execution Successful ===
```

Fig12: output of weekdays on C Compiler