NSDA 100 MCQ WITH ANSWERS

1. **What does HTML stand for?**
   A) Hyper Text Markup Language ✅
   B) High Text Machine Language
   C) Hyper Tool Multi Language
   D) None

2. **Which tag is used for paragraph?**
   A) p ✅
   B) para
   C) text
   D) h1

3. **Which tag is used for image?**
   A) img ✅
   B) image
   C) src
   D) pic

4. **Attribute used for image source?**
   A) href
   B) src ✅
   C) link
   D) url

5. **Anchor tag is used for?**
   A) Image
   B) Link ✅
   C) Table
   D) Text

6. **Which tag is used for heading?**
   A) h1-h6 ✅
   B) head
   C) title
   D) p

7. **Which tag is used for line break?**
   A) break
   B) br ✅
   C) lb
   D) hr

8. **Which tag creates list item?**
   A) li ✅
   B) ul
   C) ol
   D) list

9. **Ordered list tag?**
   A) ul
   B) ol ✅
   C) li
   D) list

10. **Unordered list tag?**
    A) ol
    B) ul ✅
    C) li
    D) list

11. **Which tag is used for table?**
    A) table ✅
    B) tr
    C) td
    D) th

12. **Table row tag?**
    A) td
    B) tr ✅
    C) th
    D) table

13. **Table data tag?**
    A) td ✅
    B) tr
    C) th
    D) data

14. **Which tag is used for form?**
    A) form ✅
    B) input
    C) label
    D) submit

15. **Input type for email?**
    A) text
    B) email ✅
    C) mail
    D) input

16. **Which attribute is unique?**
    A) class
    B) id ✅
    C) name
    D) type

17. **Inline CSS uses?**
    A) class
    B) id
    C) style ✅
    D) css

18. **Meta tag is used for?**
    A) SEO / info ✅
    B) design
    C) script
    D) image

19. **Title tag is placed in?**
    A) body
    B) head ✅
    C) html
    D) footer

20. **HTML is?**
    A) Programming Language
    B) Markup Language ✅
    C) Database
    D) Server

21. **CSS stands for?**
    A) Cascading Style Sheets ✅
    B) Color Style Sheet
    C) Creative Style System
    D) None

22. **How to apply CSS?**
    A) Inline
    B) Internal
    C) External
    D) All ✅

23. **Selector for ID?**
    A) .
    B) # ✅
    C) *
    D) id

24. **Selector for class?**
    A) #
    B) . ✅
    C) *
    D) class

25. **Property for text color?**
    A) font
    B) color ✅
    C) text
    D) style

26. **Property for background color?**
    A) bg
    B) background-color ✅
    C) color
    D) style

27. **Margin means?**
    A) inside space
    B) outside space ✅
    C) border
    D) text

28. **Padding means?**
    A) outside
    B) inside space ✅
    C) margin
    D) none

29. **Box model includes?**
    A) margin
    B) padding
    C) border
    D) all ✅

30. **Display property used for?**
    A) color
    B) layout ✅
    C) text
    D) border

31. **Flexbox used for?**
    A) animation
    B) layout ✅
    C) color
    D) font

32. **Grid is used for?**
    A) layout ✅
    B) color
    C) image
    D) text

33. **Opacity controls?**
    A) color
    B) transparency ✅
    C) size
    D) layout

34. **Position property types?**
    A) static
    B) relative
    C) absolute
    D) all ✅

35. **Which is responsive unit?**
    A) px
    B) em
    C) rem
    D) all ✅

36. **Bootstrap is?**
    A) JS library
    B) CSS framework ✅
    C) database
    D) API

37. **Navbar class?**
    A) navbar ✅
    B) nav
    C) bar
    D) menu

38. **Card class used for?**
    A) container ✅
    B) button
    C) image
    D) table

39. **Media query used for?**
    A) animation
    B) responsive design ✅
    C) color
    D) text

40. **CSS comment syntax?**
    A) //
    B) /* */ ✅
    C) #
    D) <!-- -->

41. **JavaScript is?**
    A) Programming language ✅
    B) Markup
    C) Style
    D) DB

42. **Output function?**
    A) print()
    B) console.log() ✅
    C) echo()
    D) show()

43. **Alert function?**
    A) alert() ✅
    B) show()
    C) msg()
    D) print()

44. **Variable keyword?**
    A) var
    B) let
    C) const
    D) all ✅

45. **Strict equality?**
    A) ==
    B) === ✅
    C) =
    D) !=

46. **Logical AND?**
    A) && ✅
    B) ||
    C) !
    D) ==

47. **Logical OR?**
    A) &&
    B) || ✅
    C) !
    D) =

48. **NOT operator?**
    A) ! ✅
    B) &&
    C) ||
    D) !=

49. **Loop for iteration?**
    A) for ✅
    B) if
    C) return
    D) break

50. **Conditional statement?**
    A) if ✅
    B) loop
    C) function
    D) object

51. **Function keyword?**
    A) func
    B) function ✅
    C) def
    D) create

52. **Array example?**
    A) {}
    B) [] ✅
    C) ()
    D) <>

53. **Object example?**
    A) []
    B) {} ✅
    C) ()
    D) <>

54. **typeof used for?**
    A) value
    B) type check ✅
    C) loop
    D) math

55. **parseInt() used for?**
    A) string to int ✅
    B) int to string
    C) float
    D) none

56. **setTimeout() does?**
    A) repeat
    B) delay once ✅
    C) loop
    D) break

57. **setInterval() does?**
    A) repeat ✅
    B) once
    C) break
    D) stop

58. **Break keyword?**
    A) skip
    B) stop loop ✅
    C) continue
    D) none

59. **Continue keyword?**
    A) stop
    B) skip iteration ✅
    C) break
    D) none

60. **DOM stands for?**
    A) Document Object Model ✅
    B) Data Object Model
    C) Document Order Model
    D) none

61. **BOM stands for?**
    A) Browser Object Model ✅
    B) Base Object Model
    C) Basic Object Model
    D) none

62. **Event handler used for?**
    A) interaction ✅
    B) style
    C) DB
    D) server

63. **innerHTML used for?**
    A) text
    B) HTML content ✅
    C) style
    D) none

64. **innerText used for?**
    A) text only ✅
    B) HTML
    C) style
    D) none

65. **JSON stands for?**
    A) JavaScript Object Notation ✅
    B) Java Syntax Object
    C) Java Source Object
    D) none

66. **JSON format uses?**
    A) {} ✅
    B) []
    C) ()
    D) <>

67. **Arrow function uses?**
    A) => ✅
    B) ->
    C) ==
    D) =>>

68. **Default value undefined means?**
    A) assigned
    B) not assigned ✅
    C) null
    D) false

69. **Null means?**
    A) empty value ✅
    B) zero
    C) undefined
    D) false

70. **isNaN() checks?**
    A) number
    B) not a number ✅
    C) string
    D) object

81. **FTP used for?**
    A) file transfer ✅
    B) design
    C) coding
    D) DB

82. **Responsive design means?**
A) fixed
B) mobile friendly ✅
C) static
D) none

83. **Static website?**
A) fixed content ✅
B) dynamic
C) DB
D) API

84. **Dynamic website?**
A) changing content ✅
B) fixed
C) static
D) none

85. **Interactive website?**
A) user interaction ✅
B) static
C) plain
D) none

86. **VS Code is?**
A) editor ✅
B) browser
C) OS
D) DB

87. **SVG used for?**
A) scalable graphics ✅
B) video
C) audio
D) DB

88. **ID selector used for?**
    A) unique element ✅
    B) group
    C) class
    D) none

89. **Class selector used for?**
    A) multiple elements ✅
    B) one
    C) id
    D) none

90. **Function is?**
    A) block of code ✅
    B) variable
    C) loop
    D) array

91. **Loop types?**
    A) for
    B) while
    C) do-while
    D) all ✅

92. **Condition types?**
    A) if
    B) else
    C) switch
    D) all ✅

93. **CSS used for?**
    A) styling ✅
    B) logic
    C) DB
    D) server

94. **JS used for?**
    A) interaction ✅
    B) style
    C) DB
    D) markup

95. **HTML used for?**
    A) structure ✅
    B) style
    C) logic
    D) DB

96. **Bootstrap grid based on?**
    A) 12 column ✅
    B) 10
    C) 6
    D) 8

97. **Media query keyword?**
    A) @media ✅
    B) @css
    C) @style
    D) @screen

98. **Window object belongs to?**
    A) BOM ✅
    B) DOM
    C) CSS
    D) HTML

99. **document object belongs to?**
    A) DOM ✅
    B) BOM
    C) CSS
    D) HTML

100. **JavaScript runs on?**
A) browser ✅
B) server only
C) DB
D) OS

101. **How do you ensure accessibility compliance when integrating JavaScript libraries into web applications?**
A) By ignoring accessibility guidelines
B) By following web accessibility standards, using ARIA roles, and testing with screen readers and other assistive technologies ✅
C) By using only plain HTML
D) By minimizing the use of JavaScript

102. **Which image format supports transparency and is commonly used for web graphics and images with transparent backgrounds?**
A) PSD
B) PNG ✅
C) JPG
D) GIF

103. **What is the function of the HTML style attribute?**
A) It is used to add style to an HTML element ✅
B) It is used to uniquely identify some specific styles of some element
C) Both a & b
D) None of the above

104. **What tag is used to render an image on a webpage?**
A) img ✅
B) src
C) image
D) none of them

105. **The most basic part of any HTML page is?**
A) ASCII Text
B) Binary Text
C) Text ✅
D) None of the above

106. **How many characters can be written in 1KB?**
A) 1048
B) 1024 ✅

C) 2048
D) None of them

107. **Explain the difference between the ---- and ---- operators in JavaScript.**
A) == compares values; === compares values and types ✅
B) === compares values and types; == compares only values
C) == compares objects; === compares arrays
D) == compares strings; === compares numbers

108. **What are logical operators?**
A) +, -, *, /
B) &&, ||, ! ✅
C) =, !=, ==, !==
D) if, else switch

109. **How do you use the break statement in loops and switches in JavaScript?**
A) To pause execution
B) To terminate a loop or switch ✅
C) To skip an iteration
D) To execution

110. **How do you display output in JavaScript?**
A) Using print()
B) Using alert()
C) Using console.log() ✅
D) Using document.write()

111. **What are single-line and multi-line comments in JavaScript? How do you comment out code?**
A) // for single-line, // for multi-line
B) <!--> for single-line, <!--> for multi-line
C) # for single line, “”” “”” for Multi-line
D) // for single line, /* */ for multi line ✅

112. **Select the basic data types in JavaScript.**
A) Number, String , Boolean, Object, Array
B) Number, String , Boolean, Undefined, Null, Object ✅
C) Integer, Float, String, Boolean, Object
D) Char, Float, String, Boolean, Array

113. **How do you check the data type of a variable in JavaScript?**
A) typeof variable ✅
B) instance of variable
C) variable.type
D) check Type(variable)

114. **What are arithmetic operators in JavaScript? Provide examples**
**A) +, -, , /* ✅
B) +, -, *, /, &&
C) ++, --, +=, -=
D) ==, ===, !=, !==

115. **Which keyword is used to declare a variable in JavaScript?**
A) var ✅
B) variable
C) v
D) let

116. **Which operator is used for strict equality comparison in JavaScript?**
A) ==
B) !=
C) === ✅
D) !==

117. **Which function is used to output data to the console in JavaScript?**
A) print()
B) log()
C) display()
D) console.log() ✅

118. **Which built-in method is used to convert a string to an integer in JavaScript?**
A) parseInt() ✅
B) tointeger()
C) convertToInt()
D) stringToInt()

119. **What is the purpose of Tailwind CSS and how does it differ from other CSS frameworks like Bootstrap?**
A) Tailwind CSS is a JavaScript framework
B) Tailwind CSS is a utility-first CSS framework that provides low-level utilities, while Bootstrap provides pre-designed components ✅
C) Tailwind CSS is used for server-side scripting
D) Tailwind CSS is a database management tool

120. **What is the basic difference between JavaScript and Java?**
A) Functions are considered as fields
B) Functions are values, and there is no hard distinction between methods and fields ✅
C) Variables are specific
D) There is no difference

121. **Which statement is used to execute a block of code multiple times in JavaScript?**
A) for ✅
B) if
C) return
D) break

122. **Why event handlers are needed in JS?**
A) Allows JavaScript code to alter the behavior of windows ✅
B) Adds inner HTML page to the code
C) Change the server location
D) Performs handling of exceptions and occurrences

123. **What is the purpose of JavaScript in web development?**
A) To structure a web page
B) To style web page
C) To add interactivity and dynamic content to web pages ✅
D) To store data on the server

124. **In JavaScript, which of the following is a valid variable name?**
A) 2names
B) $name ✅
C) -name
D) @name

125. **Which of the following class is used to create a responsive navigation bar in Bootstrap?**
A) navbar-fixed
B) navbar-expand ✅
C) navbar-light
D) navbar-collapse

126. **What is the purpose of the card class in Bootstrap?**
A) To create interactive buttons
B) To apply borders
C) To create a flexible content container with optional headers and footers ✅
D) To align text

127. **How can we write comments in CSS?**
A) //
B) #
C) <!-- -->
D) / comment / ✅

128. **The CSS property is used to control the transparency of an element?**
A) Opacity ✅
B) Visibility
C) filter
D) None

129. **Which of the following CSS property is used for controlling the layout?**
A) display ✅
B) color
C) text
D) None

130. **Which of the following components of the CSS box model are transparent?**
A) padding
B) margin ✅
C) both a & b
D) content

131. **How many types of layout are available in Bootstrap?**
A) One
B) Two (Fluid & Fixed) ✅
C) Three
D) Four

132. **Write down the boilerplate of HTML?**
A) Without DOCTYPE
B) Only body tag
C) Standard HTML structure with <!DOCTYPE html>, html, head, body ✅
D) Only div

133. **Why we use CSS box-sizing property?**
A) To add margin
B) To increase padding
C) To include padding & border within width/height ✅
D) To remove CSS

134. **What is the difference between margin & padding?**
A) Both same
B) Margin = outside space, Padding = inside space ✅
C) Padding outside
D) Margin inside

135. **What is JSON?**
A) Programming language
B) Data interchange format ✅
C) Database
D) API

136. **What are the timing methods in JavaScript?**
A) delay()
B) time()
C) setTimeout() & setInterval() ✅
D) timer()

137. **What is the difference between DOM & BOM?**
A) Same
B) DOM = document, BOM = browser interaction ✅
C) DOM = browser
D) BOM = HTML

138. **What are HTML Tag, Element & Attribute?**
A) Same
B) Tag = syntax, Element = full structure, Attribute = extra info ✅
C) Only tag
D) Only attribute

139. **Types of HTML elements?**
A) One
B) Block & Inline ✅
C) Three
D) None

140. **What is a function in JavaScript?**
A) Variable
B) Block of reusable code ✅
C) Loop
D) Object

141. **What are Arrays in JavaScript?**
A) Single value
B) Multiple values in one variable ✅
C) Function
D) Object

142. **JSON array is written using?**
A) {}
B) [] ✅
C) ()
D) <>

143. **Which are repeated statements in JavaScript?**
A) if
B) switch
C) for, while, do-while ✅
D) break

144. **Which are conditional statements?**
A) loop
B) if, else, switch ✅
C) function
D) object

145. **Which tag is used to create form?**
A) form ✅
B) input
C) label
D) button

146. **Difference between innerText and innerHTML?**
A) Same
B) innerText = text, innerHTML = HTML content ✅
C) Both style
D) None

147. **Static website means?**
A) Fixed content ✅
B) Dynamic
C) Interactive
D) Database

148. **Dynamic website means?**
A) Fixed
B) Changing content ✅
C) Static
D) None

149. **Interactive website means?**
A) Static
B) Dynamic
C) User interaction ✅
D) None

150. **Which editor is popular for web development?**
A) Notepad
B) VS Code ✅
C) Paint
D) Excel

151. **FTP is used for?**
A) Coding
B) File transfer ✅
C) Design
D) Styling

152. **HTML login form uses which tag?**
A) div
B) form ✅
C) span
D) section

153. **When should SVG be used?**
A) Video
B) Scalable graphics ✅
C) Audio
D) Text

154. **ID selector in CSS uses?**
A) .
B) # ✅
C) *
D) id

155. **How to apply multiple classes?**
A) comma
B) space separated ✅
C) dot
D) hash

156. **Function declaration keyword?**
A) func
B) function ✅
C) create
D) def

157. **Ordered list tag?**
A) ul
B) ol ✅

C) li
D) list

158. **Arrays are?**
A) Object
B) Collection of values ✅
C) Function
D) Loop

159. **Object is?**
A) Array
B) Key-value pair structure ✅
C) Loop
D) String

160. **How to access array element?**
A) dot
B) index [] ✅
C) id
D) class

NSDA Written (Complete Answer Sheet)

1. How do you ensure accessibility compliance?
Web accessibility standards follow করতে হয়, ARIA roles ব্যবহার করতে হয় এবং screen reader দিয়ে test করতে হয়।

2. Which image format supports transparency?
PNG format transparency support করে।

3. Difference between == and ===
== → শুধু value compare করে
=== → value + data type compare করে

4. What are logical operators?
Logical operators: `&&` (AND), `||` (OR), `!` (NOT)

5. Use of break statement
break loop বা switch terminate করে।

6. How to display output in JavaScript?
`console.log()`, `alert()`, `document.write()`

7. Comments in JavaScript
Single-line: `//`
Multi-line: `/* */`

8. Basic data types in JavaScript
Number, String, Boolean, Undefined, Null, Object

9. Check data type in JavaScript
`typeof variable`

10. Arithmetic operators
`+`, `-`, `*`, `/`
Example: `10 + 5 = 15`

11. Variable declaration keyword
`var`, `let`, `const`

12. Strict equality operator
`===`

13. Output to console
`console.log()`

14. Convert string to integer
`parseInt()`

15. Tailwind CSS vs Bootstrap
Tailwind → utility-first
Bootstrap → ready-made components

16. innerText vs innerHTML
innerText → শুধু text
innerHTML → HTML সহ content

17. Static vs Dynamic vs Interactive website
Static → fixed content

Dynamic → database driven
Interactive → user interaction (JS based)

18. Preferred code editor
VS Code (fast, extensions, live server)

19. FTP purpose
Server-এ file upload/download করার জন্য

20. HTML login form

```
<form>

 <input type="text" placeholder="Username">

 <input type="password" placeholder="Password">

 <button type="submit">Login</button>

</form>
```

21. When to use SVG?
Logo, icon, scalable graphics

22. ID selector in CSS
`#idName {}`

23. Create function in JavaScript

```
function greet(name){

 return "Hello " + name;

}
```

24. Ordered list in HTML

```
<ol>

 <li>Item 1</li>

</ol>
```

25. Arrays and Objects
Array → multiple values (`[ ]`)
Object → key-value pair (`{}`)

26. What is DOM?
HTML document এর structure tree, JS দিয়ে control করা যায়।

27. What is BOM?
Browser interaction system (window object)

28. Difference between margin & padding
Margin = outside
Padding = inside

29. What is CSS Box Model?
Content + Padding + Border + Margin

30. What is responsive design?
সব device-এ website ঠিকভাবে দেখানো

31. What is Bootstrap?
CSS framework for responsive design

32. Types of loops in JavaScript
for, while, do-while

33. Types of conditional statements
if, else, else if, switch

34. What is JSON? Example

```
let student = {name: "Shawon", city: "Dhaka"};
```

35. What is event handler?
user action (click, hover) handle করার জন্য JS function