


EXPERIMENT NO 1


Write a C program for Caesar cipher involves replacing each letter of the alphabet with the letter

standing k places further down the alphabet, for k in the range 1 through 25.



The screenshot shows the Programiz Python Online Compiler interface. The main editor displays a Python script for a Caesar cipher. The script prompts the user to enter a message and a key (1-25), then encrypts the message by shifting each letter by the key value. The interface includes a left sidebar with icons for various programming languages and a top bar with 'Visualize' and 'Run' buttons. The bottom status bar shows the temperature as 34°C and the weather as 'Mostly sunny'.

```
1 # Caesar Cipher Program
2
3 text = input("Enter the message: ")
4 k = int(input("Enter the key (1-25): "))
5
6 result = ""
7
8 for ch in text:
9     if ch.isupper():
10        result += chr((ord(ch) - ord('A') + k) % 26 + ord('A'))
11    elif ch.islower():
12        result += chr((ord(ch) - ord('a') + k) % 26 + ord('a'))
13    else:
14        result += ch
15
16 print("Encrypted message:", result)
```



The screenshot shows the output window of the Programiz Python Online Compiler. The output displays the results of the Caesar cipher program execution, showing the input message, the key, and the encrypted message.

```
Enter the message: hello world
Enter the key (1-25): 15
Encrypted message: wtaad ldgas
```