Upay payment gateway API doc for Merchant

Created: 2020-12-09, Updated: 2024-05-28
Documents version: V4.1.0

BASE_URL: https://uat-pg.upay.systems/

Common Errors

Case: Failed (4XX)

```
{
   "code": "DVE4001",
   "message": "Data Validation Error",
   "language": "en"
}
```

Case: Failed (5XX)

```
{
   "code": "MSE5001",
   "message": "Middleware Server Error",
   "language": "en"
}
```

Merchant Authorization

URL	`<base_url>/payment/merchant-auth/`
METHOD	`POST`

Request Parameter

Fields	Type	Description

merchant_id	String	Required Merchant ID(MID) Example: 4578753234567
merchant_key	String	Required Merchant Key Example: ASDF1234

Sample Request

```
{
   "merchant_id": "4578753234567",
   "merchant_key": "ADSE1234"
}
```

Response Parameter:

Fields	Type	Description
merchant_id	String	Merchant ID Example: 4578753234567
token	String	Access Token

Sample Response

Case: Success (200)

```
{
   "code": "MAS2001",
   "lang": "en",
   "message": "Merchant Auth Success",
   "data": {
       "merchant_id": "4578753234567",
       "token":
"eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJtZXJjaGFudF9pZCI6IjQ1Nzg3NTMyMzQ1N
jciLCJtZXJjaGFudF9rZXkiOiJBRFNFMTIzNCJ9.fowXvY4o0LoC9fbzbc575ILszDioEEYK5Yu
T4P_zyTM"
   }
}
```

Case: Failed (400)

```
{
    "code": "MNF4002",
    "message": "Merchant Not Found",
    "lang": "en"
}
```

Merchant Payment Init

URL	`<BASE_URL>/payment/merchant-payment-init/`
METHOD	`POST`

Headers

REQUIRED	`Authorization`	`UPAY` *`{token}`*

Request Parameter:

Fields	Type	Description
date	Date	Required Date of the payment Example: 2020-12-09
txn_id	String	Required Transaction id of the payment Max Length: 50 Example: Upay987654321 (support alphanumeric)
invoice_id	String	Required Invoice id of the payment Max Length: 50 Example: Upay987654321 (support alphanumeric)
amount	Decimal	Required Total amount of the payment Example: 2050.00
merchant_id	String	Required Merchant ID Example: 4578753234567

merchant_name	String	Required Merchant Name Example: rokomari
merchant_code	String	Required Merchant Code Example: 1252 (Upay will provide it with live credentials)
merchant_country_code	String	Required Merchant Country Code Example: BD
merchant_city	String	Required Merchant City Name Example: Dhaka
merchant_category_code	String	Required Merchant Category Code Example: 1252 (Same as merchant code)
merchant_mobile	String	Required Merchant Mobile Number Example: 01756348921
transaction_currency_code	String	Required Transaction Currency Code Example: BDT
redirect _url	URL	Required Your redirect url after payment completion. Example: https://www.rokomari.com/checkout/redirect/

additional_info	String	Optional
		Your additional information.
		Example:
		{
		“Data”: “test”
		}

is_cashback	Boolean	Optional Example: False/True
cashback_amount	Decimal	Optional Total cash back amount Example: 205.00
cashback_wallet	String	Optional Cash back wallet number.

		Example: 01756348921
seat_count	String	Optional Number of seat. Example: 2 Only for CNS / Ticketing system

Sample Request

```
{
   "date": "2020-12-08",
   "txn_id": "Upay987654321",
   "invoice_id": "Upay987654321",
   "amount": 2050.00,
   "merchant_id": "4578753234567",
   "merchant_name": "rokomari",
   "merchant_code": "1252",
   "merchant_country_code": "BD",
   "merchant_city": "Dhaka",
   "merchant_category_code": "1252",
   "merchant_mobile": "01756348921",
   "transaction_currency_code": "BDT",
   "redirect_url": "https://www.rokomari.com/checkout/redirect/
   "additional_info": {
       "data": "example"
   },
   "is_cashback": false,
   "cashback_amount": 205.00,
   "cashback_wallet": "01756348921",
   "seat_count": "2"

}
```

Response Parameter:

Fields	Type	Description
session_id	String	Session id of the payment Example: 3456787634566
txn_id	String	Transaction id of the payment

trx_id	String	Upay Transaction ID Max Length: 50 Example: 01G38BC4X4HX1W4YCE272AFCN2
invoice_id	String	Invoice id of the payment
merchant_id	String	Merchant id of the payment
gateway_url	String	Our payment gateway url Example: https://www.upay.payment.pay.com/34562345345673456/2345676543243/

Sample Response

Case: Success (200)

```
{
    "code": "MPIS2002",
    "lang": "en",
    "message": "Merchant Payment Init Success",
    "data": {
        "session_id": "16075882404726658",
        "txn_id": "Upay987654321",
        "trx_id": "01G38BC4X4HX1W4YCE272AFCN2",
        "invoice_id": "Upay987654321",
        "merchant_id": "4578753234567",
        "gateway_url":
"https://www.upay.merchant.pay.com/16075882404726658/234567543/"
    }
}
```

Case: Failed (400)

```
{
   "code": "MNF4002",
   "message": "Merchant Not Found",
   "lang": "en"
}
```

Case: Failed (400)

```
{
   "code": "DTP4003",
   "message": "Duplicate Transaction id provided",
```

```
    "lang": "en"
}
```

Re-direct URL/ Callback URL Parameter:

Fields	Type	Description
status	String	Status of the payment Example: success/failed/cancelled/pending/expired
invoice_id	String	Invoice id of the payment Example: Upay987654321

Sample Re-direct URL/ Callback URL:

http://www.rokomari.com/checkout/redirect/&status=success&invoice_id=Upay987654321

Single Payment Status

URL	`<BASE_URL>/payment/single-payment-status/{txn_id}/`
METHOD	`GET`

Headers

REQUIRED	`Authorization`		`UPAY` *`{token}`*

Parameter:

Fields	Type	Description
txn_id	String	Required Transaction id of the payment Max Length: 50 Example: Upay987654321

Response Parameter:

Fields	Type	Description
status	String	Status of the payment Example: success/failed/cancelled/pending/expired
session_id	String	Session id of the payment Example: 3456787634566
txn_id	String	Transaction id of the payment Example: Upay987654321
trx_id	String	Upay Transaction ID Max Length: 50 Example: 01G38BC4X4HX1W4YCE272AFCN2
invoice_id	String	Invoice id of the payment Example: Upay987654321
amount	Decimal	Total amount of the payment Example: 2050.0
merchant_name	String	Merchant Name of the payment Example: rokomari
customer_wallet	String	Customer Wallet of the payment Example: 0193XXXXX96
date	String	Date of the payment Example: 2023-01-22

Sample Response

Case: Success (200)

```
{
   "code": "PS2005",
   "lang": "en",
   "message": "Payment Status Found",
   "data": {
       "txn_id": "Upay987654321",
       "trx_id": "01G38BC4X4HX1W4YCE272AFCN2",
```

```
        "invoice_id": "Upay987654321",
        "session_id": "16074983655190547",
        “status": "success",
        "amount": 2050.0,
        "merchant_name": "rokomari",
        "customer_wallet": "0193XXXXX96",
        "date": "2023-01-22"
    }
}
```

Case: Failed (400)

```
{
    "code": "PNF4012",
    "message": "Payment Not Found",
    "lang": "en"
}
```

Bulk Payment Status

URL	`<BASE_URL>/payment/bulk-payment-status/`
METHOD	`POST`

Headers

REQUIRED	`Authorization`	`UPAY` *`{token}`*

Request Parameters:

Fields	Type	Description
txn_id_list	String	Optional Transaction id of the payment Example: ["txn_id1","txn_id2"]

Sample Request

```
{
    " txn_id_list": ["Upay987654321", "ADSE12345"]
}
```

Response Parameter:

Fields	Type	Description
status	String	Status of the payment Example: success/failed/cancelled/pending/expired
session_id	String	Session id of the payment Example: 3456787634566
txn_id	String	Transaction id of the payment Example: Upay987654321
trx_id	String	Upay Transaction ID Max Length: 50 Example: 01G38BC4X4HX1W4YCE272AFCN2
invoice_id	String	Invoice id of the payment Example: Upay987654321
amount	Decimal	Total amount of the payment Example: 2050.0/2155.25
merchant_name	String	Merchant Name of the payment Example: rokomari
customer_wallet	String	Customer Wallet of the payment Example: 0193XXXXX96
date	String	Date of the payment Example: 2023-01-22

Sample Response

Case: Success (200)


```
{
    "code": "PS2005",
    "lang": "en",
    "message": "Payment Status Found",
    "data": [
        {
            "txn_id": " Upay987654321",
            "trx_id": "01G38BC4X4HX1W4YCE272AFCN2",
            "invoice_id": "Upay987654321",
            "session_id": "16074983655190547",
            "status": "success",
            "amount": 2050.0,
            "merchant_name": "rokomari",
            "customer_wallet": "0193XXXXX96",
            "date": "2023-01-22"
        },
        {
            "txn_id": " ADSE12345",
            "trx_id": "01G3BZW6CX5G9ZDW90CH68H0N8",
            "invoice_id": "34565432334",
            "session_id": "16074946275071685",
            "status": "expired",
            "amount": 2155.25,
            "merchant_name": "rokomari",
            "customer_wallet": "0193XXXXX96",
            "date": "2023-01-22"
        }
    ]
}
```

Bulk Refund

URL	`<BASE_URL>/ payment/bulk/refund/`
METHOD	`POST`

Headers

REQUIRED	`Authorization`	`UPAY` *`{token}`*

Request Parameters:

Fields	Type	Description
txn_id	String	Required Transaction id of the payment Example: ["txn_id1","txn_id2"]
refund_amount	String	Required Total amount of the payment Example: “100”, “50”

Sample Request

```
[
  {
    "txn_id": "BOT-TNX-s7Ffgpq19R",
    "refund_amount": "300"
  },
   {
    "txn_id": "BOT-TNX-Hmsd4qjaAf",
   "refund_amount": "600"
  },
 {
```

```
      "txn_id": "BOT-TNX-XzRzjweVOK",
      "refund_amount": "600"
  },
 {
      "txn_id":"BOT-TNX-DFJnv2BOEO",
      "refund_amount": "200"
   },
   {
      "txn_id":"BOT-TNX-tPPRLPIbr9",
      "refund_amount": "500"
   }
]
```


Response Parameter:

Fields	Type	Description
success_list	List	Success txn_id list Example: BOT-TNX-4BgVi6bZZS
failed_list	List	Failed txn_id list Example: BOT-TNX-6EdYwxE4zb

Sample Response


```
{
    "code": "MPR_200",
    "lang": "en",
    "message": "Merchant payment refunded successfully",
    "data": {
        "success_list": [
            " BOT-TNX-tPPRLPIbr9"
        ],
        "failed_list": [
            {
             "BOT-TNX-DFJnv2BOEO": {
               "en": "This transaction is already refunded",
                "bn": "এই লেনদেনটি ইতিমধ্যেই ফেরত দেওয়া হয়েছে।"
                },
               "BOT-TNX-s7Ffgpq19R": {
                "en": "This transaction is already refunded",
                "bn": "এই লেনদেনটি ইতিমধ্যেই ফেরত দেওয়া হয়েছে।"
                },
               "BOT-TNX-XzRzjweVOK": {
                "en": "Your request is under process. Please, wait for
confirmation.",
                   "bn": "আপনার রিকোয়েস্টটি প্রক্রিয়াধীন। কনফার্মেশনের জন্য
অনুগ্রহ করে অপেক্ষা করুন।"
                }
               " BOT-TNX-Hmsd4qjaAf": {
                  "en": "Invalid amount",
                  "bn": "অ্যামাউন্ট সঠিক নয়"
                }
            }
        ]
    }
}
```

[redacted]

------End-------