



Nama : Nabilla Lintana Zian
NPM : 242310040
Kelas : TI24PA
LAB PPB Praktikum 5

Latihan 1

Pada RFC BookCollections, jika totalBook lebih dari 0 akan memunculkan text "Total 'totalbooks' items" jika 0 muncul text "see all"


```
export default function BookCollections({ books }) {  
  const sortedBooks = [...books].sort((a, b) => b.id - a.id);  
  const totalBooks = books.length || 0;  
  return (  
    <View style={styles.container_book_collections}>  
      <View style={styles.h_container}>  
        <Text style={styles.container_book_collections_title}>  
          Book Collection  
        </Text>  
        <Text style={{ color: color_list.green }}>  
          {totalBooks > 0 ? `Total ${totalBooks} items` : "See All"}  
        </Text>  
      </View>  
    </View>  
  );  
}
```



Latihan 2


Komponen **<BookList>** hanya akan dirender jika data buku tersedia dan jumlahnya lebih dari nol. Apabila data kosong atau tidak ditemukan, teks **'No record found'** yang akan muncul.

```
{books && totalBooks > 0 ? (  
  <BookList books={sortedBooks} />  
) : (  
  <View style={style_no_record.container}>  
    <Text style={style_no_record.text}>No record found</Text>  
  </View>  
)}
```



Latihan 3

Membuat pagination



```
{totalItems > 0 && (  
  <PagingComponent  
    total={totalItems}  
    itemsPerPage={ITEMS_PER_PAGE}  
    currentPage={currentPage}  
    onPageChange={(page) => setCurrentPage(page)}  
  />  
)}  
)
```