Established – 1961 Subject: WEB DESIGN

Chapter 1 SEVA SADAN'S

R. K. TALREJA COLLEGE

OF

ARTS, SCIENCE & COMMERCE

ULHASNAGAR – 421 003

CERTIFICATE

This is to certify that Mr. Mohhammad Nabil Shaikh Mohhammad Ghouse of F.Y. Information Technology (FYIT) Roll No. 2541044 has satisfactorily completed the Web Designing Mini Project entitled Portfolio with User-Controlled Animation Settings during the academic year 2025 – 2026, as a part of the practical requirement. The project work is found to be satisfactory and is approved for submission.

PROF. INCHARGE **HEAD OF DEPT**

Sahil Shukla **Laxmi jeswani**

INDEX

SR. NO.	CHAPTERS	PAGE NO.
1.	INTRODUCTION	2
2.	REQUIREMENT SPECIFICATION	3-5
3.	SYSTEM DESIGN	5-7
4.	SYSTEM IMPLEMENTATION	7-31
5.	SYSTEM TESTING AND RESULTS	31-32
6.	FUTURE SCOPE AND CONCLUSION	32
7.	REFERENCES	32
8.	GLOSSARY	33

Portfolio with User-Controlled Animation Settings

1. INTRODUCTION

A personal portfolio website plays an important role in presenting an individual's technical skills, creativity, and professional identity. It acts as a digital resume that allows developers to showcase their work, projects, and expertise in an organized and visually engaging way. This project focuses on designing and developing a modern Personal Portfolio Website that demonstrates frontend development skills while ensuring usability, responsiveness, and interactive user experience. The portfolio website is built using core web technologies including HTML, CSS with Tailwind framework, and JavaScript. The system emphasizes clean interface design, smooth navigation, and animationbased interactions to enhance user engagement. By combining structured layout design with dynamic behavior, the project provides a real-world implementation of modern web development practices. The main purpose of developing this portfolio is not only to display personal achievements but also to apply theoretical concepts of web design into a practical environment. The website structure is carefully organized into sections such as introduction, projects, skills overview, and contact interface, ensuring easy navigation and clarity for visitors.

Key Goals of the Project

- To create a professional and structured digital portfolio
- To demonstrate practical frontend development skills
- To design a responsive layout compatible with multiple devices
- To implement smooth scrolling and animation effects
- To enhance user interaction through modern UI design
- To present projects and technical expertise effectively

This project highlights the importance of combining design principles with technical implementation. It reflects an understanding of responsive layouts, animation techniques, and interactive scripting. The result is a visually appealing and functional platform that serves as both a professional showcase and a demonstration of web development capability.

2. REQUIREMENT SPECIFICATION

Requirement specification defines the features, conditions, and resources needed for the successful development and operation of the Personal Portfolio Website. It serves as a blueprint that guides the design and implementation phases by clearly describing what the system must do and how it should perform. A well-defined requirement specification ensures clarity, reduces development errors, and helps achieve the intended project objectives.

The portfolio website is intended to function as a responsive, interactive platform that presents professional information in a structured and user-friendly manner. Therefore, the requirements are divided into functional, non-functional, software, and hardware categories.

2.1 Functional Requirements

Functional requirements describe the specific operations and features the system must provide to users.

The system must be capable of:

- Displaying a professional introduction section with clear identity presentation
- Showcasing featured projects with descriptions and external links
- Presenting categorized technical skills
- Providing smooth navigation between website sections
- Highlighting the active navigation link dynamically
- Implementing scroll-based animation effects
- Supporting an interactive contact form layout
- Displaying social media or portfolio links
- Ensuring proper content loading without layout distortion These features allow visitors to explore information easily and understand the developer's capabilities.

2.2 Non-Functional Requirements

Non-functional requirements define performance, usability, and quality expectations of the system.

The system should:

- Maintain responsive design across desktop, tablet, and mobile screens

- Provide smooth animations without affecting performance
- Load content efficiently with minimal delay
- Ensure consistent visual styling
- Offer intuitive and user-friendly navigation
-
- Support cross-browser compatibility
- Provide accessibility through proper layout hierarchy

These requirements ensure a positive user experience and system reliability.

2.3 User Requirements

User requirements focus on what visitors expect when interacting with the portfolio website.

Users should be able to:

- Quickly understand the developer profile
- Navigate sections without confusion
- View project details clearly
- Identify technical skills easily
- Access contact options effortlessly This ensures usability and engagement.

2.4 Software Requirements

The software environment required for development and execution includes:

- HTML for webpage structure
- CSS and Tailwind framework for styling
- JavaScript for dynamic behavior
- Visual Studio Code or equivalent editor
- Modern web browser (Chrome, Edge, Firefox)

2.5 Hardware Requirements

Minimal hardware configuration is sufficient:

- Standard computer or laptop
- Basic memory and processing capability
- Internet connection for testing and deployment

2.6 Constraints and Assumptions

- The system operates as a frontend application without backend integration
- Requires a modern browser for full animation support

- Internet access is assumed for loading external frameworks
  Overall, the requirement specification ensures that the portfolio website meets usability standards, performs efficiently, and delivers a visually engaging experience while fulfilling its purpose as a professional showcase platform.

3. SYSTEM DESIGN

The system design of the Personal Portfolio Website is based on a structured single-page frontend architecture implemented using HTML, Tailwind CSS, and JavaScript. The design focuses on modular section layout, smooth navigation, animation-driven interaction, and responsive styling. Each component of the system is organized to provide clarity, maintainability, and a visually engaging user experience.

The website operates entirely on the client side, where content rendering, styling, and interactive behavior are handled within the browser. The design integrates semantic HTML structure, utility-based styling, and JavaScript event handling to deliver smooth scrolling, animation effects, and responsive layout adaptation.

3.1 Architectural Design

The architecture follows a layered frontend model that separates structure, presentation, and interaction:

Structure Layer (HTML)

Defines the layout of the website including navigation, hero section, project cards, skills display, and contact form. Semantic tags improve readability and maintainability.

Presentation Layer (Tailwind CSS + Custom Styles)

Controls visual appearance such as layout grids, typography, color themes, hover effects, and animations. Custom CSS animations enhance visual transitions.

Interaction Layer (JavaScript)

Manages dynamic behaviors including scroll animations, smooth navigation, active link highlighting, and card click feedback. This layered design ensures modular development and easy future updates

3.2 Structural Layout Design

The HTML structure organizes the website into clearly defined sections:

Header / Navigation Bar

A fixed navigation menu enables smooth scrolling between sections. Active link highlighting is controlled by JavaScript.

Hero Section

Introduces the developer with headline text, background styling, and call-to-action buttons.

Projects Section

Displays portfolio projects using animated cards. Each card includes project description, technology tags, and external links.

Skills Section

Categorizes expertise using responsive skill cards with hover animations.

Contact Section

Includes an interactive form and social media links for communication.

Footer

Provides additional navigation and copyright information.

This sectional design improves readability and logical flow.

3.3 Animation and Visual Design

The system uses CSS animations and JavaScript triggers to enhance engagement:

- Fade-in reveal animations
- Slide-in transitions
- Hover scaling effects
- Gradient background animation

JavaScript's Intersection Observer detects when sections enter the viewport and activates animations dynamically.

3.4 Navigation Flow Design

Navigation is implemented using anchor-based smooth scrolling:

- Clicking menu links scrolls to target sections
- Active navigation state updates during scrolling
- Scroll-triggered animations reveal elements progressively

This ensures a seamless browsing experience.

3.5 Responsive Design

Tailwind CSS utility classes provide responsive behavior:

- Grid layouts adapt to screen size
- Typography scales proportionally

Components resize for mobile compatibility This guarantees consistent performance across devices.

3.6 Interaction Design

JavaScript enhances interactivity by:

- Triggering animations when elements appear
- Updating navigation highlights
- Adding click feedback to project cards

These interactions create a modern and engaging interface.

3.7 Design Advantages

- Modular single-page architecture
- Smooth animated navigation
- Responsive UI design
- Clean separation of structure and behavior
- Easy scalability and maintenance

The system design combines structured layout, responsive styling, and interactive scripting to produce a professional portfolio website. The integration of animation logic and modular sections ensures usability, performance, and visual appeal while supporting future enhancements.

4. SYSTEM IMPLEMENTATION

This section explains how the system was developed.

Technologies Used

- HTML for structure
- CSS/Tailwind for styling
- JavaScript for interactivity

4.1 HTML Implementation

The HTML structure defines the layout of the portfolio website including navigation, project cards, and contact form.

CSS and Tailwind Styling

Tailwind CSS provides utility-based styling for:

- Layout positioning
- Typography

- Color themes
- Responsive scaling
- Custom CSS animations include:

- Fade-in effects
- Slide transitions
- Hover transformations
- Gradient animations

These enhance visual interaction without compromising performance.

JavaScript Functionality

JavaScript handles dynamic behavior including:

- Intersection Observer for scroll-based animations
- Smooth scrolling navigation
- Active link tracking during scroll
- Interactive card feedback

The scripting ensures seamless user interaction and modern web behavior.

CODE:-

```
!DOCTYPE html>
<html lang="en">

<head>
<meta charset="utf-8" />
<meta
content="width=device-width, initial-scale=1.0" name="viewport" />
<title>
Portfolio - Creative Developer &amp; Designer
</title>
<script src="https://cdn.tailwindcss.com">
</script>
<link href="https://fonts.googleapis.com" rel="preconnect" />
<link  crossorigin=""  href="https://fonts.gstatic.com"  rel="preconnect"
/>
```

```
<link
href="https://fonts.googleapis.com/css2?family=Inter:wght@400;600;7
00&amp;display=swap" rel="stylesheet" />
<style>
body {
font-family: 'Inter', sans-serif;
}

/* Smooth scrolling */
html {
scroll-behavior: smooth;
}

/* Fade in animation */
@keyframes fadeIn {
from {
opacity: 0;
transform: translateY(30px);
}

to {
opacity: 1;
transform: translateY(0);
}
}

.hero-section {
background:
linear-gradient(rgba(10, 10, 30, 0.7), rgba(10, 10, 30, 0.7)),
url("./Images/img.png");
/* your image path */
background-size: cover;
background-position: center;
background-repeat: no-repeat;
}
```

```
/* Slide in from left */
@keyframes slideInLeft {
from {
opacity: 0;
transform: translateX(-50px);
}

to {
opacity: 1;
transform: translateX(0);
}
}

/* Slide in from right */
@keyframes slideInRight {
from {
opacity: 0;
transform: translateX(50px);
}

to {
opacity: 1;
transform: translateX(0);
}
}

/* Scale in animation */
@keyframes scaleIn {
from {
opacity: 0;
transform: scale(0.9);
}

to {
opacity: 1;
transform: scale(1);
```

```
}
}

/* Reveal on scroll classes */
.reveal {
opacity: 0;
}

.reveal.active {
animation: fadeIn 0.8s ease-out forwards;
}

.reveal-left.active {
animation: slideInLeft 0.8s ease-out forwards;
}

.reveal-right.active {
animation: slideInRight 0.8s ease-out forwards;
}

.reveal-scale.active {
animation: scaleIn 0.6s ease-out forwards;
}

/* Stagger animation delays */
.stagger-1 {
animation-delay: 0.1s;
}

.stagger-2 {
animation-delay: 0.2s;
}

.stagger-3 {
animation-delay: 0.3s;
}
```

```
.stagger-4 {
animation-delay: 0.4s;
}

/* Hover effects */
.project-card {
transition: all 0.3s ease;
}

.project-card:hover {
transform: translateY(-8px);
box-shadow: 0 20px 40px rgba(45, 91, 255, 0.15);
}

.skill-card {
transition: all 0.3s ease;
}

.skill-card:hover {
transform: translateY(-5px);
border-color: #2D5BFF;
}

.skill-card:hover .skill-icon {
transform: scale(1.1) rotate(5deg);
}

.skill-icon {
transition: transform 0.3s ease;
}

/* Button animations */
.btn-primary {
transition: all 0.3s ease;
position: relative;
```

```
overflow: hidden;
}

.btn-primary:hover {
transform: translateY(-2px);
box-shadow: 0 10px 25px rgba(45, 91, 255, 0.3);
}

.btn-primary:active {
transform: translateY(0);
}

.btn-secondary {
transition: all 0.3s ease;
}

.btn-secondary:hover {
background: #2A2A40;
border-color: #2D5BFF;
}

/* Nav link hover */
.nav-link {
position: relative;
transition: color 0.3s ease;
}

.nav-link:hover {
color: #2D5BFF;
}

.nav-link::after {
content: '';
position: absolute;
bottom: -4px;
left: 0;
```

```
width: 0;
height: 3px;
background: #2D5BFF;
transition: width 0.3s ease;
}

.nav-link:hover::after {
width: 100%;
}

.nav-link.active::after {
width: 100%;
}

/* Gradient animation for project cards */
.gradient-bg {
background-size: 200% 200%;
animation: gradientShift 3s ease infinite;
}

@keyframes gradientShift {
0% {
background-position: 0% 50%;
}

50% {
background-position: 100% 50%;
}

100% {
background-position: 0% 50%;
}
}

/* Social link hover */
.social-link {
```

```
transition: all 0.3s ease;
position: relative;
}

.social-link:hover {
color: #2D5BFF;
transform: translateY(-3px);
}

/* Pulsing effect for CTA */
@keyframes pulse {

0%,
100% {
opacity: 1;
}

50% {
opacity: 0.8;
}
}

.pulse-on-hover:hover {
animation: pulse 1.5s ease-in-out infinite;
}


/* Text animations */
@keyframes colorShift {

0%,
100% {
color: #fff;
}

50% {
```

```
color: #2D5BFF;
}
}

@keyframes textGlow {

0%,
100% {
text-shadow: 0 0 5px rgba(45, 91, 255, 0.3);
}

50% {
text-shadow: 0 0 20px rgba(45, 91, 255, 0.6), 0 0 30px rgba(45, 91, 255,
0.4);
}
}

.skill-card:hover h3 {
animation: colorShift 2s ease-in-out infinite;
}

.skill-card:hover p {
animation: textGlow 2s ease-in-out infinite;
color: #fff;
}

/* Language tags animation */
.language-tag {
transition: all 0.3s ease;
display: inline-block;
cursor: pointer;
}

.language-tag:hover {
transform: scale(1.1) rotate(-2deg);
background: #2D5BFF !important;
```

```
color: white !important;
}

/* Project tag hover animation (applies to tags in Featured Projects) */
.project-tag {
cursor: pointer;
transition: transform 0.28s ease, box-shadow 0.28s ease;
display: inline-block;
}

.project-tag:hover {
transform: translateY(-6px) scale(1.05) rotate(-2deg);
box-shadow: 0 10px 30px rgba(45, 91, 255, 0.12);
}

.project-tag:active {
transform: translateY(-2px) scale(0.99);
}
</style>
</head>

<body class="bg-[#0F0F1A] text-white">
<!--- START: Navigation --->
<header
class="fixed top-0 left-0 right-0 z-50 bg-[#0F0F1A] border-b border-[#2A2A40] backdrop-blur-sm bg-opacity-90">
<nav class="max-w-7xl mx-auto px-8 h-[72px] flex items-center justify-between">
<div class="text-2xl font-bold reveal-left active">
Portfolio
</div>
<div class="flex gap-12">
<a href="#home" class="nav-link text-white active">
Home
</a>
<a href="#projects" class="nav-link text-[#A0A0B8]">
```

```
Projects
</a>
<a href="#skills" class="nav-link text-[#A0A0B8]">
Skills
</a>
<a href="#contact" class="nav-link text-[#A0A0B8]">
Contact
</a>
</div>
</nav>
</header>
<!--- END --->

<main>
<!--- START: Hero Section --->
<section id="home" class="hero-section pt-[168px] pb-[96px] px-8">
<div class="max-w-7xl mx-auto">
<div class="max-w-4xl">
<h1 class="text-[56px] font-bold leading-tight mb-6 reveal active">
I'm a Nabil Shaikh<br />
Creative Developer Building Digital Experiences
</h1>
<p class="text-[#A0A0B8] text-xl mb-12 max-w-2xl reveal active stagger-1">
I design and develop modern web applications with a focus on clean code, beautiful interfaces,
and exceptional user experiences.
</p>

<div class="flex gap-4 reveal active stagger-2">
<button
onclick="document.getElementById('projects').scrollIntoView({
behavior: 'smooth' })"
class="btn-primary bg-[#2D5BFF] text-white px-8 py-3 rounded-lg font-semibold">
View Projects
```

```
</button>
<button
onclick="document.getElementById('contact').scrollIntoView({
behavior: 'smooth' })"
type="button" class="btn-primary bg-[#2D5BFF] text-white px-8 py-3
rounded-lg font-semibold"> Get in Touch
</button>
</div>
</div>
</div>
</section>
<!--- END --->

<!--- START: Featured Projects --->
<section id="projects" class="py-[96px] px-8 bg-[#1A1A2E]">
<div class="max-w-7xl mx-auto">
<div class="flex items-center justify-between mb-12 reveal">
<h2 class="text-[36px] font-semibold">
Featured Projects
</h2>
<a href="https://github.com/nabilshaikh-IT"
class="text-[#2D5BFF] font-semibold hover:underline transition-all">
View All Projects →
</a>
</div>
<div class="grid md:grid-cols-2 lg:grid-cols-3 gap-8">
<article
class="project-card bg-[#0F0F1A] rounded-2xl p-6 border border-
[#2A2A40] cursor-pointer reveal stagger-1">
<div
class="gradient-bg bg-gradient-to-br from-[#2D5BFF] to-[#7C3AED]
rounded-xl h-48 mb-6 flex items-center justify-center overflow-
hidden">
<img class="w-full h-full object-cover" src="/Images/oops.jpg">
</div>
<h3 class="text-2xl font-semibold mb-3">
```

(OOPS) with C++
</h3>

Implemented complete OOPS concepts in C++, including encapsulation, abstraction,
inheritance, and polymorphism to build a scalable system.
Designed hierarchical class structures using inheritance to ensure code reusability,
flexibility, and clean architecture.

<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://github.com/nabilshaikh-IT/OOPS-WITH-C-"
target="_blank">🔗 View on GitHub </a>

 c++
 OOPS

</article>
<article
class="project-card bg-[#0F0F1A] rounded-2xl p-6 border border-[#2A2A40] cursor-pointer reveal stagger-2">

<img class="w-full h-half object-cover" src="/Images/c1.jpg">

<h3 class="text-2xl font-semibold mb-3"> C-Programming Projects

```
</h3>
<p class="text-[#A0A0B8] mb-6 text-justify">
Developed efficient programs in C with a strong focus on structured programming, logic
building, and performance optimization.
Applied core concepts such as pointers, functions, arrays, and memory management to solve
real-world problems.
</p>
<div class="flex mb-2">
<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://github.com/nabilshaikh-IT/C-Projects/tree/main/C-Project/Super%20Grocery%20Store"
target="_blank">🔗 View on GitHub </a>
</div>

<div class="flex flex-wrap gap-2">
<span class="px-4 py-1.5 rounded-full bg-[#7C3AED] bg-opacity-20 text-[#7C3AED] text-sm project-tag"> C Programming </span>
</div>
</article>

<article
class="project-card bg-[#0F0F1A] rounded-2xl p-6 border border-[#2A2A40] cursor-pointer reveal stagger-3">
<div
class="gradient-bg bg-gradient-to-br from-[#F59E0B] to-[#EF4444] rounded-xl h-48 mb-6 flex items-center justify-center overflow-hidden">
<img class="w-full h-half object-cover" src="/Images/todo2.png">

<svg class="w-16 h-16 text-white opacity-50" fill="none" stroke="currentColor"
viewbox="0 0 24 24">
```

<path d="M9 19v-6a2 2 0 00-2-2H5a2 2 0 00-2 2v6a2 2 0 002 2h2a2 2 0 002-2zm0 0V9a2 2 0 012-2h2a2 2 0 012 2v10m-6 0a2 2 0 002 2h2a2 2 0 002-2m0 0V5a2 2 0 012-2h2a2 2 0 012 2v14a2 2 0 01-2 2h-2a2 2You are a helpful assistant. stroke-linecap=" round" stroke-linejoin="round" stroke-width="2">
</path>
</svg>

<h3 class="text-2xl font-semibold mb-3">
Web Development Practicals
</h3>

Built responsive web projects using HTML, CSS, JavaScript, jQuery, and JSON for dynamic and
interactive user experiences.
Focused on DOM manipulation, event handling, and efficient data management in real-world web
applications.

<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://github.com/nabilshaikh-IT/Web_Practicals"
target="_blank"> 🔗 View on GitHub </a>

 HTML
 CSS

 JavaScript

```
<span class="px-4 py-1.5 rounded-full bg-[#7C3AED] bg-opacity-20 text-[#7C3AED] text-sm project-tag"> JQuery </span>
<span class="px-4 py-1.5 rounded-full bg-[#7C3AED] bg-opacity-20 text-[#7C3AED] text-sm project-tag"> Json </span>
</div>
</div>
</article>
</div>
</div>
</section>
<!--- END --->

<!--- START: Skills Overview --->
<section id="skills" class="py-[96px] px-8">
<div class="max-w-7xl mx-auto">
<h2 class="text-[36px] font-semibold mb-12 text-center reveal">
Core Expertise
</h2>
<div class="grid md:grid-cols-2 lg:grid-cols-4 gap-8">
<div
class="skill-card bg-[#1A1A2E] rounded-xl p-8 border border-[#2A2A40] cursor-pointer reveal-scale stagger-1">
<div
class="skill-icon w-12 h-12 bg-[#2D5BFF] bg-opacity-20 rounded-lg flex items-center justify-center mb-4">
<svg
class="w-6 h-6 text-[#2D5BFF]" fill="none" stroke="currentColor" viewbox="0 0 24 24">
<path
 d="M10 20l4-16m4 4l4 4-4 4M6 16l-4-4 4-4" stroke-linecap="round" stroke-linejoin="round" stroke-width="2">
</path>
</svg>
</div>
<h3 class="text-xl font-semibold mb-3">
Frontend Development
```

```
</h3>
<div class="flex flex-wrap gap-2 mt-3">
<span
class="language-tag px-3 py-1 rounded-full bg-[#2D5BFF] bg-opacity-
20 text-[#2D5BFF] text-xs">
HTML
</span>
<span
class="language-tag px-3 py-1 rounded-full bg-[#2D5BFF] bg-opacity-
20 text-[#2D5BFF] text-xs">
CSS
</span>
<span class="language-tag px-3 py-1 rounded-full bg-[#2D5BFF] bg-
opacity-20 text-[#2D5BFF] text-xs"> JavaScript </span>
</div>
</div>

<div
class="skill-card bg-[#1A1A2E] rounded-xl p-8 border border-
[#2A2A40] cursor-pointer reveal-scale stagger-2">
<div
class="skill-icon w-12 h-12 bg-[#7C3AED] bg-opacity-20 rounded-lg
flex items-center justify-center mb-4">
<svg class="w-6 h-6 text-[#7C3AED]" fill="none"
stroke="currentColor" viewbox="0 0 24 24">
<path d="M5 12h14M5 12a2 2 0 01-2-2V6a2 2 0 012-2h14a2 2 0 012
2v4a2 2 0 01-2 2M5 12a2 2 0 00-2 2v4a2 2 0 002 2h14a2 2 0 002-2v-
4a2 2 0 00-2-2m-2-4h.01M17 16h.01" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2">
</path>
</svg>
</div>

<h3 class="text-xl font-semibold mb-3">
Backend Development
</h3>
<div class="flex flex-wrap gap-2 mt-3">
```

 C
 C++

<div
class="skill-card bg-[#1A1A2E] rounded-xl p-8 border border-[#2A2A40] cursor-pointer reveal-scale stagger-3">

<div
class="skill-icon w-12 h-12 bg-[#10B981] bg-opacity-20 rounded-lg flex items-center justify-center mb-4">
<svg class="w-6 h-6 text-[#10B981]" fill="none" stroke="currentColor" viewbox="0 0 24 24">

<path
 d="M4 7v10c0 2.21 3.582 4 8 4s8-1.79 8-4V7M4 7c0 2.21 3.582 4 8 4s8-1.79 8-4M4 7c0-2.21 3.582-4 8-4s8 1.79 8 4m0 5c0 2.21-3.582 4-8 4s-8-1.79-8-4" stroke-linecap="round" stroke-linejoin="round" stroke-width="2">
</path>
</svg>

<h3 class="text-xl font-semibold mb-3"> Database Management </h3>

 SQL

 PL/SQL

```
<div class="skill-card bg-[#1A1A2E] rounded-xl p-8 border border-[#2A2A40] cursor-pointer reveal-scale stagger-4">

<div class="skill-icon w-12 h-12 bg-[#F59E0B] bg-opacity-20 rounded-lg flex items-center justify-center mb-4">

<svg class="w-6 h-6 text-[#F59E0B]" fill="none" stroke="currentColor" viewbox="0 0 24 24">

<path d="M3 15a4 4 0 004 4h9a5 5 0 10-.1-9.999 5.002 5.002 0 10-9.78 2.096A4.001 4.001 0 003 15z" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"> </path>
</svg>
</div>

<h3 class="text-xl font-semibold mb-3">Cloud &amp; DevOps </h3>
<div class="flex flex-wrap gap-2 mt-3">

<span class="language-tag px-3 py-1 rounded-full bg-[#F59E0B] bg-opacity-20 text-[#F59E0B] text-xs"> AWS </span>

<span class="language-tag px-3 py-1 rounded-full bg-[#F59E0B] bg-opacity-20 text-[#F59E0B] text-xs"> Git </span>

</div>
</div>
</div>
</div>
</section>
<!--- END --->

<!--- START: Call to Action --->
<section id="contact" class="py-[96px] px-8 bg-[#1A1A2E]">
<div class="max-w-4xl mx-auto text-center">
```

```
<h2 class="text-[36px] font-semibold mb-6 reveal">
Let's Work Together
</h2>

<p class="text-[#A0A0B8] text-xl mb-12 reveal stagger-1">
Have a project in mind? I'm always open to discussing new opportunities
and creative collaborations.
</p>

<!-- Contact Form -->
<form class="max-w-2xl mx-auto bg-[#141427] p-8 rounded-xl reveal
stagger-3 mb-12">

<div class="grid grid-cols-1 sm:grid-cols-2 gap-6 mb-6">

<input type="text" placeholder="Your Name" required
class="w-full px-4 py-3 rounded-lg bg-[#1A1A2E] text-white border
border-[#2A2A40] focus:outline-none focus:border-[#2D5BFF]" />

<input type="email" placeholder="Your Email" required
class="w-full px-4 py-3 rounded-lg bg-[#1A1A2E] text-white border
border-[#2A2A40] focus:outline-none focus:border-[#2D5BFF]" />

</div>

<textarea rows="5" placeholder="Your Message" required
class="w-full px-4 py-3 rounded-lg bg-[#1A1A2E] text-white border
border-[#2A2A40] focus:outline-none focus:border-[#2D5BFF] mb-6
resize-none"></textarea>

<button type="submit"
class="w-full bg-[#2D5BFF] text-white py-3 rounded-lg font-semibold
hover:scale-[1.02] transition-transform duration-300">
Send Message
</button>
</form>
```

```
<!-- Social Links -->
<div class="flex gap-6 justify-center reveal stagger-4">
<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://github.com/nabilshaikh-IT"
class="social-link text-[#A0A0B8] hover:text-white transition">
GitHub
</a>
<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://x.com/NabilShaikh_786"
class="social-link text-[#A0A0B8] hover:text-white transition">
Twitter
</a>

<a class="text-[#2D5BFF] hover:underline hover:opacity-80 transition font-semibold"
href="https://www.linkedin.com/in/nabil-shaikh-534aa43a9?utm_source=share&utm_campaign=share_via&utm_content=profile&utm_medium=android_app"
class="social-link text-[#A0A0B8] hover:text-white transition">
LinkedIn
</a>
</div>
</div>
</section>

<!--- END --->
</main>
<!--- START: Footer --->

<footer class="py-8 px-8 border-t border-[#2A2A40]">
<div class="max-w-7xl mx-auto flex flex-col md:flex-row justify-between items-center gap-4">
```

```
<div class="text-[#A0A0B8] text-sm">© 2025 Portfolio. All rights reserved. </div>

<div class="flex gap-8 text-sm text-[#A0A0B8]">
<a href="#" class="hover:text-[#2D5BFF] transition-colors">
Privacy Policy
</a>
<a href="#" class="hover:text-[#2D5BFF] transition-colors">
Terms of Service
</a>
<a href="#contact" class="hover:text-[#2D5BFF] transition-colors">
Contact
</a>
</div>
</div>
</footer>
<!--- END --->

<script src="script.js"></script>
</body>

</html>
```

JAVASCRIPT

```
// Intersection Observer for scroll animations
const observerOptions = {
  threshold: 0.1,   rootMargin:
'0px 0px -50px 0px'
};
const observer = new IntersectionObserver((entries) =>
{   entries.forEach(entry => {     if (entry.isIntersecting)
{
      entry.target.classList.add('active');
    }
  });
}, observerOptions);
```

```
// Observe all elements with reveal classes
document.querySelectorAll('.reveal, .reveal-left, .reveal-right,
.revealscale').forEach(el => {   observer.observe(el);
});

// Smooth scroll for navigation links
document.querySelectorAll('a[href^="#"]').forEach(anchor => {
anchor.addEventListener('click', function (e) {
e.preventDefault();     const target =
document.querySelector(this.getAttribute('href'));     if (target) {
     target.scrollIntoView({
behavior: 'smooth',
block: 'start'
     });
     // Update active nav link
     document.querySelectorAll('.nav-link').forEach(link => {
link.classList.remove('active');
     });
     this.classList.add('active');
   }
  });
});

// Update active nav link on scroll
window.addEventListener('scroll', () => {   const sections
= document.querySelectorAll('section[id]');   const scrollY
= window.pageYOffset;

  sections.forEach(section => {     const
sectionHeight = section.offsetHeight;     const
sectionTop = section.offsetTop - 100;     const
sectionId = section.getAttribute('id');

    if (scrollY > sectionTop && scrollY <= sectionTop + sectionHeight)
{
     document.querySelectorAll('.nav-link').forEach(link => {
```

```
        link.classList.remove('active');        if
(link.getAttribute('href') === `#${sectionId}`) {
link.classList.add('active');
        }
      });
    }
  });
});

// Add click animation to project cards
document.querySelectorAll('.project-card').forEach(card => {
  card.addEventListener('click', function() {
this.style.transform = 'scale(0.98)';
    setTimeout(() => {
this.style.transform = '';
    }, 150);
  });
});
```

5. SYSTEM TESTING AND RESULTS

System testing ensures reliability, responsiveness, and user experience quality.

Testing Areas

- Navigation accuracy and smooth scrolling
- Animation trigger timing
- Responsive layout across screen sizes
- Button and form interaction behavior
- Cross-browser compatibility
-

Results

Testing confirmed:

- Smooth animations and transitions
- Accurate section navigation
- Stable performance across devices
- Clean visual presentation

The system meets design expectations and functions efficiently in realworld usage

RESULT:-

https://portfolio-livid-iota-73.vercel.app/

6. FUTURE SCOPE AND CONCLUSION

Future Scope

- Backend contact form integration
- Database project management
- Theme customization
- Analytics tracking
- Hosting and deployment

Conclusion

The portfolio website successfully demonstrates frontend development concepts through responsive design, animation integration, and user interaction. The system meets its objectives and provides a professional platform for showcasing skills and projects.

7. REFERENCES

This section lists the sources and materials consulted during the design and development of the Personal Portfolio Website. These references provided guidance on frontend technologies, design practices, and implementation techniques.

1. **Tailwind CSS Documentation** – Official guide for utility-based styling and responsive design
2. **MDN Web Docs** – Reference for HTML, CSS, and JavaScript concepts and APIs
3. **JavaScript Intersection Observer Documentation** – Guidance for scroll-based animation behavior
4. **Google Fonts Documentation** – Typography integration for web interfaces
5. **Web UI/UX Design Resources** – Best practices for layout, navigation, and user experience
6. **HTML5 and CSS3 Standards** – Structural and styling principles for modern web development

These resources supported accurate implementation, responsive design decisions, and interactive functionality.

8. GLOSSARY

This glossary explains important technical terms used in the project report.

- **Frontend Development**
  The process of building the visual and interactive part of a website that users directly interact with.
- **Responsive Design**
  A design approach that allows a website to adapt to different screen sizes and devices.
- **User Interface (UI)**
  The visual elements of a system such as buttons, layout, and typography.
- **User Experience (UX)**
  The overall usability and interaction quality experienced by users.
- **Single Page Architecture**
  A website structure where all content is organized within one page and accessed through navigation.
- **Intersection Observer**
  A JavaScript API used to detect when elements enter or leave the viewport.
- **Animation Rendering**
  Visual transitions that enhance engagement and guide user attention.
- **Navigation Flow**
  The logical movement of users between sections of a website.
- **Grid Layout**
  A structured system used to align and organize content responsively.
- **Client-Side Scripting**
  Code executed in the user's browser to manage interactivity and behavior.