

TECHNICAL WEBSITE & SEO AUDIT

noosha-aubel.info

Programming defects, technical SEO, international SEO, content quality, accessibility, performance and implementation roadmap

Audit date	15 August 2026
Audit type	External black-box review of the live, publicly accessible website
Coverage	60 findings and 156 implementation / validation tasks
Primary objective	Create one technically coherent, searchable, accessible and editorially trustworthy multilingual source archive.

Important scope statement

This is an evidence-based external audit, not a source-code review. Confirmed findings are directly observable in the live or indexed experience. Strongly indicated findings are supported by multiple external symptoms. Verification-required items must be checked with repository access, raw HTTP responses, server logs, Search Console, analytics and repeatable performance or accessibility tests.

Prepared in English • Version 1.0 • 15 August 2026

Document map

SECTION	SUBJECT
1	Executive summary and priority decisions
2	Scope, methodology and confidence model
3	Observed site architecture and current-state inventory
4	Finding register
5	Detailed findings and acceptance criteria
6	Recommended target architecture
7	Technical SEO specifications
8	International SEO and localization operating model
9	Content, editorial quality and trust framework
10	Structured data implementation
11	Image, PDF and video strategy
12	Performance, accessibility, security and engineering quality
13	Prioritized 90-day implementation roadmap
14	Master implementation backlog
15	QA, monitoring and KPI framework
16	Implementation code and configuration examples
17	Source register, limitations and handoff checklist

How to use the report

Start with Section 1 for the decisions that cannot be delegated. Use the finding IDs in Sections 4 and 5 as the source of truth. Execute the 90-day plan in Section 13, manage delivery through the task IDs in Section 14, and require the acceptance evidence in Section 15 before closing any issue.

SECTION 1

1. Executive summary and priority decisions

The site has a viable multilingual dossier concept, but its present technical and editorial signals are internally inconsistent and require coordinated remediation.

60 AUDIT FINDINGS	5 CRITICAL FINDINGS	40 HIGH FINDINGS	156 IMPLEMENTATION TASKS
----------------------	------------------------	---------------------	-----------------------------

1.1 Overall assessment

The most material problem is not a single missing tag. It is the absence of one coherent system connecting domain ownership, URL architecture, language routing, metadata, publisher identity, editorial evidence, first-party content, documents and release controls. Search results currently expose generic global-news metadata, stale NewsHub category pages and several near-identical domains. The live pages add mixed-language components, template leakage, a misspelled core name and a locale switch that loses the current route.

These defects create a compounded risk: search engines can select the wrong host or stale URL, users can receive the wrong language, the site can be interpreted as thin aggregation, and future fixes can regress because there is no visible technical governance layer. The recommended remedy is a controlled consolidation and rebuild of signals, not an isolated keyword exercise.

Primary strategic decision

Select one permanent canonical domain and one truthful site identity before rewriting pages or generating more translations. Domain, publisher, content-model and locale decisions must be approved together because every canonical, hreflang, sitemap, structured-data and redirect rule depends on them.

1.2 Highest-priority confirmed defects

- F01 — Multiple near-identical domains compete with the requested site: Search results expose several very similar hostnames and copies, including nooshaaubel.info, noosha-aubel.com, noosha-aubel-potsdam.com and nooshaaubel-potsdam.com, in addition to www.noosha-aubel.info. Common ownership was not established during this external audit.
- F05 — The language switcher drops the current route: Switching from the Chinese contact or editorial-statement route to English or German leads to a locale homepage rather than the equivalent page.
- F08 — Stale category URLs and legacy NewsHub metadata appear in search results: Search results surfaced /category/ pages with generic NewsHub titles and descriptions that do not match the current Noosha Aubel dossier positioning.
- F17 — The English search title is generic and misaligned with the visible page: The search result title was shown as “Global Breaking News, Trending & Latest Headlines,” while the visible H1 and proposition center on Noosha Aubel and a multilingual press dossier.
- F19 — The core person name is misspelled as “Nosha Aubel”: At least one prominent text block uses “Nosha Aubel” instead of “Noosha Aubel.”
- F24 — Legacy “Dhaka News Times,” “HRD Media” and NewsHub boilerplate leaks into the product: Generic publisher and news-aggregator wording appears in footer, About, terms or search snippets even though the site is branded around Noosha Aubel.
- F25 — Localized pages contain substantial untranslated interface fragments: The German edition includes labels such as “German Edition,” “Live Press Coverage,” “Stories,” “Official Records” and English explanatory copy. Japanese, Arabic, Chinese and other pages also retain English or German modules.
- F41 — Important text is embedded inside the hero image: The prominent graphic contains headlines, logos and promotional text as pixels rather than semantic HTML.
- F42 — The hero image is a fixed raster asset rather than an owned responsive image set: The observed asset is approximately 950 by 533 pixels and is loaded as a remote JPEG. No controlled srcset, modern formats or intrinsic-size implementation could be proven.
- F51 — Locale switching reveals a route-state implementation defect: The application changes locale but loses the page identity, sending users to a homepage. This indicates locale and content routing are not bound to a stable shared identifier.

1.3 Decisions required from the owner or steering group

- Which hostname is the permanent public domain, and which similar domains are controlled by the same organization?

2. Is the product a press dossier, an original newsroom, a subject profile, a campaign archive, or a general news publisher? Only one may be the primary identity.
3. Who is the legally accurate publisher and who is editorially accountable for each original page?
4. Which languages have real audience demand, native review capacity and ongoing maintenance ownership?
5. Which files are source snapshots, which are original publications, and which should be indexable?
6. Which claims can be substantiated with named methodology, and which require revision or removal?
7. Which first-party content types will provide unique value rather than sending search users directly to third-party articles?

1.4 First 15 actions

8. Freeze untracked URL and locale changes; preserve a full crawl, analytics and Search Console baseline.
9. Inventory ownership of every similar domain and choose one primary HTTPS hostname.
10. Create a one-to-one redirect and legacy-URL disposition map before changing hosts or paths.
11. Replace the generic homepage title and description with Noosha Aubel-specific metadata.
12. Remove all unintended NewsHub, Dhaka News Times, HRD Media and other legacy template strings.
13. Correct every unintended “Nosha Aubel” instance and protect the name with automated linting.
14. Fix locale switching so it preserves content identity instead of falling back to a homepage.
15. Define valid locale codes, especially the distinction between Simplified and Traditional Chinese.
16. Build reciprocal hreflang clusters from a translation matrix and stable content IDs.
17. Noindex internal-search and arbitrary filter pages; clean stale category URLs with 301, 404 or 410 decisions.
18. Create stable first-party pages for important coverage records, documents, timelines and corrections.
19. Move authorized hero and social assets to a controlled first-party media pipeline.
20. Create HTML landing pages and an explicit indexation policy for every retained PDF family.
21. Publish clear publisher, editorial, source, correction, right-of-reply and verification policies.
22. Add crawl, metadata, structured-data, accessibility and localization checks to CI and release monitoring.

1.5 Risk distribution

Severity	Count	Management meaning	Required response
CRITICAL	5	Can invalidate the overall domain/entity strategy or cause major duplication.	Decide and start within 0–7 days; executive owner required.
HIGH	40	Material impact on indexation, relevance, trust, localization, usability or delivery.	Plan and implement mainly within 8–30 days; verify within 60 days.
MEDIUM	14	Important quality, maintainability or experience issue that compounds other risks.	Resolve within 31–90 days or document an explicit exception.
LOW	1	Useful enhancement or governance item with limited immediate impact.	Schedule after critical dependencies or bundle with related work.

1.6 Evidence confidence

Confirmed: 28 findings. Strongly indicated: 19 findings. Verification required: 13 findings. A verification-required item is not an accusation that the control is absent; it is a required test because the rendered audit view cannot establish the raw implementation.

SECTION 2

2. Scope, methodology and confidence model

The audit distinguishes observable defects from implementation hypotheses and creates testable acceptance criteria for both.

2.1 Scope

- Live public routes on the requested domain, including English, German and selected localized policy/contact pages.
- Search-engine result presentation for the primary domain, stale categories, locale snippets and similar domain variants.
- Visible navigation, locale switching, story cards, internal search, tags, documents, hero imagery, video and footer/publisher text.
- A representative German PDF, visually inspected page by page.
- Current official guidance from Google Search Central, web.dev and W3C used as the technical reference framework.

2.2 Explicit limitations

- No source-code repository, CMS, database, DNS account, CDN, server configuration or deployment pipeline was supplied.
- No verified raw HTTP header set, server logs, analytics, Google Search Console or Bing Webmaster Tools data was supplied.
- No repeatable Lighthouse, CrUX, WebPageTest, real-user monitoring or full WCAG assistive-technology test was completed.
- Common robots, sitemap, feed and favicon endpoints were not reliably retrievable through the audit crawler; their status must be verified directly rather than inferred.
- The report does not determine ownership of similar domains, image rights, publisher legal status, factual truth of claims or compliance with a specific jurisdiction.
- This document is technical and editorial implementation guidance, not legal advice, a security penetration test or a guarantee of search rankings.

2.3 Confidence model

Confidence	Definition	Typical evidence	Closure requirement
CONFIRMED	Directly observable and reproducible in the live or indexed experience.	Rendered page, search result, route behavior or inspected PDF.	Fix the defect and prove the stated acceptance criterion.
STRONGLY INDICATED	Several external symptoms support the finding, but internal implementation is not visible.	Cross-locale inconsistency, stale strings, architecture pattern or missing visible control.	Verify internal cause, implement the appropriate remedy and retain evidence.
VERIFICATION REQUIRED	A control cannot be confirmed or denied from the available external view.	Raw head, response header, log, code, accessibility or performance data required.	Run the named test; close only with captured output or create a remediation task.

2.4 Audit method

Discovery: Reviewed the main public entry points, locale variants, policy/contact routes, internal search, document links, indexed snippets and related domains.

Comparison: Compared English, German and selected non-Latin locales for content parity, language fallbacks, route equivalence and template identity.

Search presentation: Examined current result titles, descriptions, stale categories and hostname variants to identify canonical and brand inconsistencies.

Document inspection: Opened the representative PDF and used page screenshots to evaluate whether it is a purpose-built publication or a captured web page.

Standards mapping: Mapped each issue to official crawl, indexation, international, structured-data, performance and accessibility principles.

Delivery design: Converted every finding into a remediation task and a separate validation task with acceptance criteria, owners, effort and phase.

2.5 Severity model

Severity estimates potential business and search impact, not development difficulty. A verification-required control can still be High because failing to test it would make the migration unsafe. Conversely, an observed cosmetic defect can be Medium even when it is easy to fix.

Evidence preservation requirement

Before changing domains, URLs, metadata or documents, export current rankings, indexed URLs, backlinks, traffic, response codes and page content. Without a baseline, it will be impossible to distinguish recovery, loss, normal volatility and migration effects.

SECTION 3

3. Observed site architecture and current-state inventory

This section records the externally visible system that the implementation team must reconcile with the repository and infrastructure.

3.1 Observed positioning and modules

- The English page identifies “Noosha Aubel” and describes an “Independent Newsroom & Multilingual Press Dossier.”
- The same experience also uses broad “global news” language and legacy news-portal identity fragments.
- The homepage promotes a small set of story cards, a “Most Read” block, tags/search, a video module and a multilingual document archive.
- The archive advertises seventeen website languages and twenty-six PDF languages, including non-Latin scripts.
- A core name appears once as “Nosha Aubel,” creating a direct entity-quality error.
- Primary story cards lead to external publisher pages rather than durable internal dossier records.
- A text-heavy hero image is loaded from a third-party publication domain.

3.2 Observed route families

Route family	Observed example	Current role	Primary concern
Locale home	/en, /de, /zh, /ja, /ar	Primary multilingual entry pages	Mixed language, content parity, metadata and hreflang.
Static policy/contact	{/locale}/contact, {/locale}/editorial-statement	Publisher and policy information	Route-switch fallback and untranslated legal/editorial content.
Internal search	/en/search?q=...	Query-result listings	Duplicate crawl space and noindex policy.
Legacy category	/category/...	Old NewsHub-style taxonomy	Stale indexed snippets and redirect/410 decisions.
Documents	Root-level PDF links	Wikipedia/archive files in many languages	URL quality, accessibility, provenance and indexation.
External coverage	Third-party publisher URLs	Destination for homepage cards	Loss of first-party topical depth and source continuity.
Mirror domains	Several near-identical hostnames	Possible copies or legacy sites	Ownership, duplication and migration risk.

3.3 Observed language set

The visible website locale selector includes German, English, Chinese, Spanish, French, Italian, Portuguese, Hindi, Polish, Czech, Korean, Swedish, Arabic, Japanese, Greek, Russian and Ukrainian. The PDF archive promotes additional language files. The implementation team must distinguish website locales, document translations, regional editions and merely available files; these are not interchangeable SEO concepts.

Locale governance rule

A language should be indexable only when its page is complete, accurately translated, maintained, reciprocally linked and useful to a real audience. Publishing more locale URLs is not itself an SEO benefit.

3.4 Search-result symptoms

- A generic English title about global breaking news rather than the Noosha Aubel dossier.
- A generic description aligned with a broad news portal rather than the visible page purpose.
- Stale category results carrying NewsHub metadata.
- Near-identical domains appearing as separate search results.

- Mixed or malformed language snippets, including an unexpected foreign-script character in one translated result.

3.5 Mirror-domain set observed in search

- www.noosha-aubel.info
- noosha-aubel.info
- www.nooshaaubel.info
- www.noosha-aubel-potsdam.com
- noosha-aubel-potsdam.com
- www.noosha-aubel.com
- www.nooshaaubel-potsdam.com

The audit does not assert that all of these domains are under common control. Ownership must be verified before any redirect, takedown, canonical or legal action. The technical recommendation applies only to domains controlled by the same publishing organization and carrying equivalent content.

3.6 Current-state risk summary by system layer

Layer	Risk	Summary
Domain layer	CRITICAL	Multiple similar domains and both host variants can compete.
Routing layer	HIGH	Locale switching loses page identity and translation states are inconsistent.
Template layer	CRITICAL	Legacy publisher and NewsHub strings contaminate metadata and legal/editorial presentation.
Content layer	HIGH	Thin aggregation, external-only destinations and weak evidence context limit unique value.
Document layer	HIGH	Browser-print PDFs lack a deliberate landing, accessibility and indexation strategy.
Media layer	HIGH	The hero is third-party hosted and carries essential text as pixels.
Measurement layer	HIGH	Performance, crawl, accessibility and release governance must be verified and institutionalized.

SECTION 4

4. Finding register

A compact management view of every issue. Detailed rationale, remediation and acceptance criteria follow in Section 5.

ID	Severity	Confidence	Category	Finding	Evidence basis
F01	CRITICAL	CONFIRMED	Domain consolidation	Multiple near-identical domains compete with the requested site	Search-result review on 2026-08-15.
F02	HIGH	CONFIRMED	Domain consolidation	The www and apex host variants both remain addressable	Live host routing observed on 2026-08-15.
F03	HIGH	VERIFICATION REQUIRED	Canonicalization	Canonical link implementation could not be verified from the rendered audit view	Raw-source verification required with crawler, curl and Search Console URL Inspection.
F04	CRITICAL	VERIFICATION REQUIRED	International SEO	Reciprocal hreflang clusters are not proven and visible localization inconsistencies suggest a broken implementation	Visible locale set and mixed-language routes observed; source-level annotation requires verification.
F05	HIGH	CONFIRMED	International SEO	The language switcher drops the current route	Live language-switch behavior observed on /zh/contact and /zh/editorial-statement.
F06	MEDIUM	CONFIRMED	International SEO	Chinese language labeling is ambiguous	Chinese route, flag and archive labels observed on 2026-08-15.
F07	HIGH	CONFIRMED	International SEO	Content inventory differs materially between language homepages	Rendered English and German homepages reviewed on 2026-08-15.
F08	HIGH	CONFIRMED	Indexation	Stale category URLs and legacy NewsHub metadata appear in search results	Current search-result review on 2026-08-15.
F09	HIGH	CONFIRMED	Indexation	Internal search result URLs are publicly accessible and duplicate card content	Live /en/search query page reviewed on 2026-08-15.
F10	MEDIUM	STRONGLY INDICATED	Indexation	Tag and filter links may multiply low-value URL combinations	Homepage tag links and search routing observed; full crawl required.
F11	HIGH	CONFIRMED	Content architecture	Homepage story cards primarily send users directly to external publishers	Homepage card destinations observed on 2026-08-15.
F12	HIGH	STRONGLY INDICATED	Content architecture	A durable first-party article and dossier archive is not evident	External black-box navigation review; full crawl required for confirmation.
F13	MEDIUM	CONFIRMED	URL design	PDF filenames contain spaces, capitalization and inconsistent punctuation	Document archive URLs observed on 2026-08-15.

ID	Severity	Confidence	Category	Finding	Evidence basis
F14	MEDIUM	CONFIRMED	URL design	Document assets are mixed into the root namespace	Homepage PDF archive reviewed on 2026-08-15.
F15	HIGH	VERIFICATION REQUIRED	Crawl controls	robots.txt and XML sitemap availability could not be confirmed by the audit crawler	Verification limitation recorded on 2026-08-15.
F16	LOW	VERIFICATION REQUIRED	Crawl controls	RSS or Atom feed behavior is not established	Endpoint verification required.
F17	CRITICAL	CONFIRMED	Metadata	The English search title is generic and misaligned with the visible page	Search result and live homepage reviewed on 2026-08-15.
F18	HIGH	CONFIRMED	Metadata	The search description uses generic global-news language	Search-result review on 2026-08-15.
F19	HIGH	CONFIRMED	Content quality	The core person name is misspelled as "Nosha Aubel"	Rendered homepage reviewed on 2026-08-15.
F20	HIGH	STRONGLY INDICATED	Metadata	Metadata localization appears incomplete or inherited from generic templates	Mixed search snippets and locale pages observed; full source crawl required.
F21	MEDIUM	VERIFICATION REQUIRED	Metadata	Open Graph and social-card metadata are not proven	Raw-head verification required.
F22	HIGH	CONFIRMED	Media SEO	The main visual is hotlinked from an external publication domain	Rendered image source observed on 2026-08-15.
F23	HIGH	CONFIRMED	Information architecture	The site's purpose is internally inconsistent	Live homepage, footer and search snippets compared on 2026-08-15.
F24	CRITICAL	CONFIRMED	Template integrity	Legacy "Dhaka News Times," "HRD Media" and NewsHub boilerplate leaks into the product	Rendered pages and indexed snippets reviewed on 2026-08-15.
F25	HIGH	CONFIRMED	Localization	Localized pages contain substantial untranslated interface fragments	Multiple localized routes reviewed on 2026-08-15.
F26	HIGH	CONFIRMED	Editorial governance	Legal and editorial pages are untranslated or internally inconsistent	Live /zh/editorial-statement and policy pages reviewed on 2026-08-15; not legal advice.
F27	HIGH	CONFIRMED	Trust and claims	Absolute verification and legal-status claims are not accompanied by visible methodology	Homepage archive and editorial statement observed on 2026-08-15.
F28	HIGH	STRONGLY INDICATED	Trust signals	Named authors, editors and accountable publisher roles are not prominent	External page review; full content inventory required.
F29	HIGH	STRONGLY INDICATED	Editorial quality	Source, correction and right-of-reply workflows are not sufficiently visible	Observed page structure; editorial and legal review required.
F30	HIGH	STRONGLY INDICATED	Content quality	The current experience risks being perceived as thin aggregation	Rendered homepage and document archive reviewed on 2026-08-15.

ID	Severity	Confidence	Category	Finding	Evidence basis
F31	MEDIUM	CONFIRMED	Internal linking	"Most Read" repeats the same limited story set	Homepage module observed on 2026-08-15.
F32	MEDIUM	CONFIRMED	Trust and data	Large view and archive counters lack visible definitions	Homepage counters observed on 2026-08-15.
F33	HIGH	CONFIRMED	Localization quality	Translation quality defects include malformed or foreign characters	Current search snippets and localized routes reviewed on 2026-08-15.
F34	HIGH	STRONGLY INDICATED	Content quality	Large-scale near-duplicate translation risk	Locale inventory and mixed translation quality observed; complete duplicate-content analysis required.
F35	HIGH	STRONGLY INDICATED	Freshness and dates	Publication, modification and review dates are not consistently surfaced	Rendered module review; full page inventory required.
F36	MEDIUM	STRONGLY INDICATED	Entity SEO	The core entity lacks a coherent first-party profile and disambiguation model	Live information architecture reviewed on 2026-08-15.
F37	HIGH	VERIFICATION REQUIRED	Structured data	Structured data coverage and validity could not be confirmed	Source-level verification required.
F38	HIGH	STRONGLY INDICATED	Structured data	Third-party publication cards could be marked up as first-party content incorrectly	Observed external-link architecture; source schema requires verification.
F39	MEDIUM	STRONGLY INDICATED	Navigation and schema	Breadcrumb and hierarchy signals are weak	Rendered navigation review; full crawl required.
F40	HIGH	STRONGLY INDICATED	Structured data	Publisher and organization entity data are likely inconsistent with visible brands	Visible template inconsistency observed on 2026-08-15.
F41	HIGH	CONFIRMED	Image SEO and accessibility	Important text is embedded inside the hero image	Hero image visually inspected on 2026-08-15.
F42	HIGH	CONFIRMED	Image delivery	The hero image is a fixed raster asset rather than an owned responsive image set	Rendered asset dimensions and host observed; raw markup requires verification.
F43	MEDIUM	VERIFICATION REQUIRED	Image governance	Image metadata, rights, alt text and duplicate handling are not systematically demonstrated	Verification required; not legal advice.
F44	HIGH	CONFIRMED	PDF strategy	Promoted PDFs are browser-print snapshots rather than purpose-built publications	German PDF opened and visually inspected on both pages on 2026-08-15.
F45	HIGH	STRONGLY INDICATED	PDF accessibility	PDF accessibility and document metadata are weak	Visual inspection completed; tagged-structure verification requires a PDF accessibility checker.
F46	HIGH	CONFIRMED	Video SEO and accessibility	Video modules are not consistently localized	Localized homepage modules reviewed on 2026-08-15.

ID	Severity	Confidence	Category	Finding	Evidence basis
F47	HIGH	STRONGLY INDICATED	Performance	The above-the-fold media architecture creates LCP risk	Architecture-based risk; requires PageSpeed Insights, CrUX, WebPageTest and RUM validation.
F48	HIGH	VERIFICATION REQUIRED	JavaScript SEO	Server rendering and metadata delivery cannot be trusted without raw-source tests	Source-level and log-level verification required.
F49	MEDIUM	STRONGLY INDICATED	Semantic HTML	Heading hierarchy and landmark semantics need formal validation	Rendered text review; raw HTML validation required.
F50	HIGH	VERIFICATION REQUIRED	HTTP behavior	Status codes, redirects, 404 behavior and cache headers are not fully audited	Requires direct HTTP crawler and server-log access.
F51	HIGH	CONFIRMED	Application routing	Locale switching reveals a route-state implementation defect	Live reproduction on 2026-08-15.
F52	HIGH	STRONGLY INDICATED	Application data integrity	Templates and locale datasets are out of sync	Cross-locale page comparison on 2026-08-15.
F53	MEDIUM	VERIFICATION REQUIRED	Outbound links	External link semantics and security attributes are not proven	Source-level verification required.
F54	HIGH	CONFIRMED	Accessibility and language	Page language and component language do not consistently match	Multiple localized pages reviewed on 2026-08-15.
F55	HIGH	STRONGLY INDICATED	Accessibility	Accessible names and image alternatives need a complete audit	Visual architecture reviewed; attribute-level verification required.
F56	HIGH	VERIFICATION REQUIRED	Accessibility	Keyboard navigation, focus management and menu behavior are unverified	Interactive accessibility verification required.
F57	MEDIUM	VERIFICATION REQUIRED	Responsive design	Contrast, reflow, zoom and touch-target compliance are not established	Verification required.
F58	MEDIUM	VERIFICATION REQUIRED	Security and privacy	Security headers, TLS policy, third-party requests and consent behavior require audit	Requires direct header and network inspection; not legal advice.
F59	HIGH	STRONGLY INDICATED	Operations	No visible indexation and release governance is demonstrated	Inference from observed cross-template defects.
F60	CRITICAL	STRONGLY INDICATED	Migration governance	Domain and legacy-URL cleanup lacks an explicit migration plan	Search-result and host review on 2026-08-15.

Register interpretation

Severity is the potential impact. Confidence is the evidence state. A High / Verification required item should be tested immediately because an unsafe assumption could invalidate the migration, even though absence of the control has not been proven.

SECTION 5

5. Detailed findings and acceptance criteria

Each finding is written as a testable engineering or editorial requirement. Close an item only when its acceptance evidence is retained.

5.1 Domain, canonicalization, international routing and crawl control

F01 — Multiple near-identical domains compete with the requested site

CRITICAL	CONFIRMED	Domain consolidation
----------	-----------	----------------------

Observation. Search results expose several very similar hostnames and copies, including nooshaaubel.info, noosha-aubel.com, noosha-aubel-potsdam.com and nooshaaubel-potsdam.com, in addition to www.noosha-aubel.info. Common ownership was not established during this external audit.

Why it matters. Equivalent or substantially similar sites can split backlinks, confuse entity signals, create duplicate clusters and allow the wrong hostname to rank.

Required remediation. Confirm ownership and purpose of every related domain. Select one permanent canonical domain. If the mirrors are controlled by the same organization and have no distinct purpose, map every old URL to its closest canonical URL with server-side 301 redirects, update internal links and submit the migration in Search Console.

Acceptance criteria. Only the designated primary host resolves with indexable 200 pages; controlled mirrors redirect in one hop to matching canonical URLs; no mirror appears as a separate indexed result after recrawl; redirect mapping is documented and monitored.

Evidence / verification basis: Search-result review on 2026-08-15.

F02 — The www and apex host variants both remain addressable

HIGH	CONFIRMED	Domain consolidation
------	-----------	----------------------

Observation. The www root and the apex root each resolve and lead to a language path. The observed behavior did not demonstrate a single enforced hostname across all entry points.

Why it matters. Host duplication can produce duplicate URLs, dilute links and complicate canonical, hreflang, analytics and cache behavior.

Required remediation. Choose www or apex as the only public host. Redirect HTTP and the non-primary HTTPS host to the primary HTTPS host in one hop while preserving path and query string. Align canonical URLs, sitemaps, hreflang, Open Graph URLs and internal links.

Acceptance criteria. A four-variant protocol and host test returns exactly one 200 version and three single-hop permanent redirects; all generated URLs use the primary host.

Evidence / verification basis: Live host routing observed on 2026-08-15.

F03 — Canonical link implementation could not be verified from the rendered audit view

HIGH	VERIFICATION REQUIRED	Canonicalization
------	-----------------------	------------------

Observation. The external rendered view did not expose raw head markup reliably enough to confirm whether each page has a self-referential canonical or whether mirrors and query pages point to the preferred URL.

Why it matters. Missing, conflicting or JavaScript-injected canonicals can cause wrong URL selection and duplicate indexing.

Required remediation. Audit raw HTML and rendered DOM for every template. Emit one absolute canonical in the server response head. Canonicals must use the primary HTTPS host, normalized path and intended indexable version. Do not canonicalize unrelated translated pages to one language.

Acceptance criteria. Automated tests find exactly one valid canonical on every indexable HTML page; the canonical returns 200, is indexable, matches sitemap and internal-link targets, and is identical in raw HTML and rendered DOM.

Evidence / verification basis: Raw-source verification required with crawler, curl and Search Console URL Inspection.

F04 — Reciprocal hreflang clusters are not proven and visible localization inconsistencies suggest a broken implementation

CRITICAL	VERIFICATION REQUIRED	International SEO
Observation. Seventeen website languages and twenty-six PDF languages are promoted, but the audit view did not prove complete reciprocal hreflang annotations. Several translated routes contain English or German fallback fragments. Why it matters. Incomplete or incorrect hreflang can send users to the wrong language, fragment ranking signals and make Google ignore the entire cluster. Required remediation. Create a locale matrix for every equivalent page. Add absolute, reciprocal hreflang links in raw HTML or XML sitemaps, include a self-reference and x-default, use valid BCP 47 codes, and omit locales that do not have a genuinely equivalent page. Acceptance criteria. Every localized page passes an automated reciprocity test; all targets return 200 and self-canonicalize; codes are valid; no hreflang points to redirects, PDFs unintentionally, noindex pages or unrelated homepages. Evidence / verification basis: Visible locale set and mixed-language routes observed; source-level annotation requires verification.		

F05 — The language switcher drops the current route

HIGH	CONFIRMED	International SEO
Observation. Switching from the Chinese contact or editorial-statement route to English or German leads to a locale homepage rather than the equivalent page. Why it matters. Users lose context, crawlers encounter weak locale equivalence and hreflang mapping becomes unreliable. Required remediation. Implement route-preserving locale switching from a shared content identifier, not string replacement. If an equivalent page does not exist, disclose the fallback and choose the nearest semantically equivalent page instead of silently sending users home. Acceptance criteria. For every page and every available locale, the switcher opens the same content type and entity; automated route-pair tests have no silent homepage fallbacks. Evidence / verification basis: Live language-switch behavior observed on /zh/contact and /zh/editorial-statement.		

F06 — Chinese language labeling is ambiguous

MEDIUM	CONFIRMED	International SEO
Observation. The site uses a generic /zh route and a China flag while the document archive references Traditional Chinese. The implementation does not clearly distinguish zh-Hans from zh-Hant. Why it matters. Ambiguity can show the wrong script to users and generate invalid or overly broad hreflang signals. Required remediation. Decide whether the content is Simplified Chinese, Traditional Chinese or both. Use language names rather than flags as the primary selector, apply zh-Hans and/or zh-Hant consistently, and create distinct URLs only when both versions are maintained. Acceptance criteria. HTML lang, hreflang, labels, content script, sitemap entries and PDF metadata use the same declared variant; no flag is the sole language cue. Evidence / verification basis: Chinese route, flag and archive labels observed on 2026-08-15.		

F07 — Content inventory differs materially between language homepages

HIGH	CONFIRMED	International SEO
Observation. The English homepage displayed five stories while the German version displayed seven, with different English fallback labels and modules. Why it matters. Unmanaged parity gaps weaken hreflang equivalence, create uneven user experience and make editorial governance difficult. Required remediation. Define whether each locale is a translation, a regional edition or a separate editorial product. Store shared stories under stable content IDs, track translation status, and expose only intentional differences with locale-specific metadata and sitemaps.		

Acceptance criteria. A translation dashboard reports every page as complete, intentionally localized, intentionally omitted or scheduled; no accidental card-count or module mismatch remains.

Evidence / verification basis: Rendered English and German homepages reviewed on 2026-08-15.

F08 — Stale category URLs and legacy NewsHub metadata appear in search results

HIGH	CONFIRMED	Indexation
Observation. Search results surfaced /category/ pages with generic NewsHub titles and descriptions that do not match the current Noosha Aubel dossier positioning. Why it matters. Legacy indexation wastes crawl resources, competes with current pages and damages relevance and brand presentation. Required remediation. Inventory all legacy routes. Keep valuable pages with rewritten unique content, redirect exact replacements, return 410 for intentionally removed URLs without substitutes, and remove abandoned URLs from sitemaps and internal links. Use temporary noindex only during controlled cleanup. Acceptance criteria. No legacy NewsHub snippets remain after recrawl; each old URL has an intentional 200, 301 or 410 response; no soft 404, redirect chain or orphaned internal link remains. Evidence / verification basis: Current search-result review on 2026-08-15.		

F09 — Internal search result URLs are publicly accessible and duplicate card content

HIGH	CONFIRMED	Indexation
Observation. The /en/search?q=noosha+aubel route renders a result page that repeats content already available in navigational listings. Why it matters. Query combinations can create a near-infinite crawl space, duplicate snippets and low-value indexable pages. Required remediation. Keep useful site search for users but add robots meta noindex,follow to search results, exclude query URLs from sitemaps, canonicalize only where appropriate, constrain parameters and prevent internal links to empty or arbitrary query combinations. Acceptance criteria. Search result pages remain usable but are not indexable; Search Console parameter and crawl reports show no growth of indexed query variants; internal search logs are used for content planning rather than SEO landing pages. Evidence / verification basis: Live /en/search query page reviewed on 2026-08-15.		

F10 — Tag and filter links may multiply low-value URL combinations

MEDIUM	STRONGLY INDICATED	Indexation
Observation. Popular-tag links route users into search-style result pages. The complete parameter rules and index directives were not visible in the audit view. Why it matters. Uncontrolled faceted navigation can create duplicate combinations, dilute internal PageRank and trap crawlers. Required remediation. Define an indexation policy for tags, filters, pagination and sort parameters. Allow indexation only for curated landing pages with unique demand and content; noindex or block generation of arbitrary combinations while keeping discovery of canonical content possible. Acceptance criteria. A documented parameter matrix exists; crawler tests show bounded URL growth; only approved editorial landing pages are indexable and included in sitemaps. Evidence / verification basis: Homepage tag links and search routing observed; full crawl required.		

F11 — Homepage story cards primarily send users directly to external publishers

HIGH	CONFIRMED	Content architecture
Observation. The observed story cards link out to third-party publication pages rather than first-party article or dossier pages containing original context, sourcing and internal navigation. Why it matters. The site captures little long-term topical authority, offers weak landing pages for search and depends on external pages for content continuity.		

Required remediation. Create a first-party page for each dossier item with an original summary, publication facts, source links, evidence or document context, correction status, related coverage and a clear outbound citation. Do not copy copyrighted articles.

Acceptance criteria. Every promoted story has a stable internal URL, unique title and summary, descriptive source citation, breadcrumb, related items and inclusion in XML sitemaps; external links remain secondary references.

Evidence / verification basis: Homepage card destinations observed on 2026-08-15.

F12 — A durable first-party article and dossier archive is not evident

HIGH	STRONGLY INDICATED	Content architecture
------	--------------------	----------------------

Observation. The visible experience is dominated by home modules, search results, static pages and downloadable files. A clearly organized internal archive of individual editorial pages was not observed.

Why it matters. Without stable internal pages, the site cannot build topic clusters, earn deep links or provide reliable historical context.

Required remediation. Design an archive by content type: original articles, press coverage records, source documents, videos and fact sheets. Add dates, authors, topics, entities, language relationships and related-content links.

Acceptance criteria. Users and crawlers can reach every indexable item through category hubs, breadcrumbs and HTML pagination within three clicks; no strategic orphan pages remain.

Evidence / verification basis: External black-box navigation review; full crawl required for confirmation.

F13 — PDF filenames contain spaces, capitalization and inconsistent punctuation

MEDIUM	CONFIRMED	URL design
--------	-----------	------------

Observation. Document links use human-unfriendly filenames at the domain root, including spaces, uppercase characters and Unicode punctuation.

Why it matters. Fragile URLs are harder to share, normalize, cache, track and migrate; encoded characters can cause duplicate or broken references.

Required remediation. Move documents to a consistent /documents/{language}/{descriptive-slug}.pdf structure using lowercase ASCII hyphenated filenames. Preserve old URLs with one-hop 301 redirects where technically possible.

Acceptance criteria. All new document URLs follow the naming convention; old links redirect once; no filename differs only by case or encoding; document URLs are represented consistently in HTML and sitemaps.

Evidence / verification basis: Document archive URLs observed on 2026-08-15.

F14 — Document assets are mixed into the root namespace

MEDIUM	CONFIRMED	URL design
--------	-----------	------------

Observation. Twenty-six downloadable language files are promoted without a clear document content hierarchy or dedicated metadata landing structure.

Why it matters. Root-level asset sprawl makes governance, analytics, access rules and future migration harder.

Required remediation. Create a document library with one HTML landing page per document family and localized file records. Use stable IDs, version numbers, language, publication date, source, license and checksum fields in the CMS.

Acceptance criteria. The document library supports filtering without indexable parameter sprawl; each file has a corresponding metadata page; asset paths and analytics are predictable.

Evidence / verification basis: Homepage PDF archive reviewed on 2026-08-15.

F15 — robots.txt and XML sitemap availability could not be confirmed by the audit crawler

HIGH	VERIFICATION REQUIRED	Crawl controls
------	-----------------------	----------------

Observation. Direct audit-crawler attempts to retrieve common robots and sitemap endpoints did not return a reliable inspectable result. This does not prove that the files are missing or broken.

Why it matters. Absent or incorrect crawl-control files can hide important pages, expose low-value URLs and slow discovery of canonical content.

Required remediation. Verify with curl, server logs and Search Console. Publish a minimal robots.txt that does not block CSS, JavaScript or indexable pages and references valid XML sitemap indexes. Generate locale-aware sitemaps containing only canonical, indexable 200 URLs with accurate lastmod values.

Acceptance criteria. robots.txt returns 200 text/plain; sitemap index and child files validate, stay within limits, contain only canonical 200 URLs, and are accepted without errors in Search Console and Bing Webmaster Tools.

Evidence / verification basis: Verification limitation recorded on 2026-08-15.

F16 — RSS or Atom feed behavior is not established

LOW	VERIFICATION REQUIRED	Crawl controls
-----	-----------------------	----------------

Observation. The site presents itself as a newsroom, but a reliable feed endpoint and autodiscovery markup were not confirmed.

Why it matters. A valid feed can improve syndication, monitoring and discovery, while a broken or duplicate feed creates maintenance noise.

Required remediation. Decide whether a feed is part of the product. If yes, publish one canonical, valid feed per relevant locale or a clearly labeled global feed, include absolute canonical item URLs and feed autodiscovery. If no, remove stale feed references.

Acceptance criteria. Feed validators pass, each item points to a canonical internal URL, dates and language are correct, and no duplicate legacy feeds remain.

Evidence / verification basis: Endpoint verification required.

5.2 Metadata, site identity and template integrity

F17 — The English search title is generic and misaligned with the visible page

CRITICAL	CONFIRMED	Metadata
Observation. The search result title was shown as “Global Breaking News, Trending & Latest Headlines,” while the visible H1 and proposition center on Noosha Aubel and a multilingual press dossier. Why it matters. The mismatch weakens relevance, entity recognition, click-through rate and trust, and suggests stale template data. Required remediation. Rewrite the homepage title around the actual entity and purpose. Keep it concise, unique and natural, place “Noosha Aubel” near the beginning, and ensure the same intended title is present in server-rendered HTML. Acceptance criteria. Raw HTML, rendered DOM, browser tab and Search Console inspection show one consistent title; search snippets no longer use the generic legacy title after recrawl. Evidence / verification basis: Search result and live homepage reviewed on 2026-08-15.		

F18 — The search description uses generic global-news language

HIGH	CONFIRMED	Metadata
Observation. The observed snippet describes a broad breaking-news portal rather than a focused multilingual dossier about Noosha Aubel. Why it matters. Generic descriptions reduce qualified clicks and can cause search engines to rewrite snippets from unrelated boilerplate. Required remediation. Write unique, locale-specific descriptions that explain the page purpose, content types and intended audience without unverifiable superlatives. Keep the primary entity and value proposition early. Acceptance criteria. Every indexable template has a unique description in raw HTML; duplicate-description reports are clean; snippets align with page intent after recrawl. Evidence / verification basis: Search-result review on 2026-08-15.		

F19 — The core person name is misspelled as “Nosha Aubel”

HIGH	CONFIRMED	Content quality
Observation. At least one prominent text block uses “Nosha Aubel” instead of “Noosha Aubel.” Why it matters. A core entity typo creates inconsistent entity signals, weakens exact-name relevance and undermines credibility. Required remediation. Correct the spelling in content, metadata, alt text, structured data, PDF metadata, translations and internal search indexes. Add an automated content lint rule for protected names. Acceptance criteria. A case-insensitive crawl and repository search returns zero unintended “Nosha Aubel” instances; intentional quotations are documented. Evidence / verification basis: Rendered homepage reviewed on 2026-08-15.		

F20 — Metadata localization appears incomplete or inherited from generic templates

HIGH	STRONGLY INDICATED	Metadata
Observation. Search results and rendered pages show localized routes alongside generic NewsHub or English phrases. Raw metadata across all locales was not fully inspectable. Why it matters. Inherited titles and descriptions cause duplicate metadata, wrong-language snippets and weak regional relevance. Required remediation. Create locale-owned metadata fields with validation and fallback rules that fail closed rather than silently publishing English. Translate meaning, not just keywords, and keep names, dates and legal labels consistent. Acceptance criteria. A crawler export shows unique, correct-language titles and descriptions for every indexable locale; no template placeholder or NewsHub string remains. Evidence / verification basis: Mixed search snippets and locale pages observed; full source crawl required.		

F21 — Open Graph and social-card metadata are not proven

MEDIUM	VERIFICATION REQUIRED	Metadata
Observation. The audit view could not confirm a complete, per-page set of og:title, og:description, og:url, og:image, Twitter card data and image dimensions. Why it matters. Missing or inherited social metadata produces weak previews, wrong thumbnails and inconsistent URLs when pages are shared. Required remediation. Add server-rendered social metadata to every shareable page. Use the canonical URL, a first-party image sized for social platforms, descriptive alternative text where supported, and locale-specific title and description. Acceptance criteria. Facebook, LinkedIn, X and messaging preview tests show the intended title, description, first-party image and canonical URL for representative pages in every major locale. Evidence / verification basis: Raw-head verification required.		

F22 — The main visual is hotlinked from an external publication domain

HIGH	CONFIRMED	Media SEO
Observation. The prominent homepage image is loaded from sanfranciscofrontiers.com rather than a controlled noosha-aubel.info asset host. Why it matters. Hotlinking creates availability, performance, privacy, rights, caching and brand-control dependencies; a remote change can break the page or alter its appearance. Required remediation. Confirm image rights, store an authorized optimized copy on the primary first-party or controlled CDN host, assign a stable filename and metadata, and update all localized templates. Do not copy assets without permission. Acceptance criteria. The hero asset loads from an approved controlled hostname, has documented rights and provenance, uses cacheable responsive variants and no external hotlink dependency remains. Evidence / verification basis: Rendered image source observed on 2026-08-15.		

F23 — The site's purpose is internally inconsistent

HIGH	CONFIRMED	Information architecture
Observation. The page calls itself an independent newsroom and multilingual press dossier, while titles, footer text and other templates describe a broad global-news aggregator. Why it matters. Conflicting positioning prevents search engines and users from understanding whether the site is a biography, press archive, campaign dossier, newsroom or general publisher. Required remediation. Choose and document one primary purpose, audience and editorial model. Rewrite navigation, homepage, About, publisher, metadata and schema around that purpose. Separate unrelated publishing brands rather than mixing boilerplate. Acceptance criteria. Every top-level page expresses the same site identity and publisher; an editorial one-sentence proposition is approved; no generic aggregator label remains. Evidence / verification basis: Live homepage, footer and search snippets compared on 2026-08-15.		

F24 — Legacy “Dhaka News Times,” “HRD Media” and NewsHub boilerplate leaks into the product

CRITICAL	CONFIRMED	Template integrity
Observation. Generic publisher and news-aggregator wording appears in footer, About, terms or search snippets even though the site is branded around Noosha Aubel. Why it matters. Template leakage is a strong quality and trust defect, may misstate the publisher and can contaminate structured entity signals. Required remediation. Perform a repository-wide and database-wide search for legacy brand strings, placeholders, demo content and inherited legal text. Replace only after publisher and legal review; remove unused templates and add deployment lint checks.		

Acceptance criteria. Crawl, source search and database export contain no unintended legacy brand or placeholder strings; publisher identity is consistent in visible text, metadata, email templates, schema and documents.

Evidence / verification basis: Rendered pages and indexed snippets reviewed on 2026-08-15.

5.3 Localization, content quality, trust and entity clarity

F25 — Localized pages contain substantial untranslated interface fragments

HIGH	CONFIRMED	Localization
------	-----------	--------------

Observation. The German edition includes labels such as “German Edition,” “Live Press Coverage,” “Stories,” “Official Records” and English explanatory copy. Japanese, Arabic, Chinese and other pages also retain English or German modules.

Why it matters. Mixed-language pages frustrate users, reduce language relevance, impair screen-reader pronunciation and may be treated as low-quality translation output.

Required remediation. Move every visible string into a translation catalog, prohibit hard-coded UI text, assign native-language reviewers and add screenshot-based localization QA. Maintain a glossary for names, roles and legal terms.

Acceptance criteria. Automated i18n extraction finds no hard-coded production strings; native reviewers approve each locale; HTML lang and component language match; no unintended fallback text remains.

Evidence / verification basis: Multiple localized routes reviewed on 2026-08-15.

F26 — Legal and editorial pages are untranslated or internally inconsistent

HIGH	CONFIRMED	Editorial governance
------	-----------	----------------------

Observation. A Chinese editorial-statement route renders primarily English content and includes wording such as “Official Legal Publication” together with claims about review, verification, approval and adoption that require reconciliation.

Why it matters. Ambiguous legal and editorial representations can confuse readers, undermine credibility and create avoidable compliance or reputational exposure.

Required remediation. Have qualified editorial and legal reviewers define the exact status of the site, publisher, verification process and documents. Publish locale-appropriate versions with version dates, responsible entity and contact. Avoid translating legal claims without jurisdictional review.

Acceptance criteria. Each locale’s policy page identifies the responsible publisher, version date, scope and correction process; translations are approved; contradictory status claims are removed or evidenced.

Evidence / verification basis: Live /zh/editorial-statement and policy pages reviewed on 2026-08-15; not legal advice.

F27 — Absolute verification and legal-status claims are not accompanied by visible methodology

HIGH	CONFIRMED	Trust and claims
------	-----------	------------------

Observation. The archive uses labels such as “100% Verified” and “Official Legal Publication,” but the reviewed modules do not visibly explain the verification standard, verifier, date, evidence set or legal basis.

Why it matters. Unsupported absolutes can reduce user trust, invite scrutiny and make snippets appear promotional rather than evidentiary.

Required remediation. Replace absolute claims with precise, attributable statements. Publish a verification methodology, scope, reviewer, last-reviewed date, source links and limitations. Obtain legal review for claims of official or legal status.

Acceptance criteria. Every trust claim has a linked methodology and named responsible party; claims are reproducible from cited evidence; no unsupported percentage or legal-status label remains.

Evidence / verification basis: Homepage archive and editorial statement observed on 2026-08-15.

F28 — Named authors, editors and accountable publisher roles are not prominent

HIGH	STRONGLY INDICATED	Trust signals
------	--------------------	---------------

Observation. The reviewed home, archive and policy experiences do not clearly surface named authors or editors for each item and an unambiguous accountable editorial organization.

Why it matters. For sensitive public-interest or reputation-related content, absent authorship and accountability weaken credibility and user confidence.

Required remediation. Add author and reviewer bylines where factually appropriate, profile pages, role descriptions, contact routes, expertise disclosures and a clear publisher imprint. Never invent credentials or imply independence that does not exist.

Acceptance criteria. Each original editorial page identifies author, reviewer or responsible editor, publication and modification dates, publisher and contact; profile and organization data are consistent with schema.

Evidence / verification basis: External page review; full content inventory required.

F29 — Source, correction and right-of-reply workflows are not sufficiently visible

HIGH	STRONGLY INDICATED	Editorial quality
------	--------------------	-------------------

Observation. The site links to external publications and documents, but the reviewed pages do not present a standardized source list, corrections history, dispute process or right-of-reply path at item level.

Why it matters. Weak provenance and correction controls are especially risky for claims about identifiable people and public institutions.

Required remediation. Adopt an editorial evidence template: claim, source, publication date, archive link where lawful, verification state, conflicts, response requested, response received, correction history and last review. Provide a prominent corrections and contact process.

Acceptance criteria. Every original dossier page has complete provenance fields, a permanent correction log and a response contact; editorial staff can update without changing the canonical URL.

Evidence / verification basis: Observed page structure; editorial and legal review required.

F30 — The current experience risks being perceived as thin aggregation

HIGH	STRONGLY INDICATED	Content quality
------	--------------------	-----------------

Observation. The homepage largely presents brief cards, counts, external links and downloaded snapshots rather than substantial original analysis or contextual pages.

Why it matters. Thin aggregation offers limited unique value, may not satisfy search intent and is vulnerable to quality reassessment.

Required remediation. Define unique first-party value for each page: chronology, comparison, source reconciliation, methodology, original reporting, document explanation or data visualization. Keep summaries factual and non-duplicative; link to originals rather than republishing them.

Acceptance criteria. Indexable pages contain substantial unique content that answers a defined query; editorial review confirms no copied article body; user engagement and index coverage improve without page-volume inflation.

Evidence / verification basis: Rendered homepage and document archive reviewed on 2026-08-15.

F31 — “Most Read” repeats the same limited story set

MEDIUM	CONFIRMED	Internal linking
--------	-----------	------------------

Observation. The “Most Read” module repeats items already prominent elsewhere and does not visibly explain the time window or measurement method.

Why it matters. Redundant modules waste screen space and internal-link equity and can make the page look mechanically templated.

Required remediation. Either calculate the module from transparent analytics with a defined window or replace it with a curated related-coverage module. De-duplicate items already in the viewport and use descriptive link text.

Acceptance criteria. No page repeats the same destination in adjacent modules without a deliberate reason; module logic, time window and fallback are documented; analytics validates clicks.

Evidence / verification basis: Homepage module observed on 2026-08-15.

F32 — Large view and archive counters lack visible definitions

MEDIUM	CONFIRMED	Trust and data
--------	-----------	----------------

Observation. The homepage displays values such as 94,837 views and 26 Wikipedia Archives without explaining the period, counting method, deduplication, source or update timestamp.

Why it matters. Unexplained metrics can mislead readers and create stale or unverifiable social-proof signals.

Required remediation. Define each metric, source it from a documented analytics query, show the relevant period and last update, or remove it. Avoid real-time counters that cause layout shift or cache fragmentation.

Acceptance criteria. Every displayed counter has a tooltip or linked methodology, refresh policy and auditable source; stale values trigger an alert; counters do not affect CLS.

Evidence / verification basis: Homepage counters observed on 2026-08-15.

F33 — Translation quality defects include malformed or foreign characters

HIGH	CONFIRMED	Localization quality
------	-----------	----------------------

Observation. A Vietnamese archive snippet contained an unexpected CJK character, and multiple locales combine unrelated languages in interface and media modules.

Why it matters. Encoding or translation defects reduce readability, can alter meaning and signal low editorial control.

Required remediation. Normalize all content to UTF-8, audit database and export pipelines, run language-detection and Unicode-script linting, and require native-language proofreading before publication.

Acceptance criteria. Automated checks flag no unexpected script characters outside approved names or quotations; native reviewers approve a representative sample and all critical pages.

Evidence / verification basis: Current search snippets and localized routes reviewed on 2026-08-15.

F34 — Large-scale near-duplicate translation risk

HIGH	STRONGLY INDICATED	Content quality
------	--------------------	-----------------

Observation. The site promotes many language versions and document translations while visible templates retain common boilerplate and inconsistent local adaptation.

Why it matters. Publishing many low-differentiation or machine-translated pages can create scaled low-value content and consume crawl capacity.

Required remediation. Prioritize languages with real audience and editorial support. Publish only reviewed translations, consolidate unsupported locales, and measure demand and quality. Do not create pages merely to multiply indexable URLs.

Acceptance criteria. Each live locale has an owner, glossary, QA record and measurable audience; unsupported or low-quality translations are noindexed, improved or retired through an intentional migration plan.

Evidence / verification basis: Locale inventory and mixed translation quality observed; complete duplicate-content analysis required.

F35 — Publication, modification and review dates are not consistently surfaced

HIGH	STRONGLY INDICATED	Freshness and dates
------	--------------------	---------------------

Observation. Cards and document modules do not consistently expose clear first-published, updated and last-verified dates with time zones and semantics.

Why it matters. Unclear dates make a press dossier hard to evaluate, weaken freshness signals and complicate corrections.

Required remediation. Store and display datePublished, dateModified and lastVerified as separate fields. Use machine-readable time elements, ISO timestamps, correct time zones and truthful structured data. Never change modification dates solely for SEO.

Acceptance criteria. Every time-sensitive page displays accurate human-readable dates, raw HTML time values and matching schema; editorial history is auditable.

Evidence / verification basis: Rendered module review; full page inventory required.

F36 — The core entity lacks a coherent first-party profile and disambiguation model

MEDIUM	STRONGLY INDICATED	Entity SEO
--------	--------------------	------------

Observation. The homepage names Noosha Aubel but the surrounding generic publisher content does not clearly distinguish a factual profile, press archive and third-party coverage record.

Why it matters. Weak entity modeling makes it harder for users and search systems to connect names, roles, places, dates and authoritative sources accurately.

Required remediation. Create a neutral, sourced profile or subject page only where editorially appropriate. Use consistent full name, role descriptions, relevant dates, geographic context, authoritative citations and disambiguation from similarly named entities. Separate subject from publisher identity.

Acceptance criteria. The profile has one canonical URL, a defined editorial scope, citations, revision history and consistent entity identifiers; schema does not imply authorship or endorsement incorrectly.

Evidence / verification basis: Live information architecture reviewed on 2026-08-15.

5.4 Structured data and navigational hierarchy

F37 — Structured data coverage and validity could not be confirmed

HIGH	VERIFICATION REQUIRED	Structured data
------	-----------------------	-----------------

Observation. The rendered audit view did not provide enough raw source detail to verify JSON-LD types, properties, ownership and consistency across locales.

Why it matters. Missing schema forfeits machine-readable context; invalid or misleading schema can be ignored or trigger manual-action risk.

Required remediation. Inventory all JSON-LD in raw and rendered HTML. Implement only schema that matches visible content: WebSite, Organization or publisher, WebPage or CollectionPage, BreadcrumbList, ItemList, Article for original editorial pages and VideoObject where applicable. Validate in CI.

Acceptance criteria. Schema.org validator and Google Rich Results Test show no errors for supported types; identifiers, URLs, names, logos, dates and publishers match visible content and canonical URLs.

Evidence / verification basis: Source-level verification required.

F38 — Third-party publication cards could be marked up as first-party content incorrectly

HIGH	STRONGLY INDICATED	Structured data
------	--------------------	-----------------

Observation. The site aggregates links to external publisher stories. Without careful modeling, an ItemList or Article template could imply that noosha-aubel.info authored or published those external articles.

Why it matters. Misstated authorship or publisher relationships are misleading and can invalidate structured data.

Required remediation. Represent the page as a CollectionPage or ItemList of cited coverage records. Use Article or NewsArticle only for original first-party pages. Identify the external publisher in visible text and data, and never copy third-party dates, authors or logos into first-party publisher properties inaccurately.

Acceptance criteria. Structured-data review finds no external article represented as owned by the site; every item URL and publisher relationship matches the visible page and source.

Evidence / verification basis: Observed external-link architecture; source schema requires verification.

F39 — Breadcrumb and hierarchy signals are weak

MEDIUM	STRONGLY INDICATED	Navigation and schema
--------	--------------------	-----------------------

Observation. The visible modules do not show a consistent breadcrumb trail or deeply structured content hierarchy for documents, policies and localized records.

Why it matters. Weak hierarchy makes navigation harder and reduces contextual internal linking.

Required remediation. Create semantic breadcrumbs for all pages below the locale homepage, link each ancestor, and add matching BreadcrumbList JSON-LD. Keep labels localized and URLs canonical.

Acceptance criteria. All nested pages display keyboard-accessible breadcrumbs; structured data exactly matches visible links; no breadcrumb points to a redirect or noindex page.

Evidence / verification basis: Rendered navigation review; full crawl required.

F40 — Publisher and organization entity data are likely inconsistent with visible brands

HIGH	STRONGLY INDICATED	Structured data
------	--------------------	-----------------

Observation. Visible references to Noosha Aubel, an independent newsroom, Dhaka News Times, HRD Media and NewsHub create multiple possible organization identities.

Why it matters. Conflicting organization names, logos and publisher properties can confuse knowledge systems and users.

Required remediation. Define the legally accurate publisher and site brand. Use one stable Organization @id, name, URL, logo, contact points and sameAs references that are authoritative. Model the subject person separately and document any relationship.

Acceptance criteria. Organization data is identical across pages and locales, matches the imprint and visible logo, and contains no legacy or unrelated brand identifiers.

Evidence / verification basis: Visible template inconsistency observed on 2026-08-15.

5.5 Images, documents and video

F41 — Important text is embedded inside the hero image

HIGH	CONFIRMED	Image SEO and accessibility
Observation. The prominent graphic contains headlines, logos and promotional text as pixels rather than semantic HTML. Why it matters. Search engines and assistive technology cannot reliably interpret the text, translations require separate raster files, and small screens may render it unreadable. Required remediation. Move essential headings and claims into HTML. Keep decorative image text minimal, provide concise contextual alt text, and use a separate accessible caption or transcript for information that must remain in the image. Acceptance criteria. All essential information remains available when images are disabled; screen-reader and 200 percent zoom tests preserve meaning; image alt text is concise and not a duplicate keyword dump. Evidence / verification basis: Hero image visually inspected on 2026-08-15.		

F42 — The hero image is a fixed raster asset rather than an owned responsive image set

HIGH	CONFIRMED	Image delivery
Observation. The observed asset is approximately 950 by 533 pixels and is loaded as a remote JPEG. No controlled srcset, modern formats or intrinsic-size implementation could be proven. Why it matters. A single fixed asset may be oversized on mobile, soft on high-density screens and a major LCP dependency. Required remediation. Create first-party AVIF and WebP variants plus a JPEG fallback at measured widths, use picture and srcset with sizes, set width and height, preload only the actual LCP candidate and apply a durable cache policy. Acceptance criteria. Mobile and desktop fetch appropriately sized variants; no layout shift occurs; the LCP request starts early; visual quality meets editorial standards at common device pixel ratios. Evidence / verification basis: Rendered asset dimensions and host observed; raw markup requires verification.		

F43 — Image metadata, rights, alt text and duplicate handling are not systematically demonstrated

MEDIUM	VERIFICATION REQUIRED	Image governance
Observation. The visible experience does not expose a consistent asset-credit, copyright, caption or provenance model, and raw alt attributes were not available in the audit view. Why it matters. Weak asset governance creates accessibility, legal, duplicate-image and operational risks. Required remediation. Add an asset record with owner, license, source, creator, credit line, alt text, caption, focal point, language and permitted transformations. Strip sensitive EXIF data when appropriate without falsifying origin. Acceptance criteria. Every production image has a complete asset record; crawl exports show non-empty contextual alt text where needed and empty alt for decorative images; rights can be traced. Evidence / verification basis: Verification required; not legal advice.		

F44 — Promoted PDFs are browser-print snapshots rather than purpose-built publications

HIGH	CONFIRMED	PDF strategy
Observation. The reviewed German PDF is a two-page browser-style print of Wikipedia content, including interface-like elements rather than a designed, independently sourced dossier document. Why it matters. Search users may encounter thin, duplicate or confusing files; the format offers little unique value and inherits provenance and licensing questions. Required remediation. Decide whether each PDF is a source snapshot, translation, evidence exhibit or original report. Create an HTML landing page with purpose, source, capture date, translator, license and limitations. Redesign strategic PDFs with accessible structure; noindex non-strategic snapshots using X-Robots-Tag where appropriate. Acceptance criteria. Every PDF family has an HTML landing page and explicit index policy; strategic PDFs have unique purpose and metadata; snapshots are clearly labeled and do not compete with better HTML pages. Evidence / verification basis: German PDF opened and visually inspected on both pages on 2026-08-15.		

F45 — PDF accessibility and document metadata are weak

HIGH	STRONGLY INDICATED	PDF accessibility
Observation. The reviewed file appears to be a print capture and did not visibly demonstrate deliberate tags, heading structure, language metadata, logical reading order, bookmarks or document properties. Why it matters. Untagged or poorly tagged PDFs are difficult for assistive technology and may be less useful in search. Required remediation. Run PDF/UA-oriented remediation for retained files: tagged headings, lists and links, document title, language, reading order, bookmarks, accessible link text and alt text for meaningful images. Provide an equivalent HTML page. Acceptance criteria. PAC or comparable accessibility checks pass for retained strategic PDFs; manual keyboard and screen-reader checks confirm reading order; metadata and canonical landing links are complete. Evidence / verification basis: Visual inspection completed; tagged-structure verification requires a PDF accessibility checker.		

F46 — Video modules are not consistently localized

HIGH	CONFIRMED	Video SEO and accessibility
Observation. A German-language video module appears on the English and other localized editions, while captions, transcript, poster and VideoObject data were not demonstrated. Why it matters. Wrong-language media reduces relevance and accessibility and weakens video search eligibility. Required remediation. Provide a locale-appropriate video, subtitles and transcript, or clearly label the language and offer alternatives. Host a stable watch page, add descriptive text and valid VideoObject markup with uploadDate, duration, thumbnail and content URL where eligible. Acceptance criteria. Each locale either embeds matching-language media or exposes an explicit language choice; captions and transcripts are accurate; video structured data validates and points to an indexable watch page. Evidence / verification basis: Localized homepage modules reviewed on 2026-08-15.		

5.6 Performance, JavaScript, HTTP and application engineering

F47 — The above-the-fold media architecture creates LCP risk

HIGH	STRONGLY INDICATED	Performance
------	--------------------	-------------

Observation. The primary visual is large, remotely hosted and text-heavy. Exact field and laboratory Core Web Vitals were not measured in this audit.

Why it matters. A delayed LCP element harms user experience and can reduce search performance where page experience is otherwise comparable.

Required remediation. Measure field data first. Prioritize the actual LCP element, eliminate unnecessary redirect or DNS cost, serve compressed responsive first-party assets, preload selectively, inline only critical CSS and delay non-critical scripts and below-fold media.

Acceptance criteria. At the 75th percentile of real-user data, LCP is 2.5 seconds or better on mobile and desktop for key page groups, with documented test conditions and no regression in image quality.

Evidence / verification basis: Architecture-based risk; requires PageSpeed Insights, CrUX, WebPageTest and RUM validation.

F48 — Server rendering and metadata delivery cannot be trusted without raw-source tests

HIGH	VERIFICATION REQUIRED	JavaScript SEO
------	-----------------------	----------------

Observation. The visible route behavior and template fallbacks may be implemented client-side. The audit could not verify whether titles, canonicals, hreflang, content and links are present in the initial HTML response.

Why it matters. Critical SEO elements injected late by JavaScript can be delayed, inconsistent or absent for some crawlers and social bots.

Required remediation. Compare raw HTML, rendered DOM and Google URL Inspection output for every template. Server-render essential content, links, metadata and status semantics. Ensure hydration does not replace correct server data with stale defaults.

Acceptance criteria. No material difference exists between raw and rendered SEO elements; JavaScript-disabled smoke tests preserve primary content and navigation; render failures are monitored.

Evidence / verification basis: Source-level and log-level verification required.

F49 — Heading hierarchy and landmark semantics need formal validation

MEDIUM	STRONGLY INDICATED	Semantic HTML
--------	--------------------	---------------

Observation. The homepage exposes a primary heading, but repeated card modules, archive sections and policy pages were not proven to use one coherent heading outline, nav/main/footer landmarks and semantic lists.

Why it matters. Poor semantics reduce accessibility, maintainability and the clarity of page structure.

Required remediation. Use one descriptive H1 per page in most templates, nest H2 and H3 by section, represent card collections as lists, use main, nav, header, footer and aside correctly, and avoid headings chosen only for visual size.

Acceptance criteria. HTML validator, outline review and screen-reader landmark navigation pass for every template; no skipped heading level creates false hierarchy.

Evidence / verification basis: Rendered text review; raw HTML validation required.

F50 — Status codes, redirects, 404 behavior and cache headers are not fully audited

HIGH	VERIFICATION REQUIRED	HTTP behavior
------	-----------------------	---------------

Observation. The rendered view does not reliably expose response-code chains, soft 404 behavior, content types, caching or header differences across hosts, locales, documents and parameter URLs.

Why it matters. Incorrect status semantics waste crawl resources, preserve deleted pages and create loops, chains or accidental indexing.

Required remediation. Run a complete HTTP matrix for protocol, host, trailing slash, case, locale, legacy routes, missing pages, PDFs and query parameters. Define 200, 301, 404 and 410 rules, custom localized error pages and cache policies.

Acceptance criteria. All tested URLs return the intended code in one hop; no soft 404, loop or chain exists; 404 pages are useful but non-indexable; cache and content-type headers match assets.

Evidence / verification basis: Requires direct HTTP crawler and server-log access.

F51 — Locale switching reveals a route-state implementation defect

HIGH	CONFIRMED	Application routing
------	-----------	---------------------

Observation. The application changes locale but loses the page identity, sending users to a homepage. This indicates locale and content routing are not bound to a stable shared identifier.

Why it matters. The defect affects user experience, internal linking, analytics attribution and international SEO at once.

Required remediation. Refactor routing so content records carry locale variants and stable IDs. Generate language links from the content model, add explicit unavailable-state handling and test history, query and fragment preservation.

Acceptance criteria. Route-switch tests pass for all content types, including contact, policy, search, document and article pages; browser back and forward behavior remains correct.

Evidence / verification basis: Live reproduction on 2026-08-15.

F52 — Templates and locale datasets are out of sync

HIGH	STRONGLY INDICATED	Application data integrity
------	--------------------	----------------------------

Observation. Different story counts, repeated modules, stale brand strings and language fallbacks indicate multiple uncontrolled content sources or inconsistent template defaults.

Why it matters. Data divergence produces unpredictable SEO metadata and makes fixes regress across locales.

Required remediation. Create a typed content schema and single source of truth for navigation, publisher identity, translations, story records and document records. Validate required fields at build or publish time and block releases with stale placeholders.

Acceptance criteria. All locales render from the same schema; content validation has zero missing required fields; snapshot tests show intentional, reviewed differences only.

Evidence / verification basis: Cross-locale page comparison on 2026-08-15.

F53 — External link semantics and security attributes are not proven

MEDIUM	VERIFICATION REQUIRED	Outbound links
--------	-----------------------	----------------

Observation. Many primary interactions send users to third-party publications. Raw markup did not reveal whether new-window links use safe rel attributes or whether sponsored, affiliate or untrusted relationships are labeled.

Why it matters. Unsafe target handling can expose opener vulnerabilities; incorrect link qualification can misrepresent commercial relationships.

Required remediation. Keep normal editorial citations as crawlable links. For target=_blank use rel=noopener; add noreferrer only when intended. Use sponsored or ugc only for the relationships they describe. Add visible source names and avoid generic "read more" labels.

Acceptance criteria. Automated link tests find no unsafe new-window link; relationship attributes match documented policy; broken external links are monitored and archived where lawful.

Evidence / verification basis: Source-level verification required.

5.7 Accessibility, security, operations and migration governance

F54 — Page language and component language do not consistently match

HIGH	CONFIRMED	Accessibility and language
Observation. Localized routes contain substantial text and media in other languages, while language changes are not visibly marked at component level. Why it matters. Screen readers may pronounce content incorrectly and search systems receive ambiguous language signals. Required remediation. Set the correct html lang for each page, mark isolated foreign-language quotations or modules with lang attributes, translate controls, and label media language. Do not rely on the URL alone. Acceptance criteria. Automated and manual tests confirm correct page and inline language; no major component is silently delivered in another language. Evidence / verification basis: Multiple localized pages reviewed on 2026-08-15.		

F55 — Accessible names and image alternatives need a complete audit

HIGH	STRONGLY INDICATED	Accessibility
Observation. Text-rich graphics, icon controls, flags and repeated card links make contextual alt text and accessible names essential, but raw attributes were not available for verification. Why it matters. Missing or redundant names can make navigation unusable for screen-reader users and obscure image meaning from search systems. Required remediation. Audit every image, icon, button, link and iframe. Use empty alt for decoration, concise contextual alt for meaningful images, visible labels for controls, unique accessible names for repeated links and descriptive iframe titles. Acceptance criteria. Axe, Lighthouse accessibility and manual screen-reader tests report no missing names; link-purpose tests pass in context; decorative assets are ignored correctly. Evidence / verification basis: Visual architecture reviewed; attribute-level verification required.		

F56 — Keyboard navigation, focus management and menu behavior are unverified

HIGH	VERIFICATION REQUIRED	Accessibility
Observation. The audit view could not test tab order, visible focus, mobile menu controls, modal behavior or focus restoration during locale and route changes. Why it matters. Keyboard failures can block navigation and violate WCAG 2.2 expectations. Required remediation. Test all components without a mouse. Implement visible focus, logical order, proper button semantics, Escape handling, focus trapping only where needed, skip links and focus restoration after client-side navigation. Acceptance criteria. All user journeys work with keyboard alone at 200 percent zoom; no focus loss or trap exists; automated tests are supplemented by manual review. Evidence / verification basis: Interactive accessibility verification required.		

F57 — Contrast, reflow, zoom and touch-target compliance are not established

MEDIUM	VERIFICATION REQUIRED	Responsive design
Observation. A full device and accessibility matrix was not available. Text over images and dense multilingual labels create plausible contrast and reflow risks. Why it matters. Failures affect mobile usability, accessibility and conversion even when the page is indexable. Required remediation. Test WCAG 2.2 AA contrast, 320 CSS pixel reflow, text spacing, 200 and 400 percent zoom, orientation, touch target size and reduced-motion preferences. Replace text-on-image where contrast cannot be guaranteed. Acceptance criteria. Template-level test evidence demonstrates AA contrast and usable reflow; no horizontal scroll is required for ordinary reading at 320 CSS pixels. Evidence / verification basis: Verification required.		

F58 — Security headers, TLS policy, third-party requests and consent behavior require audit

MEDIUM	VERIFICATION REQUIRED	Security and privacy
Observation. This external rendered review did not reliably capture Content-Security-Policy, HSTS, Referrer-Policy, Permissions-Policy, X-Content-Type-Options, cookie attributes or the full third-party request graph. Why it matters. Weak controls can expose users, leak referrers to external publishers and create privacy or supply-chain risks. Required remediation. Perform a security-header and dependency review. Apply appropriate HSTS, CSP, Referrer-Policy, Permissions-Policy and nosniff; secure cookies; minimize third parties; document lawful analytics and consent. Coordinate with qualified security and privacy counsel. Acceptance criteria. Automated header scans and manual review pass the approved baseline; no mixed content exists; third-party inventory, purposes, retention and consent state are documented. Evidence / verification basis: Requires direct header and network inspection; not legal advice.		

F59 — No visible indexation and release governance is demonstrated

HIGH	STRONGLY INDICATED	Operations
Observation. Stale snippets, legacy templates, mirror domains and translation drift suggest that SEO checks are not blocking deployment and indexation is not monitored as a controlled system. Why it matters. One-off fixes will regress without ownership, tests and alerts. Required remediation. Assign technical SEO, editorial, localization and legal owners. Add pre-release crawl tests, metadata linting, broken-link checks, schema validation, visual localization snapshots and post-release Search Console monitoring. Acceptance criteria. A release checklist and RACI are active; critical SEO regressions block deployment; weekly dashboards track indexation, errors, Core Web Vitals and locale quality. Evidence / verification basis: Inference from observed cross-template defects.		

F60 — Domain and legacy-URL cleanup lacks an explicit migration plan

CRITICAL	STRONGLY INDICATED	Migration governance
Observation. Several near-identical domains and stale indexed URL families are visible, but no public migration map or coherent primary-domain pattern is evident. Why it matters. Ad-hoc redirects can erase rankings, create chains and strand backlinks. Required remediation. Build a URL-level migration inventory before changing domains or paths. Map every valuable old URL one-to-one, benchmark traffic and links, keep redirects long term, update all signals simultaneously, and monitor old and new properties. Acceptance criteria. A signed migration runbook, redirect map, rollback criteria and baseline dashboard exist before launch; post-migration monitoring detects traffic, indexation or crawl anomalies daily. Evidence / verification basis: Search-result and host review on 2026-08-15.		

SECTION 6

6. Recommended target architecture

The target state separates subject, publisher, original editorial content, external coverage records and source documents while keeping every language version technically equivalent.

6.1 Design principles

- One primary HTTPS hostname, one legally accurate publisher identity and one canonical URL for each indexable page.
- Stable content IDs beneath localized URLs; language variants are relationships between records, not independent copies with accidental fallbacks.
- Internal pages provide unique context and evidence; external publications remain cited sources rather than the only destination.
- Search results, filters, previews and incomplete translations are useful to users but not automatically indexable.
- Documents and media are controlled assets with provenance, rights, accessibility, language and version metadata.
- Every generated SEO signal comes from the same content source: navigation, canonical, hreflang, sitemap, schema and social metadata cannot disagree.
- Every critical rule is testable in CI and observable after release through logs, Search Console and real-user monitoring.

6.2 Recommended URL and content tree

Illustrative structure; final slugs should be approved per locale and migrated with one-to-one redirects.

```
https://www.noosha-aubel.info/
├── en/
│   ├── coverage/
│   │   └── {source-date}-{descriptive-slug}/
│   ├── articles/
│   │   └── {descriptive-slug}/
│   ├── timeline/
│   ├── documents/
│   │   └── {document-family-slug}/
│   ├── videos/
│   │   └── {video-slug}/
│   ├── about/
│   ├── publisher/
│   ├── editorial-policy/
│   ├── corrections/
│   ├── contact/
│   └── search/
├── de/
├── zh-hant/
├── media/
├── documents/{locale}/
├── sitemap-index.xml
└── robots.txt
```

[noindex,follow]
[equivalent localized structure]
[only if maintained and reviewed]
[controlled responsive assets]
[PDF binaries; HTML pages remain primary]

6.3 Content types and ownership

Content type	Unique purpose	Required owner	Index default	Structured-data role
Locale homepage	Explain the dossier, highlight current records and route users.	Editor + locale owner	Index	WebPage or CollectionPage, WebSite context
Coverage record	Summarize and contextualize one external publication without copying it.	Editor / researcher	Index when substantial	WebPage; ItemList membership
Original article	Publish first-party reporting or analysis.	Named author + editor	Index	Article when eligible
Timeline	Reconcile dated events and sources.	Editor / researcher	Index when substantive	CollectionPage / ItemList
Document landing	Explain a source file, provenance, version and access.	Document owner	Index	WebPage / DigitalDocument context

PDF binary	Deliver a stable accessible file.	Document owner	Case-by-case	Usually referenced from HTML
Video watch page	Provide video, transcript, context and source.	Video editor	Index when substantive	VideoObject
Internal search	Help users locate content.	Product owner	Noindex, follow	No search feature markup required
Policy / corrections	Explain accountability and update history.	Publisher + editor + counsel	Index	WebPage

6.4 Canonical-domain decision tree

23. Verify domain ownership and identify whether any similar domain has a genuinely separate audience, publisher or editorial purpose.
24. Choose the domain with the strongest legitimate history, links, brand fit, security and operational control as the primary host.
25. For controlled duplicates with equivalent content, map each old path to the closest new path with a one-hop 301.
26. For controlled domains with distinct content, do not redirect merely because the names are similar; define separate editorial and canonical boundaries.
27. For uncontrolled lookalike domains, document the risk and use appropriate legal, brand or platform processes rather than configuring nonexistent redirects.
28. Keep redirects for the long term, continue renewing legacy domains and monitor backlinks and crawl activity.

6.5 Locale relationship model

Each concept requires a stable content ID. A localized route is published only when the variant is complete and approved. The language switch and hreflang links are generated from the same published-variant list. If a variant is unavailable, the user receives a transparent unavailable-language message with links to available languages; the system does not silently redirect to an unrelated homepage.

Content ID	EN	DE	ZH-Hant	AR	Publication rule
contact	Published	Published	Published	Published	Reciprocal hreflang among all four.
editorial-policy	Published	Published	Draft	Missing	Only EN and DE are linked; no silent fallback.
coverage-0042	Published	Published	Missing	Published	EN, DE and AR cluster; unavailable states disclosed.

6.6 Internal-link architecture

- The locale homepage links to major coverage, original articles, timeline, documents, policy and corrections hubs.
- Every detail page links upward through breadcrumbs and laterally to genuinely related records.
- External-source links are clearly labeled with publisher and date and are secondary to the internal record.
- No strategic page is discoverable only through internal search or a JavaScript-only interaction.
- Pagination uses crawlable anchor links and stable URLs; arbitrary sort and filter combinations are not indexable.
- Anchor text describes the destination; repeated "Read more" links receive contextual accessible names.

6.7 Data model minimum fields

Core identity: content_id, content_type, canonical_locale, status, owner, legal_review_state

URL: canonical_url, slug, redirect_from, index_state, robots_state

Localization: locale, translation_of, translation_status, reviewer, reviewed_at, glossary_version

Editorial: headline, summary, body, author, editor, date_published, date_modified, last_verified

Evidence: source_title, source_publisher, source_url, source_date, archive_status, evidence_note

Corrections: correction_id, corrected_at, description, previous_value, approved_by

Media: asset_id, rights_owner, license, creator, credit, alt_text, caption, focal_point

Documents: document_family_id, version, language, capture_date, checksum, accessibility_state, index_state

SEO: title, description, social_title, social_description, social_image, schema_profile

SECTION 7

7. Technical SEO specifications

These rules translate the target architecture into deterministic engineering behavior. They should be implemented centrally, not page by page.

7.1 Host, protocol and path normalization

- Exactly one public hostname returns indexable 200 responses.
- HTTP, non-primary HTTPS host and controlled mirrors redirect permanently in one hop while preserving the closest equivalent path and meaningful query parameters.
- Do not chain protocol, host, locale and trailing-slash redirects. Compute the final destination directly.
- Choose one trailing-slash policy for HTML routes and enforce it consistently; never redirect file extensions such as .pdf to a slash form.
- Normalize accidental duplicate case only where the server and content model can do so safely; do not collapse distinct non-ASCII slugs without mapping.
- Canonical, hreflang, sitemap, structured data, Open Graph, internal links and analytics must all use the normalized URL.

7.2 Status-code matrix

Scenario	Status	Required behavior	Index directive	Test
Canonical page	200	Complete content in initial HTML.	index, follow by default	Raw and rendered URL inspection.
Permanent equivalent move	301	One hop to closest canonical equivalent.	Destination controls indexation	Redirect matrix and log test.
Temporarily unavailable	503	Retry-After when genuinely temporary.	No accidental soft 404	Operational test only.
Removed with replacement	301	Map to semantically equivalent page.	Destination controls	Content-owner approval.
Removed without replacement	404 or 410	Useful localized error body.	noindex; true status	Crawler and URL Inspection.
Internal search	200	Usable results and crawlable links.	noindex, follow	Meta/header assertion.
PDF snapshot not strategic	200	Accessible download with landing link.	X-Robots-Tag noindex	Header test.
Unavailable translation	404 or locale availability page	Do not silently home-redirect.	Depends on page purpose	Locale-pair test.

7.3 Canonical requirements

- ☐ Exactly one absolute canonical link in the initial HTML head of every indexable HTML page.
- ☐ The canonical returns 200, is indexable, uses the primary host and is not blocked by robots.txt.
- ☐ Self-canonicalization is the default. Cross-page canonicalization is reserved for true duplicates, not weak pages or translations.
- ☐ Canonical targets appear in internal links and sitemaps; there is no contradictory HTTP Link header.
- ☐ Pagination, filtered views and tracking parameters follow a documented policy rather than a blanket homepage canonical.
- ☐ PDF canonical headers, when used, point to a genuinely equivalent HTML landing page and do not conflict with indexation intent.

7.4 hreflang requirements

- ☐ Use valid BCP 47 language or language-region codes; select zh-Hans or zh-Hant deliberately.
- ☐ Every included URL self-references and reciprocally references every other published equivalent.
- ☐ Targets are canonical 200 pages, not redirects, errors, noindex pages, unrelated homepages or unavailable drafts.
- ☐ x-default points to a neutral selector or the intentional default, not automatically to English if that misrepresents the experience.
- ☐ HTML, sitemap or HTTP-header implementations may be used, but one generated source of truth should prevent disagreement.
- ☐ Language switching uses the same variant graph as hreflang and preserves page identity.

7.5 robots.txt and XML sitemap requirements

- ☐ robots.txt returns 200 with text/plain, is not redirected across hosts unnecessarily and references the sitemap index.
- ☐ Do not use robots.txt to remove an already indexed URL or to hide content that needs noindex processing.
- ☐ Sitemaps contain only canonical, indexable, 200-status URLs on the primary host.
- ☐ lastmod reflects a meaningful content modification, not every build or request.
- ☐ Segment sitemaps by locale and content type when that improves diagnosis; keep generation deterministic.
- ☐ Validate limits, encoding and XML syntax; monitor submitted versus indexed counts rather than treating submission as indexation.

7.6 Metadata templates

Field	Rule	Failure mode to prevent	Validation
Title	Unique, descriptive, locale-owned; entity and intent early.	Generic global-news or NewsHub fallback.	Length is advisory; uniqueness and relevance are mandatory.
Meta description	Human summary of page value; no unsupported absolutes.	Duplicate English boilerplate across locales.	Language detection and duplicate-content report.
Robots meta	Default index, follow only for approved canonical pages.	Search, drafts or thin translations indexed.	Template assertion and crawler export.
Open Graph	Canonical URL and first-party share image per page.	Wrong host, stale logo or remote thumbnail.	Platform preview tests.
Dates	Truthful published, modified and verified fields.	Artificial freshness or missing chronology.	CMS history and schema comparison.
Names	Protected spelling and consistent entity identifiers.	"Nosha Aubel" and legacy publisher strings.	CI lint and repository search.

7.7 Internal search, tags, filters and pagination

URL type	Default index policy	Engineering rule
Internal search results	200 + noindex, follow	Exclude from sitemap; prevent arbitrary crawl links; retain for users.
Empty search	200 or 404 product decision + noindex	Do not generate indexable "no results" pages.
Curated topic hub	200 + index when substantial	Unique introduction, stable slug, editorial ownership and sitemap inclusion.
Arbitrary tag/filter	Noindex or non-crawlable state	Avoid combinatorial URL growth and duplicate headings.
Pagination	Crawlable 200 pages	Unique URL, self-canonical, descriptive title when useful, links to all content.
Sort order	Usually noindex / controlled parameter	Canonical policy must not hide content that exists only in that state.

7.8 JavaScript and rendering requirements

- ☐ Primary content, canonical, hreflang, title, description, robots, structured data and crawlable links exist in the initial HTML response.
- ☐ Hydration uses the same server data and does not replace correct locale metadata with a global default.
- ☐ Client navigation updates title, canonical, language and analytics state deterministically, while direct requests return the same page.
- ☐ The site remains navigable enough to discover core content when JavaScript fails; critical links use anchor elements with href attributes.
- ☐ Render errors, chunk failures and uncaught route exceptions are captured by release monitoring.

7.9 HTTP, caching and header verification checklist

- ☐ Content-Type and charset are correct for HTML, XML, JSON, images, video and PDFs.
- ☐ HTML caching does not serve the wrong locale or stale metadata; Vary behavior is intentional.
- ☐ Static assets use immutable hashed filenames and long cache lifetimes; HTML and sitemap freshness remain controllable.

- ☐ Compression is enabled for text formats and modern image/video compression is used for media.
- ☐ Referrer-Policy is chosen deliberately because many users leave for external publishers.
- ☐ HSTS, CSP, Permissions-Policy, X-Content-Type-Options and secure cookie attributes are assessed by security specialists.
- ☐ No redirect depends on client-side JavaScript or meta refresh for permanent canonical moves.

SECTION 8

8. International SEO and localization operating model

The present number of languages is an operational commitment. International SEO succeeds only when every published variant is complete, equivalent and maintainable.

8.1 Classify each locale before keeping it indexable

Locale class	Definition	SEO treatment
Full locale edition	Complete navigation, policies, core pages and ongoing editorial updates with native review.	Index; reciprocal hreflang; locale sitemap.
Translated equivalent	A faithful translation of a specific source page, maintained with the original.	Index only when complete and reviewed; reciprocal hreflang.
Document-only language	A PDF or source file exists, but the website does not provide a maintained edition.	Do not create a thin locale homepage merely to host the file; use a localized landing page only if maintainable.
Experimental or draft locale	Translation incomplete, machine-generated or without an owner.	Keep out of index; do not include in hreflang or sitemap.
Regional edition	Content intent differs by region rather than being a direct translation.	Use explicit language-region code where justified; do not force into an equivalent hreflang cluster.

8.2 Locale-code and URL rules

- Use lowercase language directory names and keep them stable. Changing /zh to /zh-hant or /zh-hans requires a mapped migration.
- Use language names in the selector; flags may supplement but must not be the only cue because languages are not countries.
- Set the root html lang attribute to the actual primary page language and mark genuine inline language changes.
- Localize readable slugs when the team can maintain them; otherwise use stable shared slugs consistently. Do not mix both approaches unpredictably.
- Do not redirect users solely from IP or browser language. Offer a choice and remember it without blocking crawlers or deep links.
- Keep query strings and fragments only when they have a legitimate equivalent across locale switches.

8.3 Required translation workflow

29. Create the source record with stable content ID, source facts, author, dates, legal state and required metadata.
30. Extract all visible strings, including headings, navigation, image captions, button labels, video labels, alt text, schema names and PDF metadata.
31. Translate with a controlled glossary for “Noosha Aubel,” public offices, locations, source publications, legal terms and product labels.
32. Run automated language detection, Unicode-script validation, placeholder checks, link validation and forbidden-string linting.
33. Perform native-language editorial review and, where relevant, legal review of claims rather than literal translation only.
34. Publish the variant, add it to the content-variant graph, generate hreflang and update the locale sitemap in the same release.
35. Capture a screenshot and crawl record as QA evidence; monitor the page after deployment.
36. When the source page changes materially, mark translations stale and prevent silent continued publication without review.

8.4 Engineering controls for internationalization

- ☐ No user-facing production string is hard-coded in a component outside the translation catalog unless it is a protected proper name.
- ☐ Missing critical translation keys fail the build or publication; they do not silently fall back to English.
- ☐ The CMS records translation status: missing, draft, machine draft, native reviewed, legally reviewed, published, stale or retired.
- ☐ Every language switch target is generated from content ID and publication state.
- ☐ Navigation, footer, policy links, error pages, cookie controls and accessibility labels use the same locale context as the page.
- ☐ Dates, numbers, pluralization, quotation marks and reading direction use locale-aware formatting.
- ☐ Arabic and other right-to-left pages set dir=rtl at the correct container and are visually regression-tested.
- ☐ Search indexing and tokenization are tested for non-Latin languages rather than assuming English behavior.

8.5 Locale QA matrix

Test area	Acceptance requirement
Language identity	html lang, inline lang, text direction, locale label and script match.
Completeness	No placeholder, English/German fallback, missing module or untranslated control.
Equivalence	Same content identity, intent, sources, dates and correction state as the source variant.
Metadata	Title, description, canonical, hreflang, Open Graph and schema localized correctly.
Routing	Direct URL, language switch, browser back/forward, query and fragment handling work.
Navigation	Header, footer, breadcrumbs, search, policy and error routes remain in locale.
Accessibility	Reading order, accessible names, pronunciation, captions and RTL behavior pass.
Search quality	Rendered text is substantial, unique enough for its audience and not a machine-translation shell.
Documents	File language, filename, landing page, metadata, license and version correspond.
Visual regression	Long labels, CJK line breaks, diacritics and 200 percent zoom do not break layout.

8.6 Recommended publication threshold

Do not optimize by multiplying languages

A locale is ready for indexation only when it has an owner, native review, complete critical pages, reciprocal equivalents, localized metadata, working route preservation and a maintenance commitment. Otherwise, retain the content as a clearly labeled document translation or keep the route out of the index until it meets the threshold.

8.7 Suggested initial locale prioritization method

- Existing organic impressions and clicks by language and country.
- Actual stakeholder and audience need, not merely translation availability.
- Availability of a native reviewer and response capability.
- Legal and reputational risk of mistranslation.
- Volume of unique, current content in that locale.
- Ability to maintain policies, corrections and document versions.

Apply the criteria to the current seventeen website languages. Prioritize a smaller high-quality set if resources are limited, then expand only after the workflow is proven. Retire or noindex unsupported variants through a documented migration rather than leaving mixed-language pages live indefinitely.

SECTION 9

9. Content, editorial quality and trust framework

Search optimization for a reputation-sensitive dossier must begin with a precise publisher identity, unique first-party value and reproducible source handling.

9.1 Resolve the product identity

Model	Meaning	Implication for this site
Press dossier / source archive	Compiles and contextualizes published coverage and documents about a defined subject.	Best fit with the visible proposition if the site primarily curates and documents sources.
Original newsroom	Publishes independent first-party reporting by named journalists and editors.	Requires real editorial staff, original reporting, publisher accountability and article governance.
Subject profile / campaign archive	Presents an official or advocacy narrative from an identified party.	Must disclose perspective and ownership clearly; should not imply independent journalism.
General news portal	Covers many unrelated topics and entities.	Inconsistent with the present focused domain and should not be retained as accidental boilerplate.

The steering group should select one primary model and state it plainly. Hybrid elements are possible, but the publisher, authorship, perspective and ownership of every content type must remain unambiguous.

9.2 First-party value for each coverage record

- A neutral, original summary of what the external source reports, written without copying its article text.
- Publication name, author where available, original publication date, source URL and access date.
- Why the record belongs in the dossier and what specific claim or event it documents.
- Relevant primary documents, official responses or contradictory sources, where available and lawful.
- Verification status and methodology expressed precisely, not as an unsupported absolute.
- Whether comment or right of reply was requested and any response received.
- Correction and update history with material changes explained.
- Related records, timeline entries, documents and topic links.

9.3 Recommended editorial page template

Element	Requirement
H1	Specific factual page headline beginning with the subject or event where natural.
Deck	Two or three sentences explaining what the page documents and what it does not claim.
Publication facts	Author/editor, published date, updated date, last verified date, locale and content type.
Source summary	Original synopsis and relevance; no reproduction of protected article body.
Evidence and context	Primary documents, direct quotations within lawful limits, competing accounts and chronology.
Source record	Publisher, author, date, URL, archive state, access date and rights note.
Response and corrections	Right-of-reply status, responses, changes and correction log.
Related content	Timeline, documents, other coverage records and policy links.
Publisher disclosure	Responsible publisher and editorial contact appropriate to the selected site model.

9.4 Publisher and trust pages

About / purpose: What the site is, who it serves, how it is funded and what perspective it represents.

Publisher / imprint: Legally accurate responsible entity, address and contact according to applicable law.

Editorial policy: Source standards, verification, corrections, conflicts, AI use and separation of fact, analysis and opinion.

Corrections: How to report an error, how corrections are displayed and a public history of material changes.

Right of reply: A clear process for affected people or institutions to respond, with identity and evidence checks.

Source and archive policy: How external links, snapshots, translations, quotations and document versions are handled.

Translation policy: Whether translations are human, assisted, reviewed, and how discrepancies are resolved.

Privacy and contact: Purpose-specific contact routes, lawful analytics, retention and user rights as applicable.

9.5 Claims and evidence controls

- Avoid “100% verified,” “official,” “legal publication,” “independent” or similar claims unless the exact meaning, authority and evidence are documented.
- Distinguish verification of a document's existence from verification of every statement inside it.
- Distinguish an official source from an official endorsement of the dossier.
- Label opinion, allegation, reported claim, court finding, administrative decision and confirmed fact differently.
- Use dates, jurisdictions, case numbers and source identifiers where relevant; do not rely on vague authority language.
- Route sensitive statements through qualified editorial and legal review before translation and publication.

High-risk content note

Pages concerning identifiable people, alleged misconduct, legal disputes, health, children, public authorities or ongoing proceedings require enhanced source, privacy, response and legal review. SEO goals do not justify publishing unsupported or disproportionate claims.

9.6 On-page SEO template rules

- One clear search intent and one primary H1 per page; avoid repeating the same generic dossier heading everywhere.
- Titles and descriptions describe the page rather than forcing keyword variants.
- Introductory copy answers who, what, where, when and why the record exists, then links to evidence.
- Use descriptive H2 sections for chronology, source context, response, documents, corrections and related records.
- Add internal links where they help interpretation, not to manufacture keyword density.
- Use tables, timelines and lists only when they improve comparison and remain accessible on mobile.
- Keep source quotations short and necessary; paraphrase and cite rather than copying protected text.
- Review pages when facts change; do not change dates solely to simulate freshness.

9.7 Sample homepage metadata

Field	Illustrative wording
English title	Noosha Aubel – Multilingual Press Dossier and Source Archive
English description	A multilingual dossier compiling published coverage, source documents, editorial notes and updates concerning Noosha Aubel.
German title	Noosha Aubel – Mehrsprachiges Pressedossier und Quellenarchiv
German description	Ein mehrsprachiges Dossier mit veröffentlichter Berichterstattung, Quelldokumenten, redaktionellen Hinweisen und Aktualisierungen zu Noosha Aubel.

These examples assume the press-dossier model is factually correct and approved. Replace “multilingual” or “source archive” if the final product does not meet that description.

9.8 Content pruning and consolidation

- Keep and improve pages with unique evidence, links, demand or historical value.
- Merge overlapping cards or locale shells into one substantial canonical page per intent.
- Redirect only when a true equivalent exists; otherwise return 404 or 410 after preserving required records.
- Noindex temporary or user-service pages that should not compete in search.
- Retire untranslated or stale locales through a mapped process and remove them from hreflang and sitemaps.
- Do not publish hundreds of lightly rewritten pages around every name or keyword variation.

9.9 Off-page and entity development

- Consolidate controlled backlinks through correct redirects before requesting new links.
- Ask legitimate sources and partners to link to the relevant internal dossier record, not merely the homepage.
- Keep publisher and contact details consistent across authoritative profiles and directories that genuinely apply.
- Use sameAs only for official, controlled or authoritative identity pages; never use it to connect unrelated publications.
- Monitor brand and domain variants for new duplicate results, broken backlinks and misleading copies.
- Avoid paid, automated or manipulative link schemes and mass-generated translated outreach.

SECTION 10

10. Structured data implementation

Structured data should clarify the visible page and publisher. It must not be used to manufacture authority or claim ownership of third-party reporting.

10.1 Recommended entity graph

Organization: The legally accurate publisher. One stable @id across all pages and locales.

WebSite: The noosha-aubel.info site, connected to the publisher and supported languages.

WebPage / CollectionPage: Each canonical page; CollectionPage for archives and curated coverage lists.

BreadcrumbList: Visible hierarchy for all nested pages.

ItemList: Ordered list of internal coverage records or documents, not direct claims of external ownership.

Article: Only original first-party editorial content with truthful author and publisher.

VideoObject: Eligible watch pages with a real video, thumbnail, dates, duration and transcript/context.

Person: Use only where a factual person entity is visibly represented and relationships are accurate; keep the subject separate from author and publisher.

10.2 Template-to-schema matrix

Template	Primary types	Required relationships	Google rich-result expectation
Locale homepage	WebPage or CollectionPage + WebSite	isPartOf website; publisher; inLanguage	No guarantee; improves entity clarity.
Coverage hub	CollectionPage + ItemList + BreadcrumbList	List items point to internal records	No special result guaranteed.
Coverage record	WebPage + BreadcrumbList	about subject; cites external source visibly	Do not use Article for copied external content.
Original article	Article + BreadcrumbList	author, publisher, dates, mainEntityOfPage	Eligible only if implementation and policy qualify.
Document landing	WebPage; optionally DigitalDocument context	encodes or associatedMedia to file when accurate	No PDF rich result guaranteed.
Video watch page	VideoObject + WebPage + BreadcrumbList	embedUrl/contentUrl, thumbnail, duration, uploadDate	Eligibility depends on Google requirements.
Policy/contact	WebPage + BreadcrumbList	publisher and language context	No special result expected.

10.3 Required consistency checks

- ☐ name, headline, description and dates match visible content exactly enough to avoid misleading markup.
- ☐ url and @id use the canonical primary host and do not point to redirects or mirrors.
- ☐ publisher matches the approved imprint and is not a stale template brand.
- ☐ author identifies the real author; the subject of the dossier is not automatically the author.
- ☐ inLanguage matches the actual page language and locale route.
- ☐ image URLs are first-party or controlled, crawlable and representative.
- ☐ mainEntity and about relationships are used only when semantically accurate.
- ☐ ItemList entries point to internal records; external source URLs remain visible citations inside those records.
- ☐ dateModified reflects a material visible update and is not refreshed on every deployment.
- ☐ Schema appears in initial HTML and remains identical after hydration.

10.4 Markup to avoid

- NewsArticle on a card that merely links to a third-party publisher.
- Organization names or logos inherited from Dhaka News Times, HRD Media, NewsHub or another unrelated template.
- Person or sameAs relationships that imply official endorsement or control without evidence.
- Review, rating or aggregateRating markup for the subject, site or documents without a qualifying visible review system.

- FAQ markup created solely to obtain a result feature when the page is not genuinely a user-facing FAQ.
- Hidden schema claims not present in visible content, including unsupported “verified” or legal-status properties.
- Multiple conflicting JSON-LD blocks generated by separate plugins and components.

10.5 Validation and monitoring

37. Validate every template in Schema.org Validator and supported types in Google Rich Results Test.
38. Store validation output in CI and fail deployment on errors or forbidden identifiers.
39. Use Search Console enhancement reports as monitoring, not as a substitute for source validation.
40. Compare raw HTML, rendered DOM and cached search inspection after major releases.
41. Revalidate whenever publisher, logo, URL patterns, locale codes, content types or date fields change.

SECTION 11

11. Image, PDF and video strategy

Media should become controlled, accessible evidence—not a fragile collection of hotlinks, text-in-image graphics and browser-print files.

11.1 Image remediation plan

42. Identify the rights owner and permitted use for every current image, logo, screenshot and publication mark.
43. Replace hotlinked assets with authorized first-party or controlled-CDN copies; do not copy an asset merely because it is technically retrievable.
44. Move essential words, numbers and calls to action out of pixels and into semantic HTML.
45. Generate AVIF and WebP variants with JPEG fallback at measured widths; maintain a high-quality source master.
46. Set width and height or aspect-ratio to prevent layout shift and use srcset/sizes to avoid oversized mobile downloads.
47. Use contextual alt text for meaningful images, empty alt for decoration, and visible captions or credit lines where required.
48. Preload only the measured LCP image and avoid lazy-loading the above-the-fold LCP candidate.
49. Use durable filenames and an asset manifest so localized pages share authorized media without duplicating unknown files.
50. Remove sensitive or misleading metadata as appropriate, but do not falsify camera, date, creator or provenance information.

11.2 Alt-text decision tree

Image purpose	Accessible treatment
Decorative texture or repeated icon	alt="" and no redundant title.
Image already fully described by adjacent text	Usually concise or empty alt depending on function.
Editorial photograph	Describe the relevant visible content and context, not an SEO keyword list.
Screenshot used as evidence	State what interface or document is shown and provide a full text explanation nearby.
Logo link	Accessible name should identify the linked home or publisher; avoid repeating "logo logo."
Text-rich graphic	Move information to HTML; alt alone is not an adequate replacement for complex content.

11.3 PDF classification and indexation matrix

Document class	Definition	Index policy	Required metadata
Original research/report	Purpose-built, unique, cited and accessible.	HTML landing page + indexable PDF where useful.	Tagged PDF, title, language, bookmarks, version, author/publisher.
Primary source document	Official or source file retained as evidence.	Index case-by-case; landing page primary.	Provenance, issuer, date, scope, checksum, rights.
Translated source document	Translation of a source, not an original authority.	Usually landing page indexable; file policy explicit.	Translator, source language, review status, disclaimer.
Browser-print snapshot	Captured web page or Wikipedia view.	Usually noindex file; contextual landing page only.	Capture date, original URL, license, purpose, limitations.
Temporary draft	Incomplete or pending review.	Noindex and access-controlled when possible.	Draft watermark/state; no sitemap or public promotion.

11.4 PDF filename and path convention

```
/documents/en/noosha-aubel-press-dossier-2026-08.pdf
/documents/de/noosha-aubel-pressedossier-2026-08.pdf
```

/documents/zh-hant/noosha-aubel-press-dossier-2026-08.pdf

Rules:

- lowercase ASCII filenames where practical
- hyphens, no spaces
- stable family name plus meaningful version/date
- locale directory separate from document version
- old encoded filenames redirect once to the new file or landing page

11.5 PDF landing-page minimum content

- Human-readable title and concise explanation of why the file exists.
- Document class, original source, issuer or publisher and date.
- Language, translator and reviewer where applicable.
- Version, last-updated date, file size, format and checksum where useful.
- License, copyright or use basis reviewed by qualified counsel.
- Accessibility status and an equivalent HTML summary or transcript.
- Download link, related records and correction/version history.
- Explicit statement when the file is a snapshot and does not independently verify every statement in the source.

11.6 Video watch-page requirements

- A stable indexable HTML page containing the video, descriptive title and substantial context.
- Accurate captions in the spoken language and translated subtitles only when reviewed.
- A text transcript and a short summary that can be consumed without playing media.
- A controlled poster image, width/height, lazy loading below the fold and no autoplay with sound.
- Visible source, creator, publication date, duration, language, rights and any edits.
- VideoObject only when all required properties and crawler access are satisfied.
- Locale pages embed matching-language media or clearly state the media language and offer alternatives.

SECTION 12

12. Performance, accessibility, security and engineering quality

No exact performance or accessibility score is asserted. This section defines the measurements and release thresholds required to establish the true state.

12.1 Core Web Vitals measurement plan

Use real-user data at the 75th percentile by page group, device class and locale. The current widely used “good” thresholds are LCP at or below 2.5 seconds, INP at or below 200 milliseconds and CLS at or below 0.1. Field data should lead prioritization; laboratory tests explain causes and catch regressions before release.

Metric	User outcome	Likely risks to test	Primary remediation levers
LCP	Largest visible content element loads promptly.	Remote hero image, redirects, render-blocking CSS, font delays, server response.	First-party responsive image, early discovery, optimized server and critical CSS.
INP	Interactions receive a fast visual response.	Hydration, large JavaScript bundles, locale menu, search and third-party scripts.	Reduce main-thread work, split tasks, optimize handlers and rendering.
CLS	Layout remains stable while loading and interacting.	Unsize media, late fonts, dynamic counters, banners and translated label changes.	Intrinsic dimensions, reserved space, stable UI and font strategy.

12.2 Performance test matrix

- ☐ PageSpeed Insights and CrUX for field data where traffic is sufficient.
- ☐ WebPageTest from Germany and representative audience regions on mobile and desktop profiles.
- ☐ Lighthouse in controlled CI conditions for regression, not as the sole business score.
- ☐ Real-user monitoring segmented by locale, template, browser and release.
- ☐ Network waterfall review for DNS, TLS, redirects, TTFB, LCP discovery, fonts, scripts and third parties.
- ☐ Bundle analysis, unused JavaScript/CSS, long-task profiling and cache-hit reporting.
- ☐ Image-byte and dimension audit by viewport and device pixel ratio.
- ☐ Performance budgets enforced in CI for HTML, CSS, JavaScript, fonts, images and third-party requests.

12.3 Accessibility target

Adopt WCAG 2.2 Level AA as the product target for HTML and an equivalent accessible-document standard for strategic PDFs. Automated tools identify only part of the problem; keyboard, screen-reader, zoom, reflow and cognitive clarity require manual testing.

Area	Required test
Structure	Correct headings, landmarks, lists, tables, labels and page titles.
Language	Correct html lang, inline language changes and RTL direction.
Keyboard	Logical order, visible focus, no traps, usable menus and skip links.
Names and descriptions	Accessible names for controls, links, images, frames and media.
Visual	AA contrast, non-color cues, 200/400 percent zoom, 320-pixel reflow and text spacing.
Media	Captions, transcripts, audio description where needed and no unsafe autoplay.
Forms/search	Labels, instructions, errors, status messages and autocomplete semantics.

Documents	Tagged PDF, reading order, bookmarks, title, language, links and alternatives.
Motion/time	Reduced motion, controllable updates and no unexpected context changes.
Localization	Long strings, CJK, diacritics and RTL tested with assistive technology.

12.4 Security and privacy review

- ☐ TLS and certificate coverage for the primary and every controlled redirecting domain.
- ☐ Strict-Transport-Security after confirming all subdomains are HTTPS-ready; includeSubDomains and preload only after review.
- ☐ Content-Security-Policy designed from an actual request inventory, not copied blindly.
- ☐ Referrer-Policy appropriate for outbound source links and privacy expectations.
- ☐ Permissions-Policy limiting unused browser capabilities.
- ☐ X-Content-Type-Options: nosniff and correct MIME types.
- ☐ Secure, HttpOnly and SameSite cookie attributes; consent and retention reviewed under applicable law.
- ☐ Dependency scanning, lockfiles, patch policy, secrets management and software bill of materials.
- ☐ Third-party scripts, embeds, fonts and analytics minimized and documented.
- ☐ Backups, incident response, access control, audit logs and recovery testing.

Security and privacy recommendations require qualified specialist review and jurisdiction-specific legal advice. A high scanner grade is not equivalent to a complete security program.

12.5 Engineering defect prevention

- ☐ Protect critical entity and publisher names with repository and CMS lint rules.
- ☐ Block deployment when forbidden legacy strings or placeholder text appear in rendered output.
- ☐ Use typed content schemas and required-field validation rather than permissive template defaults.
- ☐ Create snapshot tests across all supported locales for header, footer, navigation, policy links and high-risk modules.
- ☐ Test every route directly, not only through client navigation, with JavaScript on and off.
- ☐ Assert status code, canonical, hreflang, robots and schema output in integration tests.
- ☐ Run broken-link, orphan-page, redirect-chain and duplicate-content checks on staging.
- ☐ Use feature flags and a tested rollback path for domain, routing and metadata migrations.
- ☐ Monitor client and server errors by release and locale.
- ☐ Require named code owner approval for routing, locale, metadata, sitemap and redirect changes.

12.6 Recommended release gates

Blocker: Non-primary indexable host, missing/incorrect canonical, broken primary route, legal placeholder, untranslated critical UI, 5xx on strategic pages.

Blocker: Hreflang cluster points to redirects/errors/homepage fallback or fails reciprocity.

Blocker: Protected name typo, legacy publisher string, copied third-party article body or unsupported legal/verification claim.

Blocker: Robots or sitemap change hides canonical pages or exposes draft/search URL families.

Blocker: Keyboard trap, missing primary page language, inaccessible critical form or severe contrast failure.

Warning: Performance budget regression, duplicate description, low-priority broken external link or noncritical localization spacing defect.

SECTION 13

13. Prioritized 90-day implementation roadmap

The roadmap sequences evidence preservation, architecture decisions, remediation, migration and post-launch validation. It does not assume that all similar domains are controlled by the same party.

Phase	Task count	Primary outcome	Exit gate
0–7 days	28	Preserve evidence and make irreversible decisions safely.	Baseline frozen; owners and domains verified; no untracked URL changes.
8–30 days	58	Build the target architecture, content model and quality controls.	Approved specs, redirect map, staging implementation and critical core content.
31–60 days	57	Rehearse, launch and validate the primary migration and core remediation.	Production smoke tests pass; sitemaps accepted; monitoring active.
61–90 days	13	Complete quality waves and evaluate outcomes.	Strategic locales and archive mature; 90-day review creates next roadmap.

13.1 Phase 1 — 0–7 days: preserve, verify and decide

- Freeze the baseline: crawl, search visibility, links, analytics, content, documents and current responses.
- Verify every similar domain, DNS zone, host, certificate, Search Console property and responsible owner.
- Choose the primary domain and product identity; do not implement redirects before the mapping is approved.
- Correct immediate high-trust defects that do not depend on migration: protected-name typo and clearly unintended template strings, with backups and evidence.
- Start legal/editorial triage of publisher identity, verification claims, rights, privacy, response and corrections.
- Establish staging, backups, rollback, RACI and change control.

Phase 1 exit gate

Do not proceed to a domain or URL migration until ownership, baseline data, primary domain, target content model and one-to-one mapping principles are signed off. Search-removal tools are not a substitute for this work.

13.2 Phase 2 — 8–30 days: build the control system

- Implement the target route and content model with stable content IDs and explicit locale states.
- Build one-hop redirect rules, canonical generation, route-preserving language links and reciprocal hreflang.
- Replace metadata, publisher and footer templates; block legacy strings and missing translations in CI.
- Create first-party archive, coverage, policy, corrections, document and video templates.
- Generate valid robots and sitemaps from canonical data and implement noindex rules for search and arbitrary filters.
- Build first-party media and document pipelines with rights and accessibility fields.
- Establish real-user performance, accessibility, security and log-analysis baselines.

13.3 Phase 3 — 31–60 days: rehearse, launch and stabilize

- Crawl the staging system with JavaScript on and off; compare every URL against the migration map.
- Complete core content, policy and high-demand locale remediation with native and legal/editorial review.
- Migrate highest-value coverage records and documents to stable internal landing pages.
- Deploy structured data, responsive assets, performance fixes and accessibility fixes on core templates.
- Launch in a controlled window with automated host, route, status, canonical, hreflang, sitemap and analytics tests.
- Submit sitemaps and inspect representative URLs in Search Console; monitor daily for redirect misses and wrong selected canonicals.

13.4 Phase 4 — 61–90 days: complete and evaluate

- Finish the next tier of strategic coverage records, document landing pages and fully supported translations.

- Retire or noindex unsupported locale shells and stale URL families through the approved mapping.
- Implement external-source resilience, correction monitoring and periodic content review.
- Compare search visibility, indexation, user engagement, Core Web Vitals, accessibility and correction quality against the pre-change baseline.
- Prioritize the next quarter by user and search value, not by raw page or language count.

13.5 Critical dependency chain

```

Domain ownership + baseline
↓
Primary host + truthful publisher/product identity
↓
Target URL/content/locale architecture
↓
One-to-one redirect map + canonical/hreflang rules
↓
CMS schema + metadata + first-party page templates
↓
Staging crawl + legal/editorial/localization/accessibility review
↓
Controlled production launch
↓
Search Console, logs, RUM and 90-day monitoring

```

13.6 RACI model

Decision / workstream	Accountable	Responsible	Consulted	Informed
Primary domain and migration	Executive sponsor	Technical SEO + Engineering	Legal, Editorial, Analytics	All stakeholders
Publisher and claims	Publisher / Executive	Editor + Qualified Counsel	SEO, Localization	Engineering
URL, canonical and hreflang	Technical SEO Lead	Engineering	Localization, Product	Editorial
Content model and archive	Editorial Product Owner	Editorial + CMS Engineering	SEO, Legal, Localization	Executive
Translation quality	Localization Lead	Native reviewers	Editorial, Legal, Engineering	SEO
Accessibility	Product Owner	Accessibility + Front-end	Editorial, Localization	Executive
Performance	Engineering Lead	Performance Engineering	SEO, Design	Product
Security/privacy	Security/Privacy Owner	Security + Engineering	Legal, Analytics	Executive
Release and incident response	Incident Commander	Engineering + SEO	All workstream leads	Executive
Outcome reporting	Executive sponsor	Analytics + SEO	Engineering, Editorial	All stakeholders

13.7 Launch-day smoke tests

- ☐ All protocol and host variants reach the intended final canonical URL in one hop.
- ☐ Top legacy and mirror URLs follow the approved mapping; unmapped URLs return intentional status codes.
- ☐ English, German and representative non-Latin routes return correct language content directly.
- ☐ Language switching preserves page identity and does not silently fall back to home.
- ☐ Canonical, hreflang, robots, title, description, Open Graph and schema match the raw HTML and rendered DOM.
- ☐ robots.txt and sitemap files return valid content on the primary host.
- ☐ Internal search and arbitrary filter pages are not indexable.
- ☐ Core pages, media and documents have no 4xx/5xx, mixed content or broken critical links.
- ☐ Analytics, consent, logs, error monitoring and RUM record the new host and routes correctly.
- ☐ Rollback criteria and responsible contacts remain available throughout the window.

SECTION 14

14. Master implementation backlog

All tasks are written to be assignable and testable. Effort is directional: S = less than roughly two engineer/editor days, M = several days, L = a multi-role or multi-sprint work package.

14.1 Tasks for 0–7 days

28 tasks are assigned to this phase. Program tasks establish the operating system; REM tasks implement finding remediation; QA tasks retain evidence that the acceptance criteria are met.

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P001	CRITICAL	Audit baseline	Technical SEO Lead	Run a complete crawl of every known hostname, protocol, locale, HTML route, PDF and parameter family with JavaScript rendering enabled and disabled.	Frozen crawl exports, URL inventory and issue baseline dated before remediation.	M
P002	CRITICAL	Domain inventory	Infrastructure + Legal	Inventory every similar domain, registrar account, DNS zone, certificate, hosting account, CDN property and claimed business purpose.	Signed domain-ownership and purpose register.	M
P003	CRITICAL	Search Console	Technical SEO Lead	Create or verify domain properties in Google Search Console and Bing Webmaster Tools for the primary domain and every controlled legacy domain.	Verified properties with named owners and least-privilege access.	S
QA-F04	CRITICAL	Quality assurance	Localization + SEO + Engineering	Validate F04 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F04	M
REM-F01	CRITICAL	Domain consolidation	Engineering + Technical SEO	Confirm ownership and purpose of every related domain. Select one permanent canonical domain. If the mirrors are controlled by the same organization and have no distinct purpose, map every old URL to its closest canonical URL with server-side 301 redirects, update internal links and submit the migration in Search Console.	Implemented remediation for F01: Multiple near-identical domains compete with the requested site	L

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F04	CRITICAL	International SEO	Localization + SEO + Engineering	Create a locale matrix for every equivalent page. Add absolute, reciprocal hreflang links in raw HTML or XML sitemaps, include a self-reference and x-default, use valid BCP 47 codes, and omit locales that do not have a genuinely equivalent page.	Implemented remediation for F04: Reciprocal hreflang clusters are not proven and visible localization inconsistencies suggest a broken implementation	L
REM-F17	CRITICAL	Metadata	Engineering + Technical SEO	Rewrite the homepage title around the actual entity and purpose. Keep it concise, unique and natural, place "Noosha Aubel" near the beginning, and ensure the same intended title is present in server-rendered HTML.	Implemented remediation for F17: The English search title is generic and misaligned with the visible page	L
REM-F24	CRITICAL	Template integrity	Product + Engineering + SEO	Perform a repository-wide and database-wide search for legacy brand strings, placeholders, demo content and inherited legal text. Replace only after publisher and legal review; remove unused templates and add deployment lint checks.	Implemented remediation for F24: Legacy "Dhaka News Times," "HRD Media" and NewsHub boilerplate leaks into the product	L
REM-F60	CRITICAL	Migration governance	Product + Engineering + SEO	Build a URL-level migration inventory before changing domains or paths. Map every valuable old URL one-to-one, benchmark traffic and links, keep redirects long term, update all signals simultaneously, and monitor old and new properties.	Implemented remediation for F60: Domain and legacy-URL cleanup lacks an explicit migration plan	L
P004	HIGH	Analytics baseline	Analytics Lead	Capture organic landing pages, impressions, clicks, queries, backlinks, conversions and language performance before redirects or metadata changes.	Pre-change benchmark dashboard and exported raw data.	S-M
P005	HIGH	Server logs	Platform Engineering	Enable privacy-reviewed access-log retention and create crawler-focused reports for Googlebot, Bingbot, status codes, redirect chains, orphan paths and parameter growth.	Log-analysis dashboard and retention policy.	M
P006	HIGH	Content inventory	Editorial Operations	Export every page, translation, document, video, image, author, source, correction and status field from the CMS or database.	Master content inventory with stable IDs.	M
P007	HIGH	Template inventory	Engineering	List every page template, route handler, metadata generator, locale fallback, layout component, data source and deployment bundle.	Application architecture and template map.	M
P008	HIGH	Change control	Product Owner	Freeze nonessential URL, domain and localization changes until the canonical architecture and redirect map are approved.	Temporary change-control policy.	S

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P009	HIGH	Backup and rollback	Platform Engineering	Create tested backups of content, database, media, DNS, edge configuration and application releases before remediation.	Restorable backup set and rollback runbook.	M
P010	HIGH	Editorial and legal triage	Editor + Qualified Counsel	Review sensitive claims, publisher identity, verification language, source rights, privacy, corrections, right of reply and document licensing.	Issue-by-issue legal and editorial decision log.	L
QA-F03	HIGH	Quality assurance	Engineering + Technical SEO	Validate F03 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F03	M
QA-F15	HIGH	Quality assurance	Engineering + Technical SEO	Validate F15 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F15	M
QA-F37	HIGH	Quality assurance	Engineering + Technical SEO	Validate F37 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F37	M
QA-F48	HIGH	Quality assurance	Engineering + Technical SEO	Validate F48 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F48	M
QA-F50	HIGH	Quality assurance	Engineering + Technical SEO	Validate F50 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F50	M
QA-F56	HIGH	Quality assurance	Accessibility + Front-end	Validate F56 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F56	M
QA-F21	MEDIUM	Quality assurance	Engineering + Technical SEO	Validate F21 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F21	S
QA-F43	MEDIUM	Quality assurance	Content + Design + Engineering	Validate F43 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F43	S

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F53	MEDIUM	Quality assurance	Product + SEO + Engineering	Validate F53 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F53	S
QA-F57	MEDIUM	Quality assurance	Accessibility + Front-end	Validate F57 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F57	S
QA-F58	MEDIUM	Quality assurance	Security + Privacy + Engineering	Validate F58 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F58	S
QA-F16	LOW	Quality assurance	Engineering + Technical SEO	Validate F16 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F16	S

14.2 Tasks for 8–30 days

58 tasks are assigned to this phase. Program tasks establish the operating system; REM tasks implement finding remediation; QA tasks retain evidence that the acceptance criteria are met.

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P011	CRITICAL	Target architecture	Product + SEO + Engineering	Approve the primary domain, locale strategy, content types, URL patterns, internal archive, document library and legacy-route disposition rules.	Versioned information-architecture specification.	L
P012	CRITICAL	Redirect map	Technical SEO + Engineering	Build a one-to-one redirect map for every controlled mirror, host variant, legacy category, renamed document and changed path.	Machine-readable redirect map with test cases.	L
QA-F01	CRITICAL	Quality assurance	Engineering + Technical SEO	Validate F01 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F01	M
QA-F17	CRITICAL	Quality assurance	Engineering + Technical SEO	Validate F17 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F17	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F24	CRITICAL	Quality assurance	Product + Engineering + SEO	Validate F24 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F24	M
QA-F60	CRITICAL	Quality assurance	Product + Engineering + SEO	Validate F60 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F60	M
P013	HIGH	Content model	CMS Engineering + Editorial	Create typed records for stories, coverage records, source documents, videos, people, organizations, authors, translations, corrections and verification states.	CMS schema and migration scripts.	L
P014	HIGH	Localization workflow	Localization Lead	Create translation memory, glossary, native-review workflow, unavailable-locale states and screenshot QA for all supported languages.	Localization operating procedure and tooling.	L
P015	HIGH	Editorial page templates	Editorial + Design + Engineering	Design first-party pages for original articles, coverage records, evidence documents, timelines, corrections and source notes.	Production-ready templates and editorial field guidance.	L
P016	HIGH	Metadata system	Technical SEO + Engineering	Replace legacy metadata with validated locale-specific fields for title, description, canonical, hreflang, Open Graph, robots and structured data.	Central metadata service or template layer.	L
P017	HIGH	Media pipeline	Design + Engineering	Create a first-party asset pipeline for image resizing, AVIF/WebP generation, focal crops, intrinsic dimensions, rights records, captions and alt text.	Automated media processing and asset governance.	L
P018	HIGH	Document library	Editorial + Engineering + Accessibility	Create HTML landing pages and controlled storage for PDFs with language, version, provenance, license, accessibility and indexation fields.	Document-library template and migration plan.	L
P019	HIGH	Crawl-control generation	Engineering + Technical SEO	Generate robots.txt, sitemap indexes, locale sitemaps, document sitemaps if justified and exclusion rules from the same canonical content source.	Automated crawl-control files.	M
P020	HIGH	Error handling	Engineering + UX	Implement localized 404 and 410 behavior, preserve true status codes, provide helpful navigation and log repeated missing paths.	Localized error templates and routing tests.	M
P021	HIGH	Performance measurement	Performance Engineering	Implement real-user monitoring for LCP, INP and CLS by template, locale, device and release, with privacy review.	Core Web Vitals RUM dashboard.	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P022	HIGH	Accessibility baseline	Accessibility Specialist	Audit representative templates against WCAG 2.2 AA with automated tools, keyboard, screen reader, zoom, reflow and PDF checks.	Prioritized accessibility defect register.	L
P023	HIGH	Security and privacy baseline	Security + Privacy	Review TLS, headers, dependencies, cookies, analytics, referrer leakage, external embeds and incident response.	Security/privacy remediation plan.	L
P024	HIGH	CI quality gates	Engineering	Add automated tests for protected names, forbidden legacy strings, required metadata, internal links, canonical/hreflang reciprocity, schema, HTML validity, status codes and accessibility smoke tests.	CI pipeline with blocking SEO and quality checks.	L
REM-F02	HIGH	Domain consolidation	Engineering + Technical SEO	Choose www or apex as the only public host. Redirect HTTP and the non-primary HTTPS host to the primary HTTPS host in one hop while preserving path and query string. Align canonical URLs, sitemaps, hreflang, Open Graph URLs and internal links.	Implemented remediation for F02: The www and apex host variants both remain addressable	M
REM-F03	HIGH	Canonicalization	Engineering + Technical SEO	Audit raw HTML and rendered DOM for every template. Emit one absolute canonical in the server response head. Canonicals must use the primary HTTPS host, normalized path and intended indexable version. Do not canonicalize unrelated translated pages to one language.	Implemented remediation for F03: Canonical link implementation could not be verified from the rendered audit view	M
REM-F05	HIGH	International SEO	Localization + SEO + Engineering	Implement route-preserving locale switching from a shared content identifier, not string replacement. If an equivalent page does not exist, disclose the fallback and choose the nearest semantically equivalent page instead of silently sending users home.	Implemented remediation for F05: The language switcher drops the current route	M
REM-F07	HIGH	International SEO	Localization + SEO + Engineering	Define whether each locale is a translation, a regional edition or a separate editorial product. Store shared stories under stable content IDs, track translation status, and expose only intentional differences with locale-specific metadata and sitemaps.	Implemented remediation for F07: Content inventory differs materially between language homepages	M
REM-F08	HIGH	Indexation	Engineering + Technical SEO	Inventory all legacy routes. Keep valuable pages with rewritten unique content, redirect exact replacements, return 410 for intentionally removed URLs without substitutes, and remove abandoned URLs from sitemaps and internal links. Use temporary noindex only during controlled cleanup.	Implemented remediation for F08: Stale category URLs and legacy NewsHub metadata appear in search results	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F09	HIGH	Indexation	Engineering + Technical SEO	Keep useful site search for users but add robots meta noindex, follow to search results, exclude query URLs from sitemaps, canonicalize only where appropriate, constrain parameters and prevent internal links to empty or arbitrary query combinations.	Implemented remediation for F09: Internal search result URLs are publicly accessible and duplicate card content	M
REM-F11	HIGH	Content architecture	Editorial + SEO + Legal review	Create a first-party page for each dossier item with an original summary, publication facts, source links, evidence or document context, correction status, related coverage and a clear outbound citation. Do not copy copyrighted articles.	Implemented remediation for F11: Homepage story cards primarily send users directly to external publishers	L
REM-F12	HIGH	Content architecture	Editorial + SEO + Legal review	Design an archive by content type: original articles, press coverage records, source documents, videos and fact sheets. Add dates, authors, topics, entities, language relationships and related-content links.	Implemented remediation for F12: A durable first-party article and dossier archive is not evident	L
REM-F15	HIGH	Crawl controls	Engineering + Technical SEO	Verify with curl, server logs and Search Console. Publish a minimal robots.txt that does not block CSS, JavaScript or indexable pages and references valid XML sitemap indexes. Generate locale-aware sitemaps containing only canonical, indexable 200 URLs with accurate lastmod values.	Implemented remediation for F15: robots.txt and XML sitemap availability could not be confirmed by the audit crawler	M
REM-F18	HIGH	Metadata	Engineering + Technical SEO	Write unique, locale-specific descriptions that explain the page purpose, content types and intended audience without unverifiable superlatives. Keep the primary entity and value proposition early.	Implemented remediation for F18: The search description uses generic global-news language	M
REM-F19	HIGH	Content quality	Editorial + SEO + Legal review	Correct the spelling in content, metadata, alt text, structured data, PDF metadata, translations and internal search indexes. Add an automated content lint rule for protected names.	Implemented remediation for F19: The core person name is misspelled as "Nosha Aubel"	M
REM-F20	HIGH	Metadata	Engineering + Technical SEO	Create locale-owned metadata fields with validation and fallback rules that fail closed rather than silently publishing English. Translate meaning, not just keywords, and keep names, dates and legal labels consistent.	Implemented remediation for F20: Metadata localization appears incomplete or inherited from generic templates	M
REM-F22	HIGH	Media SEO	Content + Design + Engineering	Confirm image rights, store an authorized optimized copy on the primary first-party or controlled CDN host, assign a stable filename and metadata, and update all localized templates. Do not copy assets without permission.	Implemented remediation for F22: The main visual is hotlinked from an external publication domain	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F23	HIGH	Information architecture	Editorial + SEO + Legal review	Choose and document one primary purpose, audience and editorial model. Rewrite navigation, homepage, About, publisher, metadata and schema around that purpose. Separate unrelated publishing brands rather than mixing boilerplate.	Implemented remediation for F23: The site's purpose is internally inconsistent	M
REM-F25	HIGH	Localization	Localization + SEO + Engineering	Move every visible string into a translation catalog, prohibit hard-coded UI text, assign native-language reviewers and add screenshot-based localization QA. Maintain a glossary for names, roles and legal terms.	Implemented remediation for F25: Localized pages contain substantial untranslated interface fragments	L
REM-F26	HIGH	Editorial governance	Editorial + SEO + Legal review	Have qualified editorial and legal reviewers define the exact status of the site, publisher, verification process and documents. Publish locale-appropriate versions with version dates, responsible entity and contact. Avoid translating legal claims without jurisdictional review.	Implemented remediation for F26: Legal and editorial pages are untranslated or internally inconsistent	M
REM-F27	HIGH	Trust and claims	Editorial + SEO + Legal review	Replace absolute claims with precise, attributable statements. Publish a verification methodology, scope, reviewer, last-reviewed date, source links and limitations. Obtain legal review for claims of official or legal status.	Implemented remediation for F27: Absolute verification and legal-status claims are not accompanied by visible methodology	M
REM-F28	HIGH	Trust signals	Editorial + SEO + Legal review	Add author and reviewer bylines where factually appropriate, profile pages, role descriptions, contact routes, expertise disclosures and a clear publisher imprint. Never invent credentials or imply independence that does not exist.	Implemented remediation for F28: Named authors, editors and accountable publisher roles are not prominent	M
REM-F29	HIGH	Editorial quality	Editorial + SEO + Legal review	Adopt an editorial evidence template: claim, source, publication date, archive link where lawful, verification state, conflicts, response requested, response received, correction history and last review. Provide a prominent corrections and contact process.	Implemented remediation for F29: Source, correction and right-of-reply workflows are not sufficiently visible	M
REM-F30	HIGH	Content quality	Editorial + SEO + Legal review	Define unique first-party value for each page: chronology, comparison, source reconciliation, methodology, original reporting, document explanation or data visualization. Keep summaries factual and non-duplicative; link to originals rather than republishing them.	Implemented remediation for F30: The current experience risks being perceived as thin aggregation	L

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F33	HIGH	Localization quality	Localization + SEO + Engineering	Normalize all content to UTF-8, audit database and export pipelines, run language-detection and Unicode-script linting, and require native-language proofreading before publication.	Implemented remediation for F33: Translation quality defects include malformed or foreign characters	M
REM-F34	HIGH	Content quality	Editorial + SEO + Legal review	Prioritize languages with real audience and editorial support. Publish only reviewed translations, consolidate unsupported locales, and measure demand and quality. Do not create pages merely to multiply indexable URLs.	Implemented remediation for F34: Large-scale near-duplicate translation risk	M
REM-F35	HIGH	Freshness and dates	Editorial + SEO + Legal review	Store and display datePublished, dateModified and lastVerified as separate fields. Use machine-readable time elements, ISO timestamps, correct time zones and truthful structured data. Never change modification dates solely for SEO.	Implemented remediation for F35: Publication, modification and review dates are not consistently surfaced	M
REM-F37	HIGH	Structured data	Engineering + Technical SEO	Inventory all JSON-LD in raw and rendered HTML. Implement only schema that matches visible content: WebSite, Organization or publisher, WebPage or CollectionPage, BreadcrumbList, ItemList, Article for original editorial pages and VideoObject where applicable. Validate in CI.	Implemented remediation for F37: Structured data coverage and validity could not be confirmed	M
REM-F38	HIGH	Structured data	Engineering + Technical SEO	Represent the page as a CollectionPage or ItemList of cited coverage records. Use Article or NewsArticle only for original first-party pages. Identify the external publisher in visible text and data, and never copy third-party dates, authors or logos into first-party publisher properties inaccurately.	Implemented remediation for F38: Third-party publication cards could be marked up as first-party content incorrectly	M
REM-F40	HIGH	Structured data	Engineering + Technical SEO	Define the legally accurate publisher and site brand. Use one stable Organization @id, name, URL, logo, contact points and sameAs references that are authoritative. Model the subject person separately and document any relationship.	Implemented remediation for F40: Publisher and organization entity data are likely inconsistent with visible brands	M
REM-F41	HIGH	Image SEO and accessibility	Content + Design + Engineering	Move essential headings and claims into HTML. Keep decorative image text minimal, provide concise contextual alt text, and use a separate accessible caption or transcript for information that must remain in the image.	Implemented remediation for F41: Important text is embedded inside the hero image	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F42	HIGH	Image delivery	Content + Design + Engineering	Create first-party AVIF and WebP variants plus a JPEG fallback at measured widths, use picture and srcset with sizes, set width and height, preload only the actual LCP candidate and apply a durable cache policy.	Implemented remediation for F42: The hero image is a fixed raster asset rather than an owned responsive image set	M
REM-F44	HIGH	PDF strategy	Content + Design + Engineering	Decide whether each PDF is a source snapshot, translation, evidence exhibit or original report. Create an HTML landing page with purpose, source, capture date, translator, license and limitations. Redesign strategic PDFs with accessible structure; noindex non-strategic snapshots using X-Robots-Tag where appropriate.	Implemented remediation for F44: Promoted PDFs are browser-print snapshots rather than purpose-built publications	L
REM-F45	HIGH	PDF accessibility	Content + Design + Engineering	Run PDF/UA-oriented remediation for retained files: tagged headings, lists and links, document title, language, reading order, bookmarks, accessible link text and alt text for meaningful images. Provide an equivalent HTML page.	Implemented remediation for F45: PDF accessibility and document metadata are weak	M
REM-F46	HIGH	Video SEO and accessibility	Content + Design + Engineering	Provide a locale-appropriate video, subtitles and transcript, or clearly label the language and offer alternatives. Host a stable watch page, add descriptive text and valid VideoObject markup with uploadDate, duration, thumbnail and content URL where eligible.	Implemented remediation for F46: Video modules are not consistently localized	M
REM-F47	HIGH	Performance	Performance Engineering + SEO	Measure field data first. Prioritize the actual LCP element, eliminate unnecessary redirect or DNS cost, serve compressed responsive first-party assets, preload selectively, inline only critical CSS and delay non-critical scripts and below-fold media.	Implemented remediation for F47: The above-the-fold media architecture creates LCP risk	M
REM-F48	HIGH	JavaScript SEO	Engineering + Technical SEO	Compare raw HTML, rendered DOM and Google URL Inspection output for every template. Server-render essential content, links, metadata and status semantics. Ensure hydration does not replace correct server data with stale defaults.	Implemented remediation for F48: Server rendering and metadata delivery cannot be trusted without raw-source tests	M
REM-F50	HIGH	HTTP behavior	Engineering + Technical SEO	Run a complete HTTP matrix for protocol, host, trailing slash, case, locale, legacy routes, missing pages, PDFs and query parameters. Define 200, 301, 404 and 410 rules, custom localized error pages and cache policies.	Implemented remediation for F50: Status codes, redirects, 404 behavior and cache headers are not fully audited	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F51	HIGH	Application routing	Product + Engineering + SEO	Refactor routing so content records carry locale variants and stable IDs. Generate language links from the content model, add explicit unavailable-state handling and test history, query and fragment preservation.	Implemented remediation for F51: Locale switching reveals a route-state implementation defect	M
REM-F52	HIGH	Application data integrity	Product + Engineering + SEO	Create a typed content schema and single source of truth for navigation, publisher identity, translations, story records and document records. Validate required fields at build or publish time and block releases with stale placeholders.	Implemented remediation for F52: Templates and locale datasets are out of sync	L
REM-F54	HIGH	Accessibility and language	Localization + SEO + Engineering	Set the correct html lang for each page, mark isolated foreign-language quotations or modules with lang attributes, translate controls, and label media language. Do not rely on the URL alone.	Implemented remediation for F54: Page language and component language do not consistently match	M
REM-F55	HIGH	Accessibility	Accessibility + Front-end	Audit every image, icon, button, link and iframe. Use empty alt for decoration, concise contextual alt for meaningful images, visible labels for controls, unique accessible names for repeated links and descriptive iframe titles.	Implemented remediation for F55: Accessible names and image alternatives need a complete audit	M
REM-F56	HIGH	Accessibility	Accessibility + Front-end	Test all components without a mouse. Implement visible focus, logical order, proper button semantics, Escape handling, focus trapping only where needed, skip links and focus restoration after client-side navigation.	Implemented remediation for F56: Keyboard navigation, focus management and menu behavior are unverified	M
REM-F59	HIGH	Operations	Product + Engineering + SEO	Assign technical SEO, editorial, localization and legal owners. Add pre-release crawl tests, metadata linting, broken-link checks, schema validation, visual localization snapshots and post-release Search Console monitoring.	Implemented remediation for F59: No visible indexation and release governance is demonstrated	M

14.3 Tasks for 31–60 days

57 tasks are assigned to this phase. Program tasks establish the operating system; REM tasks implement finding remediation; QA tasks retain evidence that the acceptance criteria are met.

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P031	CRITICAL	Production migration	Incident Commander + Engineering + SEO	Launch the primary-host, redirect, canonical, locale, metadata, crawl-control and core-content changes in a controlled window.	Production release, test log and rollback checkpoint.	L

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P025	HIGH	Staging migration rehearsal	Engineering + SEO	Deploy the complete redirect, canonical, locale, metadata, sitemap and content architecture to an isolated crawlable staging environment protected from public indexing.	Rehearsal report and corrected defect list.	L
P026	HIGH	Content remediation wave 1	Editorial + Localization	Rewrite the homepage, About, contact, publisher, editorial policy, corrections, privacy and high-traffic locale pages; remove template leakage and unsupported claims.	Approved core-page content set.	L
P027	HIGH	Archive migration wave 1	Editorial + Engineering	Create internal dossier pages for the most important external coverage records and migrate the highest-value documents to landing pages.	First-priority first-party archive.	L
P028	HIGH	Structured-data deployment	Technical SEO + Engineering	Deploy validated Organization, WebSite, WebPage or CollectionPage, BreadcrumbList, ItemList, Article and VideoObject markup only where content qualifies.	Template-level JSON-LD implementation.	M
P029	HIGH	Performance remediation wave 1	Performance Engineering	Optimize LCP media, font delivery, critical CSS, script scheduling, caching, compression and third-party requests on core templates.	Measured performance release.	L
P030	HIGH	Accessibility remediation wave 1	Front-end + Accessibility	Fix keyboard, focus, semantic, language, alternative-text, contrast, reflow, caption and form-label defects on core templates.	WCAG 2.2 AA remediation release.	L
P032	HIGH	Search-engine submission	Technical SEO Lead	Submit sitemaps, inspect representative URLs, request recrawl only for strategic pages and document all removals or temporary tools used.	Search Console and Bing submission log.	S
P033	HIGH	Post-launch monitoring	SEO + Engineering	Monitor server errors, redirect misses, crawl rate, selected canonicals, indexed mirrors, hreflang, page experience, traffic and conversions daily after launch.	Daily migration dashboard and incident log.	M
QA-F02	HIGH	Quality assurance	Engineering + Technical SEO	Validate F02 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F02	M
QA-F05	HIGH	Quality assurance	Localization + SEO + Engineering	Validate F05 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F05	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F07	HIGH	Quality assurance	Localization + SEO + Engineering	Validate F07 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F07	M
QA-F08	HIGH	Quality assurance	Engineering + Technical SEO	Validate F08 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F08	M
QA-F09	HIGH	Quality assurance	Engineering + Technical SEO	Validate F09 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F09	M
QA-F11	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F11 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F11	M
QA-F12	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F12 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F12	M
QA-F18	HIGH	Quality assurance	Engineering + Technical SEO	Validate F18 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F18	M
QA-F19	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F19 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F19	M
QA-F20	HIGH	Quality assurance	Engineering + Technical SEO	Validate F20 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F20	M
QA-F22	HIGH	Quality assurance	Content + Design + Engineering	Validate F22 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F22	M
QA-F23	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F23 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F23	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F25	HIGH	Quality assurance	Localization + SEO + Engineering	Validate F25 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F25	M
QA-F26	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F26 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F26	M
QA-F27	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F27 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F27	M
QA-F28	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F28 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F28	M
QA-F29	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F29 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F29	M
QA-F30	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F30 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F30	M
QA-F33	HIGH	Quality assurance	Localization + SEO + Engineering	Validate F33 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F33	M
QA-F34	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F34 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F34	M
QA-F35	HIGH	Quality assurance	Editorial + SEO + Legal review	Validate F35 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F35	M
QA-F38	HIGH	Quality assurance	Engineering + Technical SEO	Validate F38 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F38	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F40	HIGH	Quality assurance	Engineering + Technical SEO	Validate F40 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F40	M
QA-F41	HIGH	Quality assurance	Content + Design + Engineering	Validate F41 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F41	M
QA-F42	HIGH	Quality assurance	Content + Design + Engineering	Validate F42 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F42	M
QA-F44	HIGH	Quality assurance	Content + Design + Engineering	Validate F44 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F44	M
QA-F45	HIGH	Quality assurance	Content + Design + Engineering	Validate F45 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F45	M
QA-F46	HIGH	Quality assurance	Content + Design + Engineering	Validate F46 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F46	M
QA-F47	HIGH	Quality assurance	Performance Engineering + SEO	Validate F47 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F47	M
QA-F51	HIGH	Quality assurance	Product + Engineering + SEO	Validate F51 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F51	M
QA-F52	HIGH	Quality assurance	Product + Engineering + SEO	Validate F52 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F52	M
QA-F54	HIGH	Quality assurance	Localization + SEO + Engineering	Validate F54 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F54	M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F55	HIGH	Quality assurance	Accessibility + Front-end	Validate F55 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F55	M
QA-F59	HIGH	Quality assurance	Product + Engineering + SEO	Validate F59 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F59	M
REM-F06	MEDIUM	International SEO	Localization + SEO + Engineering	Decide whether the content is Simplified Chinese, Traditional Chinese or both. Use language names rather than flags as the primary selector, apply zh-Hans and/or zh-Hant consistently, and create distinct URLs only when both versions are maintained.	Implemented remediation for F06: Chinese language labeling is ambiguous	S-M
REM-F10	MEDIUM	Indexation	Engineering + Technical SEO	Define an indexation policy for tags, filters, pagination and sort parameters. Allow indexation only for curated landing pages with unique demand and content; noindex or block generation of arbitrary combinations while keeping discovery of canonical content possible.	Implemented remediation for F10: Tag and filter links may multiply low-value URL combinations	S-M
REM-F13	MEDIUM	URL design	Engineering + Technical SEO	Move documents to a consistent /documents/[language]/[descriptive-slug].pdf structure using lowercase ASCII hyphenated filenames. Preserve old URLs with one-hop 301 redirects where technically possible.	Implemented remediation for F13: PDF filenames contain spaces, capitalization and inconsistent punctuation	S-M
REM-F14	MEDIUM	URL design	Engineering + Technical SEO	Create a document library with one HTML landing page per document family and localized file records. Use stable IDs, version numbers, language, publication date, source, license and checksum fields in the CMS.	Implemented remediation for F14: Document assets are mixed into the root namespace	S-M
REM-F21	MEDIUM	Metadata	Engineering + Technical SEO	Add server-rendered social metadata to every shareable page. Use the canonical URL, a first-party image sized for social platforms, descriptive alternative text where supported, and locale-specific title and description.	Implemented remediation for F21: Open Graph and social-card metadata are not proven	S-M
REM-F31	MEDIUM	Internal linking	Editorial + SEO + Legal review	Either calculate the module from transparent analytics with a defined window or replace it with a curated related-coverage module. De-duplicate items already in the viewport and use descriptive link text.	Implemented remediation for F31: "Most Read" repeats the same limited story set	S-M

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
REM-F32	MEDIUM	Trust and data	Editorial + SEO + Legal review	Define each metric, source it from a documented analytics query, show the relevant period and last update, or remove it. Avoid real-time counters that cause layout shift or cache fragmentation.	Implemented remediation for F32: Large view and archive counters lack visible definitions	S-M
REM-F36	MEDIUM	Entity SEO	Editorial + SEO + Legal review	Create a neutral, sourced profile or subject page only where editorially appropriate. Use consistent full name, role descriptions, relevant dates, geographic context, authoritative citations and disambiguation from similarly named entities. Separate subject from publisher identity.	Implemented remediation for F36: The core entity lacks a coherent first-party profile and disambiguation model	S-M
REM-F39	MEDIUM	Navigation and schema	Product + SEO + Engineering	Create semantic breadcrumbs for all pages below the locale homepage, link each ancestor, and add matching BreadcrumbList JSON-LD. Keep labels localized and URLs canonical.	Implemented remediation for F39: Breadcrumb and hierarchy signals are weak	S-M
REM-F43	MEDIUM	Image governance	Content + Design + Engineering	Add an asset record with owner, license, source, creator, credit line, alt text, caption, focal point, language and permitted transformations. Strip sensitive EXIF data when appropriate without falsifying origin.	Implemented remediation for F43: Image metadata, rights, alt text and duplicate handling are not systematically demonstrated	S-M
REM-F49	MEDIUM	Semantic HTML	Accessibility + Front-end	Use one descriptive H1 per page in most templates, nest H2 and H3 by section, represent card collections as lists, use main, nav, header, footer and aside correctly, and avoid headings chosen only for visual size.	Implemented remediation for F49: Heading hierarchy and landmark semantics need formal validation	S-M
REM-F53	MEDIUM	Outbound links	Product + SEO + Engineering	Keep normal editorial citations as crawlable links. For target= .blank use rel=noopener; add nofollow only when intended. Use sponsored or ugc only for the relationships they describe. Add visible source names and avoid generic "read more" labels.	Implemented remediation for F53: External link semantics and security attributes are not proven	S-M
REM-F57	MEDIUM	Responsive design	Accessibility + Front-end	Test WCAG 2.2 AA contrast, 320 CSS pixel reflow, text spacing, 200 and 400 percent zoom, orientation, touch target size and reduced-motion preferences. Replace text-on-image where contrast cannot be guaranteed.	Implemented remediation for F57: Contrast, reflow, zoom and touch-target compliance are not established	S-M
REM-F58	MEDIUM	Security and privacy	Security + Privacy + Engineering	Perform a security-header and dependency review. Apply appropriate HSTS, CSP, Referrer-Policy, Permissions-Policy and nosniff; secure cookies; minimize third parties; document lawful analytics and consent. Coordinate with qualified security and privacy counsel.	Implemented remediation for F58: Security headers, TLS policy, third-party requests and consent behavior require audit	S-M

14.4 Tasks for 61–90 days

13 tasks are assigned to this phase. Program tasks establish the operating system; REM tasks implement finding remediation; QA tasks retain evidence that the acceptance criteria are met.

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
P034	HIGH	Content remediation wave 2	Editorial + Localization	Complete remaining strategic translations, dossier records, source pages, corrections and document landing pages based on demand and risk.	Second-priority archive and locale set.	L
P036	HIGH	90-day review	Steering Group	Compare post-change organic visibility, indexation, crawling, Core Web Vitals, accessibility, engagement, corrections and locale quality against the baseline.	90-day outcome report and next-quarter roadmap.	M
P035	MEDIUM	External link resilience	Editorial Operations	Implement scheduled broken-link checks, source-title monitoring, lawful archiving policy and a workflow for changed or removed third-party sources.	External-source maintenance process.	M
QA-F06	MEDIUM	Quality assurance	Localization + SEO + Engineering	Validate F06 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F06	S
QA-F10	MEDIUM	Quality assurance	Engineering + Technical SEO	Validate F10 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F10	S
QA-F13	MEDIUM	Quality assurance	Engineering + Technical SEO	Validate F13 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F13	S
QA-F14	MEDIUM	Quality assurance	Engineering + Technical SEO	Validate F14 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F14	S
QA-F31	MEDIUM	Quality assurance	Editorial + SEO + Legal review	Validate F31 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F31	S
QA-F32	MEDIUM	Quality assurance	Editorial + SEO + Legal review	Validate F32 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F32	S

ID	Pri.	Workstream	Owner	Task	Deliverable	Eff.
QA-F36	MEDIUM	Quality assurance	Editorial + SEO + Legal review	Validate F36 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F36	S
QA-F39	MEDIUM	Quality assurance	Product + SEO + Engineering	Validate F39 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F39	S
QA-F49	MEDIUM	Quality assurance	Accessibility + Front-end	Validate F49 after deployment using raw HTML, rendered DOM, HTTP responses, crawler output, accessibility checks and Search Console as applicable.	Evidence pack and signed acceptance result for F49	S
REM-F16	LOW	Crawl controls	Engineering + Technical SEO	Decide whether a feed is part of the product. If yes, publish one canonical, valid feed per relevant locale or a clearly labeled global feed, include absolute canonical item URLs and feed autodiscovery. If no, remove stale feed references.	Implemented remediation for F16: RSS or Atom feed behavior is not established	S

14.5 Acceptance criteria and dependencies

This matrix is the close-out contract. A task is not complete merely because code or content was deployed; the acceptance criterion must be demonstrated and the dependency state recorded.

0–7 days acceptance matrix

ID	Acceptance criterion	Dependencies / prerequisites
P001	All discovered URLs have status, canonical, indexability, language, title, description, headings, links, schema, word count and content hash fields.	Read-only production access.
P002	Every observed mirror hostname has a confirmed owner, purpose and migration decision; unknown domains are escalated rather than assumed controlled.	Registrar and DNS access.
P003	Coverage, links, removals, sitemaps, Core Web Vitals and manual-action reports are accessible for all controlled properties.	DNS verification rights.
QA-F04	Every localized page passes an automated reciprocity test; all targets return 200 and self-canonicalize; codes are valid; no hreflang points to redirects, PDFs unintentionally, noindex pages or unrelated hompages.	REM-F04 deployed to production and recrawl window started.
REM-F01	Only the designated primary host resolves with indexable 200 pages; controlled mirrors redirect in one hop to matching canonical URLs; no mirror appears as a separate indexed result after recrawl; redirect mapping is documented and monitored.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F04	Every localized page passes an automated reciprocity test; all targets return 200 and self-canonicalize; codes are valid; no hreflang points to redirects, PDFs unintentionally, noindex pages or unrelated hompages.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F17	Raw HTML, rendered DOM, browser tab and Search Console inspection show one consistent title; search snippets no longer use the generic legacy title after recrawl.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F24	Crawl, source search and database export contain no unintended legacy brand or placeholder strings; publisher identity is consistent in visible text, metadata, email templates, schema and documents.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F60	A signed migration runbook, redirect map, rollback criteria and baseline dashboard exist before launch; post-migration monitoring detects traffic, indexation or crawl anomalies daily.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
P004	At least 16 months of available Search Console data and current analytics data are archived with a reproducible query definition.	GSC and analytics access.
P005	Verified search-engine requests can be distinguished from spoofed user agents; reports cover all hosts and edge layers.	Server or CDN access.
P006	Each public URL maps to a content record, owner, locale, canonical state, publication state and retention decision.	CMS/database export rights.
P007	All public pages can be traced to a template and data source; legacy NewsHub and publisher components are identifiable.	Repository access.
P008	No untracked production URL or metadata changes occur during baseline and migration planning.	Stakeholder approval.
P009	A non-production restore test succeeds and recovery owners are named.	Infrastructure access.
P010	Critical claims and assets have an approved keep, revise, substantiate, restrict or remove decision.	Access to source evidence; this report is not legal advice.

ID	Acceptance criterion	Dependencies / prerequisites
QA-F03	Automated tests find exactly one valid canonical on every indexable HTML page; the canonical returns 200, is indexable, matches sitemap and internal-link targets, and is identical in raw HTML and rendered DOM.	REM-F03 deployed to production and recrawl window started.
QA-F15	robots.txt returns 200 text/plain; sitemap index and child files validate, stay within limits, contain only canonical 200 URLs, and are accepted without errors in Search Console and Bing Webmaster Tools.	REM-F15 deployed to production and recrawl window started.
QA-F37	Schema.org validator and Google Rich Results Test show no errors for supported types; identifiers, URLs, names, logos, dates and publishers match visible content and canonical URLs.	REM-F37 deployed to production and recrawl window started.
QA-F48	No material difference exists between raw and rendered SEO elements; JavaScript-disabled smoke tests preserve primary content and navigation; render failures are monitored.	REM-F48 deployed to production and recrawl window started.
QA-F50	All tested URLs return the intended code in one hop; no soft 404, loop or chain exists; 404 pages are useful but non-indexable; cache and content-type headers match assets.	REM-F50 deployed to production and recrawl window started.
QA-F56	All user journeys work with keyboard alone at 200 percent zoom; no focus loss or trap exists; automated tests are supplemented by manual review.	REM-F56 deployed to production and recrawl window started.
QA-F21	Facebook, LinkedIn, X and messaging preview tests show the intended title, description, first-party image and canonical URL for representative pages in every major locale.	REM-F21 deployed to production and recrawl window started.
QA-F43	Every production image has a complete asset record; crawl exports show non-empty contextual alt text where needed and empty alt for decorative images; rights can be traced.	REM-F43 deployed to production and recrawl window started.
QA-F53	Automated link tests find no unsafe new-window link; relationship attributes match documented policy; broken external links are monitored and archived where lawful.	REM-F53 deployed to production and recrawl window started.
QA-F57	Template-level test evidence demonstrates AA contrast and usable reflow; no horizontal scroll is required for ordinary reading at 320 CSS pixels.	REM-F57 deployed to production and recrawl window started.
QA-F58	Automated header scans and manual review pass the approved baseline; no mixed content exists; third-party inventory, purposes, retention and consent state are documented.	REM-F58 deployed to production and recrawl window started.
QA-F16	Feed validators pass, each item points to a canonical internal URL, dates and language are correct, and no duplicate legacy feeds remain.	REM-F16 deployed to production and recrawl window started.

8–30 days acceptance matrix

ID	Acceptance criterion	Dependencies / prerequisites
P011	The specification includes examples, ownership, canonical/hreflang rules, status-code rules and migration mapping principles.	P001–P010.
P012	Each source has one intentional destination or explicit 404/410 decision; no broad redirect to a homepage without semantic equivalence.	P002, P006, P011.
QA-F01	Only the designated primary host resolves with indexable 200 pages; controlled mirrors redirect in one hop to matching canonical URLs; no mirror appears as a separate indexed result after recrawl; redirect mapping is documented and monitored.	REM-F01 deployed to production and recrawl window started.
QA-F17	Raw HTML, rendered DOM, browser tab and Search Console inspection show one consistent title; search snippets no longer use the generic legacy title after recrawl.	REM-F17 deployed to production and recrawl window started.

ID	Acceptance criterion	Dependencies / prerequisites
QA-F24	Crawl, source search and database export contain no unintended legacy brand or placeholder strings; publisher identity is consistent in visible text, metadata, email templates, schema and documents.	REM-F24 deployed to production and recrawl window started.
QA-F60	A signed migration runbook, redirect map, rollback criteria and baseline dashboard exist before launch; post-migration monitoring detects traffic, indexation or crawl anomalies daily.	REM-F60 deployed to production and recrawl window started.
P013	Required fields, stable IDs, locale relationships and validation rules are enforced before publication.	P006, P007, P011.
P014	Every live locale has an owner, review status, last-review date and controlled fallback behavior.	P006, P013.
P015	Templates provide unique context, stable URLs, bylines, dates, sources, corrections, breadcrumbs and related content without copying third-party articles.	P010, P011, P013.
P016	Missing required metadata blocks publication; no generic fallback can silently reach production.	P007, P013, P014.
P017	New media cannot publish without rights status and required accessibility fields; responsive variants are generated predictably.	P006, P010, P013.
P018	Every retained PDF has a metadata landing page and explicit index/noindex decision; strategic files meet accessibility requirements.	P006, P010, P013.
P019	Generated files validate and cannot include redirects, noindex URLs, query results, noncanonical hosts or unavailable translations.	P011, P013, P016.
P020	Missing URLs do not return 200 or redirect generically; error pages are usable and excluded from indexation.	P011, P012.
P021	Metrics use the 75th percentile and can identify regressions by page group and deployment.	Analytics/privacy approval.
P022	Every component and page type is represented; automated results are manually verified; owners and deadlines are assigned.	Staging or production access.
P023	Findings are risk-ranked, assigned and tracked; no unreviewed third-party script or cookie remains.	Header/network/repository access.
P024	A deliberately introduced critical regression fails the pipeline; results are retained as artifacts.	Repository and CI access.
REM-F02	A four-variant protocol and host test returns exactly one 200 version and three single-hop permanent redirects; all generated URLs use the primary host.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F03	Automated tests find exactly one valid canonical on every indexable HTML page; the canonical returns 200, is indexable, matches sitemap and internal-link targets, and is identical in raw HTML and rendered DOM.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F05	For every page and every available locale, the switcher opens the same content type and entity; automated route-pair tests have no silent homepage fallbacks.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F07	A translation dashboard reports every page as complete, intentionally localized, intentionally omitted or scheduled; no accidental card-count or module mismatch remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F08	No legacy NewsHub snippets remain after recrawl; each old URL has an intentional 200, 301 or 410 response; no soft 404, redirect chain or orphaned internal link remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

ID	Acceptance criterion	Dependencies / prerequisites
REM-F09	Search result pages remain usable but are not indexable; Search Console parameter and crawl reports show no growth of indexed query variants; internal search logs are used for content planning rather than SEO landing pages.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F11	Every promoted story has a stable internal URL, unique title and summary, descriptive source citation, breadcrumb, related items and inclusion in XML sitemaps; external links remain secondary references.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F12	Users and crawlers can reach every indexable item through category hubs, breadcrumbs and HTML pagination within three clicks; no strategic orphan pages remain.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F15	robots.txt returns 200 text/plain; sitemap index and child files validate, stay within limits, contain only canonical 200 URLs, and are accepted without errors in Search Console and Bing Webmaster Tools.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F18	Every indexable template has a unique description in raw HTML; duplicate-description reports are clean; snippets align with page intent after recrawl.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F19	A case-insensitive crawl and repository search returns zero unintended "Nosha Aubel" instances; intentional quotations are documented.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F20	A crawler export shows unique, correct-language titles and descriptions for every indexable locale; no template placeholder or NewsHub string remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F22	The hero asset loads from an approved controlled hostname, has documented rights and provenance, uses cacheable responsive variants and no external hotlink dependency remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F23	Every top-level page expresses the same site identity and publisher; an editorial one-sentence proposition is approved; no generic aggregator label remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F25	Automated i18n extraction finds no hard-coded production strings; native reviewers approve each locale; HTML lang and component language match; no unintended fallback text remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F26	Each locale's policy page identifies the responsible publisher, version date, scope and correction process; translations are approved; contradictory status claims are removed or evidenced.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F27	Every trust claim has a linked methodology and named responsible party; claims are reproducible from cited evidence; no unsupported percentage or legal-status label remains.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F28	Each original editorial page identifies author, reviewer or responsible editor, publication and modification dates, publisher and contact; profile and organization data are consistent with schema.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F29	Every original dossier page has complete provenance fields, a permanent correction log and a response contact; editorial staff can update without changing the canonical URL.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F30	Indexable pages contain substantial unique content that answers a defined query; editorial review confirms no copied article body; user engagement and index coverage improve without page-volume inflation.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F33	Automated checks flag no unexpected script characters outside approved names or quotations; native reviewers approve a representative sample and all critical pages.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F34	Each live locale has an owner, glossary, QA record and measurable audience; unsupported or low-quality translations are noindexed, improved or retired through an intentional migration plan.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

ID	Acceptance criterion	Dependencies / prerequisites
REM-F35	Every time-sensitive page displays accurate human-readable dates, raw HTML time values and matching schema; editorial history is auditable.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F37	Schema.org validator and Google Rich Results Test show no errors for supported types; identifiers, URLs, names, logos, dates and publishers match visible content and canonical URLs.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F38	Structured-data review finds no external article represented as owned by the site; every item URL and publisher relationship matches the visible page and source.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F40	Organization data is identical across pages and locales, matches the imprint and visible logo, and contains no legacy or unrelated brand identifiers.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F41	All essential information remains available when images are disabled; screen-reader and 200 percent zoom tests preserve meaning; image alt text is concise and not a duplicate keyword dump.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F42	Mobile and desktop fetch appropriately sized variants; no layout shift occurs; the LCP request starts early; visual quality meets editorial standards at common device pixel ratios.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F44	Every PDF family has an HTML landing page and explicit index policy; strategic PDFs have unique purpose and metadata; snapshots are clearly labeled and do not compete with better HTML pages.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F45	PAC or comparable accessibility checks pass for retained strategic PDFs; manual keyboard and screen-reader checks confirm reading order; metadata and canonical landing links are complete.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F46	Each locale either embeds matching-language media or exposes an explicit language choice; captions and transcripts are accurate; video structured data validates and points to an indexable watch page.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F47	At the 75th percentile of real-user data, LCP is 2.5 seconds or better on mobile and desktop for key page groups, with documented test conditions and no regression in image quality.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F48	No material difference exists between raw and rendered SEO elements; JavaScript-disabled smoke tests preserve primary content and navigation; render failures are monitored.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F50	All tested URLs return the intended code in one hop; no soft 404, loop or chain exists; 404 pages are useful but non-indexable; cache and content-type headers match assets.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F51	Route-switch tests pass for all content types, including contact, policy, search, document and article pages; browser back and forward behavior remains correct.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F52	All locales render from the same schema; content validation has zero missing required fields; snapshot tests show intentional, reviewed differences only.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F54	Automated and manual tests confirm correct page and inline language; no major component is silently delivered in another language.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F55	Axe, Lighthouse accessibility and manual screen-reader tests report no missing names; link-purpose tests pass in context; decorative assets are ignored correctly.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F56	All user journeys work with keyboard alone at 200 percent zoom; no focus loss or trap exists; automated tests are supplemented by manual review.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F59	A release checklist and RACI are active; critical SEO regressions block deployment; weekly dashboards track indexation, errors, Core Web Vitals and locale quality.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

31–60 days acceptance matrix

ID	Acceptance criterion	Dependencies / prerequisites
P031	Automated smoke tests pass across hosts and locales; no critical status, canonical, hreflang, content or analytics defect is detected.	P025 and stakeholder approval.
P025	A full staging crawl matches the approved URL map, has no critical errors and demonstrates rollback procedures.	P011–P024.
P026	Native, editorial and legal reviewers sign off; no untranslated critical string or legacy identity remains.	P010, P014, P015.
P027	Top organic and linked items have stable internal URLs, unique context, sources and related links; no copyright copying occurs.	P015, P018.
P028	Validator and Rich Results Test evidence is stored for each eligible template; visible content and data match.	P013, P015, P016.
P029	Laboratory and real-user metrics improve without accessibility, visual or functionality regressions.	P017, P021, P023.
P030	Automated and manual retests pass agreed acceptance criteria; residual exceptions are documented with owners.	P022, P025.
P032	Sitemaps are accepted; representative canonical and hreflang signals match production; no removal tool is used as a substitute for permanent fixes.	P031.
P033	Alert thresholds and named responders exist; material anomalies are investigated within one business day.	P031, P032.
QA-F02	A four-variant protocol and host test returns exactly one 200 version and three single-hop permanent redirects; all generated URLs use the primary host.	REM-F02 deployed to production and recrawl window started.
QA-F05	For every page and every available locale, the switcher opens the same content type and entity; automated route-pair tests have no silent homepage fallbacks.	REM-F05 deployed to production and recrawl window started.
QA-F07	A translation dashboard reports every page as complete, intentionally localized, intentionally omitted or scheduled; no accidental card-count or module mismatch remains.	REM-F07 deployed to production and recrawl window started.
QA-F08	No legacy NewsHub snippets remain after recrawl; each old URL has an intentional 200, 301 or 410 response; no soft 404, redirect chain or orphaned internal link remains.	REM-F08 deployed to production and recrawl window started.
QA-F09	Search result pages remain usable but are not indexable; Search Console parameter and crawl reports show no growth of indexed query variants; internal search logs are used for content planning rather than SEO landing pages.	REM-F09 deployed to production and recrawl window started.
QA-F11	Every promoted story has a stable internal URL, unique title and summary, descriptive source citation, breadcrumb, related items and inclusion in XML sitemaps; external links remain secondary references.	REM-F11 deployed to production and recrawl window started.
QA-F12	Users and crawlers can reach every indexable item through category hubs, breadcrumbs and HTML pagination within three clicks; no strategic orphan pages remain.	REM-F12 deployed to production and recrawl window started.
QA-F18	Every indexable template has a unique description in raw HTML; duplicate-description reports are clean; snippets align with page intent after recrawl.	REM-F18 deployed to production and recrawl window started.
QA-F19	A case-insensitive crawl and repository search returns zero unintended "Nosha Aubel" instances; intentional quotations are documented.	REM-F19 deployed to production and recrawl window started.

ID	Acceptance criterion	Dependencies / prerequisites
QA-F20	A crawler export shows unique, correct-language titles and descriptions for every indexable locale; no template placeholder or NewsHub string remains.	REM-F20 deployed to production and recrawl window started.
QA-F22	The hero asset loads from an approved controlled hostname, has documented rights and provenance, uses cacheable responsive variants and no external hotlink dependency remains.	REM-F22 deployed to production and recrawl window started.
QA-F23	Every top-level page expresses the same site identity and publisher; an editorial one-sentence proposition is approved; no generic aggregator label remains.	REM-F23 deployed to production and recrawl window started.
QA-F25	Automated i18n extraction finds no hard-coded production strings; native reviewers approve each locale; HTML lang and component language match; no unintended fallback text remains.	REM-F25 deployed to production and recrawl window started.
QA-F26	Each locale's policy page identifies the responsible publisher, version date, scope and correction process; translations are approved; contradictory status claims are removed or evidenced.	REM-F26 deployed to production and recrawl window started.
QA-F27	Every trust claim has a linked methodology and named responsible party; claims are reproducible from cited evidence; no unsupported percentage or legal-status label remains.	REM-F27 deployed to production and recrawl window started.
QA-F28	Each original editorial page identifies author, reviewer or responsible editor, publication and modification dates, publisher and contact; profile and organization data are consistent with schema.	REM-F28 deployed to production and recrawl window started.
QA-F29	Every original dossier page has complete provenance fields, a permanent correction log and a response contact; editorial staff can update without changing the canonical URL.	REM-F29 deployed to production and recrawl window started.
QA-F30	Indexable pages contain substantial unique content that answers a defined query; editorial review confirms no copied article body; user engagement and index coverage improve without page-volume inflation.	REM-F30 deployed to production and recrawl window started.
QA-F33	Automated checks flag no unexpected script characters outside approved names or quotations; native reviewers approve a representative sample and all critical pages.	REM-F33 deployed to production and recrawl window started.
QA-F34	Each live locale has an owner, glossary, QA record and measurable audience; unsupported or low-quality translations are noindexed, improved or retired through an intentional migration plan.	REM-F34 deployed to production and recrawl window started.
QA-F35	Every time-sensitive page displays accurate human-readable dates, raw HTML time values and matching schema; editorial history is auditable.	REM-F35 deployed to production and recrawl window started.
QA-F38	Structured-data review finds no external article represented as owned by the site; every item URL and publisher relationship matches the visible page and source.	REM-F38 deployed to production and recrawl window started.
QA-F40	Organization data is identical across pages and locales, matches the imprint and visible logo, and contains no legacy or unrelated brand identifiers.	REM-F40 deployed to production and recrawl window started.
QA-F41	All essential information remains available when images are disabled; screen-reader and 200 percent zoom tests preserve meaning; image alt text is concise and not a duplicate keyword dump.	REM-F41 deployed to production and recrawl window started.
QA-F42	Mobile and desktop fetch appropriately sized variants; no layout shift occurs; the LCP request starts early; visual quality meets editorial standards at common device pixel ratios.	REM-F42 deployed to production and recrawl window started.
QA-F44	Every PDF family has an HTML landing page and explicit index policy; strategic PDFs have unique purpose and metadata; snapshots are clearly labeled and do not compete with better HTML pages.	REM-F44 deployed to production and recrawl window started.

ID	Acceptance criterion	Dependencies / prerequisites
QA-F45	PAC or comparable accessibility checks pass for retained strategic PDFs; manual keyboard and screen-reader checks confirm reading order; metadata and canonical landing links are complete.	REM-F45 deployed to production and recrawl window started.
QA-F46	Each locale either embeds matching-language media or exposes an explicit language choice; captions and transcripts are accurate; video structured data validates and points to an indexable watch page.	REM-F46 deployed to production and recrawl window started.
QA-F47	At the 75th percentile of real-user data, LCP is 2.5 seconds or better on mobile and desktop for key page groups, with documented test conditions and no regression in image quality.	REM-F47 deployed to production and recrawl window started.
QA-F51	Route-switch tests pass for all content types, including contact, policy, search, document and article pages; browser back and forward behavior remains correct.	REM-F51 deployed to production and recrawl window started.
QA-F52	All locales render from the same schema; content validation has zero missing required fields; snapshot tests show intentional, reviewed differences only.	REM-F52 deployed to production and recrawl window started.
QA-F54	Automated and manual tests confirm correct page and inline language; no major component is silently delivered in another language.	REM-F54 deployed to production and recrawl window started.
QA-F55	Axe, Lighthouse accessibility and manual screen-reader tests report no missing names; link-purpose tests pass in context; decorative assets are ignored correctly.	REM-F55 deployed to production and recrawl window started.
QA-F59	A release checklist and RACI are active; critical SEO regressions block deployment; weekly dashboards track indexation, errors, Core Web Vitals and locale quality.	REM-F59 deployed to production and recrawl window started.
REM-F06	HTML lang, hreflang, labels, content script, sitemap entries and PDF metadata use the same declared variant; no flag is the sole language cue.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F10	A documented parameter matrix exists; crawler tests show bounded URL growth; only approved editorial landing pages are indexable and included in sitemaps.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F13	All new document URLs follow the naming convention; old links redirect once; no filename differs only by case or encoding; document URLs are represented consistently in HTML and sitemaps.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F14	The document library supports filtering without indexable parameter sprawl; each file has a corresponding metadata page; asset paths and analytics are predictable.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F21	Facebook, LinkedIn, X and messaging preview tests show the intended title, description, first-party image and canonical URL for representative pages in every major locale.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F31	No page repeats the same destination in adjacent modules without a deliberate reason; module logic, time window and fallback are documented; analytics validates clicks.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F32	Every displayed counter has a tooltip or linked methodology, refresh policy and auditable source; stale values trigger an alert; counters do not affect CLS.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F36	The profile has one canonical URL, a defined editorial scope, citations, revision history and consistent entity identifiers; schema does not imply authorship or endorsement incorrectly.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F39	All nested pages display keyboard-accessible breadcrumbs; structured data exactly matches visible links; no breadcrumb points to a redirect or noindex page.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F43	Every production image has a complete asset record; crawl exports show non-empty contextual alt text where needed and empty alt for decorative images; rights can be traced.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F49	HTML validator, outline review and screen-reader landmark navigation pass for every template; no skipped heading level creates false hierarchy.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

ID	Acceptance criterion	Dependencies / prerequisites
REM-F53	Automated link tests find no unsafe new-window link; relationship attributes match documented policy; broken external links are monitored and archived where lawful.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F57	Template-level test evidence demonstrates AA contrast and usable reflow; no horizontal scroll is required for ordinary reading at 320 CSS pixels.	Baseline crawl and approved architecture; legal review where claims or rights are involved.
REM-F58	Automated header scans and manual review pass the approved baseline; no mixed content exists; third-party inventory, purposes, retention and consent state are documented.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

61–90 days acceptance matrix

ID	Acceptance criterion	Dependencies / prerequisites
P034	Supported locales meet the same content, metadata and QA standard; unsupported locales have an intentional retirement plan.	P026, P027.
P036	Results are attributed cautiously, unresolved high-risk items have owners, and the roadmap prioritizes measurable user and search value rather than URL volume.	P004, P033 and sufficient recrawl data.
P035	Broken strategic citations trigger alerts; replacements and archive links preserve provenance without misrepresenting the source.	Editorial/legal policy.
QA-F06	HTML lang, hreflang, labels, content script, sitemap entries and PDF metadata use the same declared variant; no flag is the sole language cue.	REM-F06 deployed to production and recrawl window started.
QA-F10	A documented parameter matrix exists; crawler tests show bounded URL growth; only approved editorial landing pages are indexable and included in sitemaps.	REM-F10 deployed to production and recrawl window started.
QA-F13	All new document URLs follow the naming convention; old links redirect once; no filename differs only by case or encoding; document URLs are represented consistently in HTML and sitemaps.	REM-F13 deployed to production and recrawl window started.
QA-F14	The document library supports filtering without indexable parameter sprawl; each file has a corresponding metadata page; asset paths and analytics are predictable.	REM-F14 deployed to production and recrawl window started.
QA-F31	No page repeats the same destination in adjacent modules without a deliberate reason; module logic, time window and fallback are documented; analytics validates clicks.	REM-F31 deployed to production and recrawl window started.
QA-F32	Every displayed counter has a tooltip or linked methodology, refresh policy and auditable source; stale values trigger an alert; counters do not affect CLS.	REM-F32 deployed to production and recrawl window started.
QA-F36	The profile has one canonical URL, a defined editorial scope, citations, revision history and consistent entity identifiers; schema does not imply authorship or endorsement incorrectly.	REM-F36 deployed to production and recrawl window started.
QA-F39	All nested pages display keyboard-accessible breadcrumbs; structured data exactly matches visible links; no breadcrumb points to a redirect or noindex page.	REM-F39 deployed to production and recrawl window started.
QA-F49	HTML validator, outline review and screen-reader landmark navigation pass for every template; no skipped heading level creates false hierarchy.	REM-F49 deployed to production and recrawl window started.
REM-F16	Feed validators pass, each item points to a canonical internal URL, dates and language are correct, and no duplicate legacy feeds remain.	Baseline crawl and approved architecture; legal review where claims or rights are involved.

SECTION 15

15. QA, monitoring and KPI framework

The goal is not a one-time audit score. The goal is a release system that detects wrong hosts, wrong languages, stale identity, crawl waste and user-experience regressions before and after deployment.

15.1 Required QA evidence pack for every release

- ☐ Full staging crawl with JavaScript enabled and disabled, plus comparison against the approved URL inventory.
- ☐ Host/protocol/redirect matrix and a sample of every redirect rule family.
- ☐ Canonical, hreflang, robots, sitemap, title, description, Open Graph and schema exports.
- ☐ Localization screenshots and native-review sign-off for changed templates and critical pages.
- ☐ Accessibility automated results plus keyboard, screen-reader, zoom and reflow notes.
- ☐ Performance lab results and budget comparison; field monitoring activated for production.
- ☐ Broken internal/external link report, orphan report, status-code distribution and duplicate-content hashes.
- ☐ Legal/editorial approval record for changed claims, publisher identity, rights, policies and high-risk content.
- ☐ Deployment ID, change list, smoke-test result, monitoring links and rollback decision.

15.2 Search Console and indexation monitoring

- ☐ Submitted and indexed canonical URLs by locale and content type.
- ☐ Google-selected canonical versus user-declared canonical for representative and high-traffic pages.
- ☐ Indexed mirror domains, host variants, legacy categories, search parameters and retired locale pages.
- ☐ Sitemap fetch and parsing errors, last-read dates and unexpected URL counts.
- ☐ Page indexing reasons, crawl anomalies, soft 404s, blocked resources and server errors.
- ☐ Core Web Vitals by page group and device.
- ☐ Search appearance and structured-data enhancement reports where applicable.
- ☐ Manual actions, security issues and unusual changes in queries or countries.

15.3 KPI dashboard

KPI	Definition	Target / interpretation
Canonical host purity	Share of indexable internal URLs and organic landings using the approved primary host.	Target: 100 percent internal; controlled mirrors trend to zero indexed pages.
Legacy index cleanup	Count of indexed NewsHub categories, query pages and retired paths.	Target: zero unintended indexed legacy/query pages after recrawl.
Hreflang validity	Percentage of published locale variants in valid reciprocal clusters.	Target: 100 percent of included variants; incomplete variants excluded.
Metadata integrity	Pages with unique correct-language title/description and no forbidden strings.	Target: 100 percent of indexable HTML.
Translation quality	Critical pages passing native review and localization QA.	Target: 100 percent of supported locale core pages.
First-party depth	Strategic external coverage items with substantial internal records.	Target set by editorial priority; avoid raw URL-volume targets.
Document governance	Retained PDFs with landing page, metadata, rights and index decision.	Target: 100 percent.
Core Web Vitals	Good LCP, INP and CLS at the 75th percentile by core page group.	Target: good thresholds for mobile and desktop, tracked over time.
Accessibility	Critical templates passing agreed WCAG 2.2 AA manual and automated tests.	Target: zero critical blockers and documented remediation for residual issues.
Crawl efficiency	Search-engine requests reaching canonical 200 content versus redirects/errors/parameters.	Target: rising canonical share and declining waste.
Organic quality	Impressions, clicks, qualified engagement and conversions for intended queries and locales.	Target: improve qualified outcomes, not merely impressions.

Editorial accountability	Pages with complete byline/source/correction/review state.	Target: 100 percent of original or sensitive editorial pages.
--------------------------	---	--

15.4 Monitoring cadence

Cadence	Review scope
Daily for 14 days after migration	5xx/4xx spikes, redirect misses, host leakage, sitemap fetches, selected canonicals, traffic anomalies and client errors.
Weekly for 90 days	Indexed mirrors/legacy URLs, hreflang, Core Web Vitals, structured data, broken links, translation defects and top landing pages.
Monthly ongoing	Content freshness, corrections, source availability, locale support, document versions, performance budgets and accessibility regressions.
Quarterly	Full crawl, log analysis, domain inventory, dependency/security review, native-locale sample, assistive-technology review and strategy update.

15.5 Finding closure template

- ☐ Finding ID and task IDs
- ☐ Production URLs and release identifier
- ☐ Before evidence
- ☐ Implemented change
- ☐ After evidence against every acceptance clause
- ☐ Raw HTML and rendered DOM comparison where relevant
- ☐ HTTP response or log evidence where relevant
- ☐ Accessibility, localization, editorial/legal or performance sign-off
- ☐ Search Console inspection and expected recrawl window
- ☐ Residual risk, monitoring owner and review date

15.6 Recommended toolchain

Crawling: Screaming Frog, Sitebulb or an equivalent crawler with JavaScript and custom extraction.

Raw HTTP: curl, browser developer tools, CDN logs and automated integration tests.

Search: Google Search Console, Bing Webmaster Tools and carefully documented rank/query monitoring.

Structured data: Schema.org Validator and Google Rich Results Test.

HTML/CSS: W3C validators and browser compatibility testing.

Performance: CrUX/PageSpeed Insights, WebPageTest, Lighthouse CI and real-user monitoring.

Accessibility: axe, Lighthouse, Pa11y plus NVDA/JAWS/VoiceOver, keyboard, zoom and PDF accessibility tools.

Localization: Translation management system, language detection, Unicode-script lint and screenshot regression.

Links and archives: Scheduled link checker, editorial source registry and legally reviewed archival approach.

Security: Dependency and secret scanning, header review, CSP reporting and qualified security testing.

SECTION 16

16. Implementation code and configuration examples

These examples demonstrate the intended behavior. They are not copy-paste production configuration; adapt them to the actual framework, server topology, verified domains and approved URL map.

Implementation caution

Do not deploy redirects, schema publisher names, locale codes or PDF index directives until ownership, legal identity, content equivalence and indexation intent are confirmed. Test every example in staging and validate the final HTTP response, not only the application code.

1. One-hop host and HTTPS normalization (Nginx example)

```
# Replace example hosts only after ownership and migration mapping are approved.
server {
    listen 80;
    server_name noosha-aubel.info www.noosha-aubel.info;
    return 301 https://www.noosha-aubel.info$request_uri;
}

server {
    listen 443 ssl http2;
    server_name noosha-aubel.info;
    return 301 https://www.noosha-aubel.info$request_uri;
}

# Each controlled mirror should preserve the closest equivalent path.
server {
    listen 443 ssl http2;
    server_name www.nooshaaubel.info nooshaaubel.info;
    return 301 https://www.noosha-aubel.info$request_uri;
}
```

2. Canonical and reciprocal hreflang in the initial HTML

```
<link rel="canonical" href="https://www.noosha-aubel.info/en/contact/">
<link rel="alternate" hreflang="en" href="https://www.noosha-aubel.info/en/contact/">
<link rel="alternate" hreflang="de" href="https://www.noosha-aubel.info/de/kontakt/">
<link rel="alternate" hreflang="zh-Hant" href="https://www.noosha-aubel.info/zh-hant/contact/">
<link rel="alternate" hreflang="x-default" href="https://www.noosha-aubel.info/en/contact/">
```

3. Route-preserving locale switch (framework-neutral pseudocode)

```
function localeUrl(contentId, targetLocale) {
    const variant = contentRepository.findVariant(contentId, targetLocale);
    if (variant && variant.status === "published") return variant.canonicalUrl;
    return unavailableLocalePage({ contentId, targetLocale });
}

// Never silently fall back to the locale homepage.
languageLinks = publishedLocales.map(locale => ({
    locale,
    url: localeUrl(page.contentId, locale)
})));
```

4. robots.txt baseline

```
User-agent: *
Disallow:

Sitemap: https://www.noosha-aubel.info/sitemap-index.xml
```

Do not use robots.txt to remove already indexed URLs.
Keep CSS and JavaScript required for rendering crawlable.

5. Sitemap index and locale sitemap principles

```
<?xml version="1.0" encoding="UTF-8"?>
<sitemapindex xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <sitemap>
    <loc>https://www.noosha-aubel.info/sitemaps/en.xml</loc>
    <lastmod>2026-08-15</lastmod>
  </sitemap>
  <sitemap>
    <loc>https://www.noosha-aubel.info/sitemaps/de.xml</loc>
    <lastmod>2026-08-15</lastmod>
  </sitemap>
</sitemapindex>

# Child sitemaps must contain only canonical, indexable, 200-status URLs.
```

6. Noindex for internal search results

```
HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
X-Robots-Tag: noindex, follow

<meta name="robots" content="noindex,follow">
<link rel="canonical" href="https://www.noosha-aubel.info/en/search/">

# Keep search usable. Exclude query URLs from XML sitemaps.
```

7. Homepage metadata example

```
<title>Noosha Aubel – Multilingual Press Dossier and Source Archive</title>
<meta name="description" content="A multilingual dossier compiling published coverage, source documents,
editorial notes and updates concerning Noosha Aubel.">
<link rel="canonical" href="https://www.noosha-aubel.info/en/">
<meta property="og:type" content="website">
<meta property="og:title" content="Noosha Aubel – Multilingual Press Dossier">
<meta property="og:description" content="Published coverage, source documents and editorial updates in multiple
languages.">
<meta property="og:url" content="https://www.noosha-aubel.info/en/">
<meta property="og:image" content="https://www.noosha-aubel.info/media/social/noosha-aubel-
dossier-1200x630.jpg">
```

8. Responsive, first-party hero image

```
<picture>
  <source type="image/avif"
    srcset="/media/hero-640.avif 640w, /media/hero-960.avif 960w, /media/hero-1440.avif 1440w">
  <source type="image/webp"
    srcset="/media/hero-640.webp 640w, /media/hero-960.webp 960w, /media/hero-1440.webp 1440w">
  
</picture>
```

9. Organization and WebSite JSON-LD – use legally accurate values only

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Organization",
      "@id": "https://www.noosha-aubel.info/#publisher",
      "name": "[Legally accurate publisher name]",
      "url": "https://www.noosha-aubel.info/",
      "logo": {
        "@type": "ImageObject",
        "url": "https://www.noosha-aubel.info/media/logo.png"
      }
    },
    {
      "@type": "WebSite",
      "@id": "https://www.noosha-aubel.info/#website",
      "url": "https://www.noosha-aubel.info/",
      "name": "Noosha Aubel Press Dossier",
      "publisher": {"@id": "https://www.noosha-aubel.info/#publisher"},
      "inLanguage": ["en", "de", "zh-Hant"]
    }
  ]
}
</script>
```

10. CollectionPage and ItemList for external coverage records

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "CollectionPage",
  "@id": "https://www.noosha-aubel.info/en/coverage/#page",
  "url": "https://www.noosha-aubel.info/en/coverage/",
  "name": "Published coverage concerning Noosha Aubel",
  "mainEntity": {
    "@type": "ItemList",
    "itemListElement": [
      {
        "@type": "ListItem",
        "position": 1,
        "url": "https://www.noosha-aubel.info/en/coverage/example-record/",
        "name": "Coverage record: [source title]"
      }
    ]
  }
}
</script>
```

Do not represent an external publisher's article as first-party NewsArticle.

11. First-party Article schema – only for original editorial content

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Article",
  "headline": "[Visible, factual page headline]",
  "datePublished": "2026-08-15T09:00:00+02:00",
  "dateModified": "2026-08-15T09:00:00+02:00",
  "author": {"@type": "Person", "name": "[Named author]"},
  "publisher": {"@id": "https://www.noosha-aubel.info/#publisher"},
  "mainEntityOfPage": "https://www.noosha-aubel.info/en/articles/example/",
  "inLanguage": "en"
}
</script>
```

12. PDF indexation control and canonical landing link

```
# For a non-strategic source snapshot that should not rank:
HTTP/1.1 200 OK
Content-Type: application/pdf
X-Robots-Tag: noindex
Link: <https://www.noosha-aubel.info/en/documents/example/>; rel="canonical"

# For a strategic accessible report, omit noindex and link prominently
# from a complete HTML landing page with provenance and version metadata.
```

13. Localized 404 behavior

```
HTTP/1.1 404 Not Found
Content-Type: text/html; charset=utf-8
X-Robots-Tag: noindex

<h1>Page not found</h1>
<p>The requested page does not exist. Search the dossier or return to the English archive.</p>

# Never return 200 for missing content and do not redirect every error to /en.
```

14. Example CI quality gates

```
seo_quality_gate:
  steps:
    - crawl staging with JavaScript on and off
    - fail on non-primary indexable hosts
    - fail on missing or multiple canonical links
    - fail on hreflang non-reciprocity or redirect targets
    - fail on forbidden strings: "NewsHub", "Dhaka News Times", "Nosha Aubel"
    - fail on indexable internal-search URLs
    - validate HTML and JSON-LD
    - run axe accessibility smoke tests
    - compare approved locale screenshots
    - archive reports as build artifacts
```

SECTION 17

17. Source register, limitations and handoff checklist

The source register distinguishes site observations from normative technical guidance. All live observations should be revalidated immediately before implementation.

17.1 Site-specific observation sources

ID	Source	URL / method	Use in this audit
S01	English homepage	https://www.noosha-aubel.info/en	Rendered page review: positioning, modules, typo, external links, language inventory and footer.
S02	German homepage	https://www.noosha-aubel.info/de	Rendered page review: mixed English labels, story-count differences, archive and footer.
S03	English internal search example	https://www.noosha-aubel.info/en/search?q=noosha+aubel	Rendered query page showing duplicated card-style results.
S04	Chinese contact page	https://www.noosha-aubel.info/zh/contact	Localized route with mixed-language labels and route-switch behavior.
S05	Chinese editorial statement	https://www.noosha-aubel.info/zh/editorial-statement	Policy route with predominantly English text and legal-status wording.
S06	Search-engine result set	Google web search for site: noosha-aubel.info and exact brand/domain variants	Observed generic title/description, stale category pages, language snippets and mirror domains on 2026-08-15.
S07	German Wikipedia archive PDF	Document linked from the homepage archive	Two-page PDF visually inspected as a browser-style print snapshot.
S08	Host variants	https://noosha-aubel.info and https://www.noosha-aubel.info	Observed both apex and www entry points leading to locale paths; raw header matrix still required.

Access date for live and search observations: 15 August 2026. Search-result presentation can change by location, personalization, recrawl and query; use Search Console and repeatable incognito/location testing for implementation decisions.

17.2 Official technical references

ID	Reference	URL
G01	Google Search Central: Consolidate duplicate URLs	https://developers.google.com/search/docs/crawling-indexing/consolidate-duplicate-urls
G02	Google Search Central: Localized versions and hreflang	https://developers.google.com/search/docs/specialty/international/localized-versions
G03	Google Search Central: robots.txt introduction	https://developers.google.com/search/docs/crawling-indexing/robots/intro
G04	Google Search Central: Sitemaps overview	https://developers.google.com/search/docs/crawling-indexing/sitemaps/overview
G05	Google Search Central: Title links	https://developers.google.com/search/docs/appearance/title-link
G06	Google Search Central: Snippets	https://developers.google.com/search/docs/appearance/snippet
G07	Google Search Central: Structured data introduction	https://developers.google.com/search/docs/appearance/structured-data/intro-structured-data
G08	Google Search Central: Article structured data	https://developers.google.com/search/docs/appearance/structured-data/article

G09	Google Search Central: Breadcrumb structured data	https://developers.google.com/search/docs/appearance/structured-data/breadcrumb
G10	Google Search Central: Video structured data	https://developers.google.com/search/docs/appearance/structured-data/video
G11	Google Search Central: Organization structured data	https://developers.google.com/search/docs/appearance/structured-data/organization
G12	Google Search Central: Image SEO best practices	https://developers.google.com/search/docs/appearance/google-images
G13	Google Search Central: JavaScript SEO basics	https://developers.google.com/search/docs/crawling-indexing/javascript/javascript-seo-basics
G14	Google Search Central: Spam policies	https://developers.google.com/search/docs/essentials/spam-policies
G15	Google Search Central: Get started with Search Console	https://developers.google.com/search/docs/monitor-debug/search-console-start
G16	Google Search Central: Site moves with URL changes	https://developers.google.com/search/docs/crawling-indexing/site-move-with-url-changes
G17	Google Search Central: Redirects	https://developers.google.com/search/docs/crawling-indexing/301-redirects
G18	Google Search Central: 404 errors	https://developers.google.com/search/docs/crawling-indexing/http-network-errors
W01	web.dev: Web Vitals	https://web.dev/articles/vitals
W02	web.dev: Largest Contentful Paint	https://web.dev/articles/lcp
W03	web.dev: Interaction to Next Paint	https://web.dev/articles/inp
W04	web.dev: Cumulative Layout Shift	https://web.dev/articles/cls
A01	W3C: Web Content Accessibility Guidelines 2.2	https://www.w3.org/TR/WCAG22/
A02	W3C WAI: Evaluating Web Accessibility	https://www.w3.org/WAI/test-evaluate/
T01	W3C HTML Validator	https://validator.w3.org/
T02	Schema.org Validator	https://validator.schema.org/
T03	Google PageSpeed Insights	https://pagespeed.web.dev/

The official guidance above was current when the audit was prepared. Search features, documentation and thresholds can change; re-check the source documentation during implementation and before release.

17.3 Items requiring internal verification

- ☐ Raw HTML head for canonical, hreflang, robots, Open Graph, structured data and server-rendered content.
- ☐ HTTP status, redirect chain, cache, content type and security headers for all host, locale, legacy, query, asset and document families.
- ☐ robots.txt, sitemap index, child sitemaps, RSS/Atom and favicon behavior from direct requests and Search Console.
- ☐ Source repository, route handlers, locale fallback logic, CMS schema, database strings and build artifacts.
- ☐ Ownership and business purpose of every similar domain and every third-party image, logo, screenshot and PDF source.
- ☐ Search Console selected canonical, index coverage, links, manual actions, Core Web Vitals and security issues.
- ☐ Analytics, conversion goals, organic audience by locale and internal-search demand.
- ☐ Server logs for crawler behavior, errors, parameters and redirect misses.
- ☐ Repeatable performance tests and real-user metrics.
- ☐ Full WCAG 2.2 AA and PDF accessibility review with assistive technology.
- ☐ Qualified legal review of publisher identity, claims, rights, privacy, corrections and high-risk content.

17.4 Handoff package requested from the development team

- ☐ Repository and deployment architecture, including framework and rendering mode.
- ☐ DNS, CDN, reverse-proxy and certificate configuration for all controlled domains.
- ☐ Complete route list and redirect configuration.
- ☐ CMS/database export and content-type schema.
- ☐ Translation catalog, locale configuration and native-review records.
- ☐ Asset manifest with rights and source information.
- ☐ Current robots, sitemap, feed, manifest and structured-data generators.

- ☐ Analytics, consent and event specification.
- ☐ Search Console and Bing exports, plus server-log sample.
- ☐ Performance, accessibility, security and dependency reports.
- ☐ Editorial, correction, source, translation and legal-review policies.
- ☐ Named owners and approval chain for every workstream.

17.5 Final implementation definition of done

- ☐ One approved primary hostname carries all intended indexable content; controlled equivalents redirect correctly.
- ☐ No generic NewsHub/global-news metadata, legacy publisher string or protected-name typo remains.
- ☐ Locale switching preserves page identity; complete reciprocal hreflang is generated only for published equivalents.
- ☐ Search, arbitrary filters, drafts and non-strategic snapshots do not compete in the index.
- ☐ Strategic coverage and documents have substantial first-party landing pages with sources, dates, ownership and corrections.
- ☐ Images, PDFs and video are controlled, rights-reviewed, accessible and performance-optimized.
- ☐ Publisher, author, entity and structured-data relationships are accurate and consistent.
- ☐ Core templates meet agreed Core Web Vitals and WCAG 2.2 AA evidence thresholds.
- ☐ CI blocks critical SEO, localization, accessibility and template regressions.
- ☐ Search Console, logs, analytics and RUM demonstrate stable migration behavior for at least 90 days.

17.6 Report totals

Findings	60
Program, remediation and validation tasks	156
Audit date	15 August 2026
Document version	1.0

Closing statement

The strongest SEO improvement will come from making the site technically and editorially coherent: one domain, one truthful publisher identity, one stable content model, one reliable locale graph and substantial first-party pages supported by controlled sources. Keyword adjustments alone cannot repair contradictory infrastructure and trust signals.