```
import logging
import os
import time

from aiohttp import web
from aiogram import Bot,
Dispatcher
from aiogram.types import
BusinessConnection, Message
from
aiogram.webhook.aiohttp_server
import SimpleRequestHandler,
setup_application

logging.basicConfig(level=logging.
INFO)

BOT_TOKEN =
os.environ["BOT_TOKEN"]
BASE_URL =
os.environ["RENDER_EXTERNAL_URL"]
# Render o'zi beradi
SECRET =
os.environ["WEBHOOK_SECRET"]  #
```

```
o'zingiz o'ylab toping: harf va
raqam
PORT = int(os.environ.get("PORT",
10000))
WEBHOOK_PATH = "/webhook"

OWNER_NAME = "Zaynobiddin"
URGENT_WORDS = ["shoshilinch",
"срочно", "urgent", "tez",
"muhim"]
COOLDOWN = 6 * 3600  # bir odamga
6 soatda bir marta javob

INTRO = (
    f"Salom! Men {OWNER_NAME}ning
yordamchisiman 🤖\n"
    f"U hozir ishda, shuning uchun
o'zi javob bera olmayapti. "
    f"Bo'sh bo'lishi bilan o'zi
sizga yozadi.\n"
    f"Agar shoshilinch bo'lsa,
xabaringizga \"shoshilinch\" deb
yozing, "
    f"men unga yetkazaman."
)
URGENT_REPLY = f"Xabaringizni
{OWNER_NAME}ga yetkazdim. Imkon
```

```
bo'lishi bilan javob beradi."

bot = Bot(BOT_TOKEN)
dp = Dispatcher()

owners: dict[str, int] = {}
last_reply: dict[int, float] = {}


@dp.business_connection()
async def on_connection(conn:
BusinessConnection):
    owners[conn.id] = conn.user.id


async def get_owner_id(conn_id:
str) -> int:
    if conn_id not in owners:
        conn = await
bot.get_business_connection(conn_i
d)
        owners[conn_id] =
conn.user.id
    return owners[conn_id]


@dp.business_message()
```

```
async def on_message(message:
Message):
    if not message.from_user:
        return

    conn_id =
message.business_connection_id
    owner_id = await
get_owner_id(conn_id)
    if message.from_user.id ==
owner_id:
        return  # o'zingizning
xabaringizga javob bermaydi

    chat_id = message.chat.id
    text = (message.text or
message.caption or "").lower()
    urgent = any(w in text for w
in URGENT_WORDS)

    if urgent:
        name =
message.from_user.full_name
        await bot.send_message(
            owner_id, f"⚠️ {name}
shoshilinch
yozdi:\n\n{message.text or
```

```
message.caption}"
        )
        reply = URGENT_REPLY
    else:
        now = time.time()
        if now -
last_reply.get(chat_id, 0) <
COOLDOWN:
            return
        reply = INTRO

    last_reply[chat_id] =
time.time()
    await bot.send_message(
        chat_id=chat_id,
text=reply,
business_connection_id=conn_id
    )


async def on_startup(bot: Bot):
    await bot.set_webhook(
        f"{BASE_URL}
{WEBHOOK_PATH}",
        secret_token=SECRET,
        allowed_updates=
["message", "business_connection",
```

```
"business_message"],
    )


async def health(request):
    return web.Response(text="ok")


def main():

dp.startup.register(on_startup)
    app = web.Application()
    app.router.add_get("/",
health)

SimpleRequestHandler(dispatcher=dp
, bot=bot,
secret_token=SECRET).register(
        app, path=WEBHOOK_PATH
    )
    setup_application(app, dp,
bot=bot)
    web.run_app(app,
host="0.0.0.0", port=PORT)
```

```
if __name__ == "__main__":
    main()
```