STUDYMATCH · PROBLEM AND USERS

# Find the right study partner for a specific course

Undergraduates have no reliable way to connect around one university course. StudyMatch matches them by course, place and time.

### Student A · requester

Posts an open request: course, date and time, length, place.

### Student B · responder

Browses or swipes requests, filters by course, place and format, and accepts one.

### Exact course

Subject is chosen from a list.

### Place and format

Library, online, cafeteria and more.

### University e-mail

Only university domains can register.

### Secure contact

Telegram shown only after a match.

Speaker: Nabi Zhansaya

CORE PROTOTYPE · LIVE DEMO

# The core loop works end to end

### 1 · Register

University e-mail, confirmation link, faculty and year.

### 2 · Profile

Telegram username and subjects saved.

### 3 · Request

Student A posts a request. Status: open.

### 4 · Match

Student B accepts: “It’s a match!” with Telegram link. Student A gets a badge on Sessions.

**Requirement status**

Must: 5 of 8 done (R1, R2, R4, R7, R12). R9–R11 (uptime, speed, WCAG) are still being verified.

Speaker: Nabi Zhansaya

BACKEND · SECURITY

# Security is part of the product flow

### Password handling

Supabase Auth stores only hashed passwords; the site never sees them.

### Row Level Security

A student reads their own row or the contact of a direct partner.

### HTTPS everywhere

GitHub Pages and Supabase both use HTTPS.

### University domain check

Non-university e-mails are refused; a confirmation link is required.

Lockdown rules are applied. The test e-mail domain is removed and everything is retested before the final demo.

Speaker: Nabi Zhansaya

TEST RESULTS · 5 STUDENTS OUTSIDE THE TEAM

# The prototype meets its three Stage 1 criteria

| Criterion | Target | Result | Met? |
|---|---|---|---|
| Sign-up and profile | < 180 s | Mean 142 s; 4 of 5 under 180 s | Yes |
| Partner list visible | ≤ 7 s | Mean 2.02 s; 5 of 5 within 7 s | Yes |
| Ease of use | ≥ 4 of 5 rate 4–5 | 5 of 5 rated 4–5; mean 4.4 | Yes |

Technical test (Fast 4G, 3 runs): search request 448 ms, list visible 0.72 s, page load 2.45 s, above the 2 s target of R10.

## Usability problems found (fixes planned for Week 10)

### No subject search

2 of 5 users. Flexibility and efficiency of use.

### Students shown twice

2 of 5 users. Minimalist design.

### Two Save buttons

3 of 5 users. Error prevention.

Speaker: Myrzagaliyeva Aruzhan

PART C · PLATFORM INSIGHTS

# SQL reports answer three questions


### Q1 · Requests by subject and status

BUS230, CS201 and MATH101 have the most requests. GROUP BY subject and status.

### Q2 · Requests by location

Six venues, online included, with 15 requests each. GROUP BY location.

### Q3 · Peer responses (count)




Source: request_responses

Mostly generated data: 90 requests. It proves the method works, not real student behavior. The totals are shown in the profile as “StudyMatch Platform Insights”. Of 16 responses, 14 were declined.

Speaker: Sabyrova Aisha

NEXT CONCEPT · IOT CHECK-IN

# NFC or QR check-in confirms the meeting really happened

**1 · Device**
NFC tag or QR screen at the study table; QR changes every 60 s

→

**2 · Network**
Student's phone, campus Wi-Fi or mobile data, HTTPS

→

**3 · Cloud**
Edge Function checks login, accepted request, time window, token

→

**4 · Application**
Meeting card shows "Checked in"; admin sees totals

**Supabase: new table checkins, linked to study_requests and profiles**

Data per row: user, request, location, time, method (nfc or qr). About 100 bytes per row, 200 rows and 20 KB per day for 100 meetings.

Real example: Occuspace Wi-Fi/Bluetooth sensors show library crowding (University of Delaware, 2024; Lock, 2022).

Speaker: Myrzagaliyeva Aruzhan

PRIVACY · DATA GOVERNANCE

# Check-in adds presence data, so it stays limited

New personal data: who was at which study table and when. It is place-level, not GPS.

### Collect less

Saved only when a student taps or scans. No GPS, no background tracking.

### No remote check-in

NFC needs a touch. One check-in per student per meeting, accepted request only.

### Limit access

RLS: own and partner check-ins only. Admin sees totals. HTTPS.

### Keep 90 days

Then delete or turn into anonymous totals.

Same rules as Assignment 3: no phone or ID numbers, Telegram only after acceptance, students can view and delete their own data.

Speaker: Sabyrova Aisha

WEEK 10 · DELIVERY PLAN

# Plan to Week 10: owners and deadlines

| Item | Owner |
| --- | --- |
| Profile stats panel, local date-time format, success banners | Sabyrova Aisha |
| Subject search, one Save button, each student once in results | Myrzagaliyeva Aruzhan |
| Password reset and push notifications | Nabi Zhansaya |
| Remove test domain, lockdown, full retest with two accounts and test log | Nabi Zhansaya |
| Verify R9–R11 (uptime, speed, WCAG); final slides and rehearsal | All |

Known limits: demo users are synthetic and cannot accept requests. Free Supabase pauses after a week of inactivity. No push when the site is closed.

A working, measurable foundation; final security retest in Week 10.

Speaker: All team members