Crime

Nachiket Hinge

3/10/2022

This is a 2018 Dataset

Importing and Manipulating Dataset

```
## -- Attaching packages ------ 1.3.0 --
## v ggplot2 3.3.2
                             0.3.4
                   v purrr
## v tibble 3.1.6
                    v dplyr
                             1.0.8
## v tidyr
          1.1.2
                    v stringr 1.4.0
## v readr
          2.1.2
                   v forcats 0.5.0
## Warning: package 'readr' was built under R version 4.0.5
## Warning: package 'dplyr' was built under R version 4.0.5
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag() masks stats::lag()
## New names:
## * `` -> ...2
## * `` -> ...3
## * `` -> ...4
## * `` -> ...5
## * `` -> ...6
## * ...
## New names:
## * `` -> ...2
## * `` -> ...3
## * `` -> ...4
## * `` -> ...5
## * `` -> ...6
## * ...
```

Checking Dimensions

```
## [1] "Georgia: "
## [1] 254 12
## [1] "Illinois: "
## [1] 521 12
```

Let's get the variables we are most interested in:

Getting relevant Data for Georgia

```
## # A tibble: 94 x 2
##
     City
                    Crime.Rate
##
     <chr>
                         <dbl>
##
  1 Braselton3
                         0.572
## 2 Johns Creek
                         0.662
## 3 Milton
                         0.750
## 4 Holly Springs
                         1.02
## 5 Peachtree City
                         1.37
## 6 Grovetown
                         1.38
## 7 Kennesaw
                         1.39
## 8 Jefferson
                         1.43
## 9 Flowery Branch
                         1.47
## 10 Tyrone
                         1.47
## # ... with 84 more rows
```

Analyzing Georgia

which(new.georgia\$City == "Alpharetta")

```
## [1] 17
Alpharetta Ranks 17th in the list of least crimes out of 94 cities
which(new.georgia$City == "Atlanta")


## [1] 69
Atlanta does poorly in terms of crime.. It ranks 69th!!! - Not Nice
ga.cities <- c("Alpharetta", "Johns Creek", "Milton", "Duluth", "Decatur", "Savannah-Chatham Metropolit
filter(new.georgia, new.georgia$City %in% ga.cities)</pre>
```

```
## # A tibble: 10 x 2
##
     City
                                    Crime.Rate
##
                                         <dbl>
      <chr>
##
   1 Johns Creek
                                         0.662
## 2 Milton
                                         0.750
## 3 Kennesaw
                                         1.39
## 4 Roswell
                                         1.70
## 5 Alpharetta
                                         1.86
                                         1.86
## 6 Duluth
## 7 Sandy Springs
                                         1.97
## 8 Decatur
                                         2.52
## 9 Savannah-Chatham Metropolitan
                                         2.87
                                         5.42
## 10 Atlanta
```

Of the cities listed, Johns Creek is the safest followed by Milton Atlanta is the least safest city in the list with a crime rate of 5.4%

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
## Warning: Removed 2 rows containing missing values (geom_bar).
```

Typical Crime rate in Georgia



new.georgia[which.max(new.georgia\$Crime.Rate),]

East Point is the most dangerous city in Georgia

Getting relevant Data for Illinois

```
## # A tibble: 277 x 2
##
      City
                     Crime.Rate
##
      <chr>
                          <dbl>
                          0.159
   1 Campton Hills
                          0.217
##
    2 Sandwich
                          0.220
    3 Elburn
##
    4 Gilberts
                          0.279
##
    5 Justice
                          0.281
    6 Chester
                          0.353
##
##
    7 Manhattan
                          0.355
##
    8 Huntley
                          0.391
    9 Charleston
                          0.431
## 10 Winfield
                          0.440
## # ... with 267 more rows
which(new.illinois$City == "Chicago")
```


[1] 252

Chicago can be considered as a dangerous city as it ranks 252th out of 277 cities in safety

Analyzing Illinois

`stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
Warning: Removed 2 rows containing missing values (geom_bar).

Typical Crime rate in Illinois




new.illinois[which.max(new.illinois\$Crime.Rate),]

North Riverside is the most dangerous city in Illinois

Comparing Georgia and Illinois

[1] "Average Crime Rate in Georgia 4.08098848206807"
[1] "Average Crime Rate in Illinois 1.91165082865863"
[1] "Crime rate in Atlanta: 5.42323616323931"
[1] "Crime rate in Chicago: 4.18770417678165"

Crime Rate in Georgia vs Illinois



new.georgia\$Crime.Rate[new.georgia\$City == "Alpharetta"]

```
## [1] 1.858287
georgia$Population[georgia$City == "Alpharetta"]
```

```
## [1] 67051
```

```
alpharetta.of.illinois <- new.illinois$City[new.illinois$Crime.Rate > 1.8 & new.illinois$Crime.Rate < 1 alpharetta.of.illinois
```

```
## [1] "Johnsburg" "Berwyn" "Crete" "Peoria Heights"
## [5] "Manteno" "Park Forest" "Joliet" "Spring Valley"
```

illinois %>% filter(City %in% alpharetta.of.illinois & Population > 50000 & Population < 80000)

```
## # A tibble: 1 x 12
## City Population Violent.Crime Murder.And.NonN~ Rape Robbery Aggraveted.Assa~
## <chr> <dbl> <dbl> <chr> <chr> <chr> <chr> 55391 191 1 54 54 82
## # ... with 5 more variables: Property.Crime <dbl>, Burglary <chr>,
```

Larceny.Theft <chr>, Motor.Vehicle.Theft <chr>, Arson <chr>

Berwyn is the Alpharetta of Illinois

Other Stuff

```
il.cities <- c("Oak Brook", " South Barrington", "Lincolnwood", "Hoffman Estates", "Glendale Heights")
```

filter(new.illinois, new.illinois\$City %in% il.cities)

6.94

##	#	A tibble: 4 x 2	
##		City	Crime.Rate
##		<chr></chr>	<dbl></dbl>
##	1	Hoffman Estates	0.903
##	2	Glendale Heights	1.22
##	3	Lincolnwood	3.17

4 Oak Brook