

1				2				3				4				5																																																								
												<div>TECHNICAL CHARACTERISTICS</div> <div>MATERIAL</div> <div>INSULATOR: PA 66</div> <div>FLAMABILITY RATING: UL94-V0</div> <div>COLOR: GREY/WHITE</div> <div>WIRE GUARD: STAINLESS STEEL</div> <div>CONTACT: BRASS</div> <div>SOLDER TAIL PLATING: TIN</div> <div>ENVIRONMENTAL</div> <div>OPERATING TEMPERATURE: -40 UP TO 105°C</div> <div>COMPLIANCE: LEAD FREE AND ROHS</div> <div>ELECTRICAL</div> <div>CURRENT RATING: 16A</div> <div>WORKING VOLTAGE: 300VAC</div> <div>WITHSTANDING VOLTAGE: 1.3KV</div> <div>CONTACT RESISTANCE: 20 mOhm max</div> <div>STANDARD</div> <div> CERTIFIED E315414 / MODEL NUMBER 4147 B</div> <div>MECHANICAL</div> <div>SOLID WIRE: 28-14 AWG / 0.08-3.3MM²</div> <div>STRANDED WIRE: 28-14 AWG / 0.08-3.3MM²</div> <div>WIRE STRIPE LENGTH: 6-7MM</div> <div>PITCH: 5.00MM</div> <div>SOLDERING: WAVE PROCESS ONLY</div> <div>PACKAGING: BOX</div> <div>SERIE 4147 B</div>																																																												
				<table><tr><th colspan="4">Pitch : 5.00mm</th></tr><tr><th>Poles</th><th>A(mm)</th><th>Poles</th><th>A(mm)</th></tr><tr><td>2</td><td>11.00</td><td>15</td><td>76.00</td></tr><tr><td>3</td><td>16.00</td><td>16</td><td>81.00</td></tr><tr><td>4</td><td>21.00</td><td>17</td><td>86.00</td></tr><tr><td>5</td><td>26.00</td><td>18</td><td>91.00</td></tr><tr><td>6</td><td>31.00</td><td>19</td><td>96.00</td></tr><tr><td>7</td><td>36.00</td><td>20</td><td>101.00</td></tr><tr><td>8</td><td>41.00</td><td>21</td><td>106.00</td></tr><tr><td>9</td><td>46.00</td><td>22</td><td>111.00</td></tr><tr><td>10</td><td>51.00</td><td>23</td><td>116.00</td></tr><tr><td>11</td><td>56.00</td><td>24</td><td>121.00</td></tr><tr><td>12</td><td>61.00</td><td>25</td><td>126.00</td></tr><tr><td>13</td><td>66.00</td><td></td><td></td></tr><tr><td>14</td><td>71.00</td><td></td><td></td></tr></table>				Pitch : 5.00mm				Poles	A(mm)	Poles	A(mm)	2	11.00	15	76.00	3	16.00	16	81.00	4	21.00	17	86.00	5	26.00	18	91.00	6	31.00	19	96.00	7	36.00	20	101.00	8	41.00	21	106.00	9	46.00	22	111.00	10	51.00	23	116.00	11	56.00	24	121.00	12	61.00	25	126.00	13	66.00			14	71.00			RECOMMENDED PCB LAYOUT - COMPONENT VIEW				
Pitch : 5.00mm																																																																								
Poles	A(mm)	Poles	A(mm)																																																																					
2	11.00	15	76.00																																																																					
3	16.00	16	81.00																																																																					
4	21.00	17	86.00																																																																					
5	26.00	18	91.00																																																																					
6	31.00	19	96.00																																																																					
7	36.00	20	101.00																																																																					
8	41.00	21	106.00																																																																					
9	46.00	22	111.00																																																																					
10	51.00	23	116.00																																																																					
11	56.00	24	121.00																																																																					
12	61.00	25	126.00																																																																					
13	66.00																																																																							
14	71.00																																																																							
<table><tr><th colspan="4">RoHS Compliant</th></tr><tr><td>G</td><td></td><td></td><td></td></tr><tr><td>F</td><td></td><td></td><td></td></tr><tr><td>E</td><td></td><td></td><td></td></tr><tr><td>D</td><td></td><td></td><td></td></tr><tr><td>C</td><td></td><td></td><td></td></tr><tr><td>B</td><td>29-JUL-13</td><td>DWG REVIEW</td><td>QL</td></tr><tr><td>A</td><td>02-JUL-12</td><td>PDF</td><td>GG</td></tr><tr><td>REV</td><td>DATE</td><td>FILE</td><td>BY</td></tr></table>				RoHS Compliant				G				F				E				D				C				B	29-JUL-13	DWG REVIEW	QL	A	02-JUL-12	PDF	GG	REV	DATE	FILE	BY	<table><tr><td>PROJECTION:</td><td>GENERAL TOLERANCE</td><td rowspan="4"> WÜRTH ELEKTRONIK</td><td rowspan="4">DESCRIPTION: SERIE 4147 - 5.00MM SCREWLESS 45° ENTRY 3.3MM² WIRES WR-TBL</td><td rowspan="4">SIZE</td></tr><tr><td></td><td>.X = <math>\pm</math> 0.2</td></tr><tr><td></td><td>.XX = <math>\pm</math> 0.15</td></tr><tr><td></td><td></td></tr><tr><td>APPROVAL: RJ</td><td>UNIT: MM</td><td colspan="2">WERI PART NO: 691 414 720 0xx B</td><td rowspan="3">A4</td></tr><tr><td></td><td>SCALE:</td><td colspan="2"></td></tr><tr><td></td><td>SHEET: 1/1</td><td colspan="2"></td></tr><tr><td></td><td>DRAW: MARVIN</td><td colspan="2"></td><td></td></tr></table>				PROJECTION:	GENERAL TOLERANCE	 WÜRTH ELEKTRONIK	DESCRIPTION: SERIE 4147 - 5.00MM SCREWLESS 45° ENTRY 3.3MM² WIRES WR-TBL	SIZE		.X = $\pm$ 0.2		.XX = $\pm$ 0.15			APPROVAL: RJ	UNIT: MM	WERI PART NO: 691 414 720 0xx B		A4		SCALE:				SHEET: 1/1				DRAW: MARVIN			
RoHS Compliant																																																																								
G																																																																								
F																																																																								
E																																																																								
D																																																																								
C																																																																								
B	29-JUL-13	DWG REVIEW	QL																																																																					
A	02-JUL-12	PDF	GG																																																																					
REV	DATE	FILE	BY																																																																					
PROJECTION:	GENERAL TOLERANCE	 WÜRTH ELEKTRONIK	DESCRIPTION: SERIE 4147 - 5.00MM SCREWLESS 45° ENTRY 3.3MM² WIRES WR-TBL	SIZE																																																																				
	.X = $\pm$ 0.2																																																																							
	.XX = $\pm$ 0.15																																																																							
APPROVAL: RJ	UNIT: MM	WERI PART NO: 691 414 720 0xx B		A4																																																																				
	SCALE:																																																																							
	SHEET: 1/1																																																																							
	DRAW: MARVIN																																																																							