

[All Domains](#) > [C++](#) > [Strings](#) > Strings

Points: 50.00 Rank: 12398

Strings

by [abhiranjan](#)[Problem](#)[Subm](#)

Loading...

[Leaderboard](#)[Discussions](#)People who solved **Strings** attempted this next

StringStream

Learn how to use stringstream.

Submitted a few seconds ago • Score: 10.00

Status: **Accepted**

Test Case #0: 0s

Test Case #1: 0s

Test Case #2: 0s

Test Case #3: 0s

Test Case #4: 0s

Test Case #5: 0s

Submitted Code

Language: C++

[Open in editor](#)

```
1 #include <cmath>
2 #include <cstdio>
3 #include <vector>
4 #include <iostream>
5 #include <algorithm>
6
7 using namespace std;
8
9 // #include <conio.h>
10
11 int main() {
12     /* Enter your code here. Read input from STDIN. Print output to STDOUT */
13
14     std::string a;
15     std::string b;
16
17     cin >> a;
18     cin >> b;
19
20     // cout << a << b ;
21     printf("%d %d\n", a.size(), b.size());
22
23     cout << a + b << endl;
24
25     cout << b[0] + a.substr(1, a.size()) << " " << a[0] + b.substr(1, b.size());
26
27     // getch();
28
29     return 0;
30 }
31
```

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.

[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Privacy Policy](#) | [Request a Feature](#)