







Rank









**<** Basic Programming Challenges

# Climbing the Leaderboard



Problem

Submissions

Leaderboard

Discussions

Editorial

Alice is playing an arcade game and wants to climb to the top of the leaderboard. Can you help her track her ranking as she beats each level? The game uses Dense Ranking, so its leaderboard works like this:

- The player with the highest score is ranked number 1 on the leaderboard.
- Players who have equal scores receive the same ranking number, and the next player(s) receive the immediately following ranking number.

For example, four players have the scores 100, 90, 90, and 80. Those players will have ranks 1, 2, 2, and 3, respectively.

When Alice starts playing, there are already n people on the leaderboard. The score of each player i is denoted by  $s_i$ . Alice plays for m levels, and we denote her total score after passing each level j as  $alice_i$ . After completing each level, Alice wants to know her current rank.

You are given an array, **scores**, of decreasing leaderboard scores, and another array, **alice**, of Alice's cumulative scores for each level of the game. You must print **m** integers. The **j**<sup>th</sup> integer should indicate the current rank of alice after passing the **j**<sup>th</sup> level.

#### **Input Format**

The first line contains an integer, n, denoting the number of players already on the leaderboard.

The next line contains n space-separated integers describing the respective values of  $scores_0, scores_1, \ldots, scores_{n-1}$ .

The next line contains an integer, m, denoting the number of levels Alice beats.

The last line contains m space-separated integers describing the respective values of  $alice_0, alice_1, \ldots, alice_{m-1}$ .

#### **Constraints**

- $1 \le n \le 2 \times 10^5$
- $1 \le m \le 2 \times 10^5$
- $0 \leq scores_i \leq 10^9$  for  $0 \leq i < n$
- $0 \le alice_j \le 10^9$  for  $0 \le j < m$
- The existing leaderboard, *scores*, is in *descending* order.
- Alice's scores are cumulative, so *alice* is in *ascending* order.

#### Subtask

For **60%** of the maximum score:

- $1 \le n \le 200$
- $1 \le m \le 200$

#### **Output Format**

Print m integers. The  $j^{th}$  integer should indicate the rank of alice after passing the  $j^{th}$  level.

#### Sample Input 0

```
7
100 100 50 40 40 20 10
4
5 25 50 120
```

## Sample Output 0

6 4 2

### **Explanation 0**

Alice starts playing with 7 players already on the leaderboard, which looks like this:

Rank	Name	Score
1	Emma	100
1	David	100
2	Caroline	50
3	Ritika	40
3	Tom	40
4	Heraldo	20
5	Riley	10

After Alice finishes level **0**, her score is **5** and her ranking is **6**:

Rank	Name	Score
1	Emma	100
1	David	100
2	Caroline	50
3	Ritika	40
3	Tom	40
4	Heraldo	20
5	Riley	10
6	Alice	5

After Alice finishes level 1, her score is 25 and her ranking is 4:


Rank	Name	Score
1	Emma	100
1	David	100
2	Caroline	50
3	Ritika	40
3	Tom	40
4	Alice	25
5	Heraldo	20
6	Riley	10

After Alice finishes level 2, her score is 50 and her ranking is tied with Caroline at 2:

Rank	Name	Score
1	Emma	100
1	David	100
2	Caroline	50
2	Alice	50
3	Ritika	40
3	Tom	40
4	Heraldo	20
5	Riley	10

After Alice finishes level 3, her score is 120 and her ranking is 1:

Rank	Name	Score
1	Alice	120
2	Emma	100
2	David	100
3	Caroline	50
4	Ritika	40
4	Tom	40
5	Heraldo	20
6	Riley	10



```
Current Buffer (saved locally, editable) & 49
                                                                                         C#
 1 using System;
   using System.Collections.Generic;
   using System.Linq;
 4 using System.Text;
 5
   using System.Threading.Tasks;
 6
 7
   namespace Climbing_the_Leaderboard
8 ▼ {
 9
        class Program
10 ▼
            static void Main(string[] args)
11
12 ▼
13
                Convert.ToInt32(Console.ReadLine());
                int[] scores = Console.ReadLine().Split(' ').Select(x => Convert.ToInt32(x)).Distinct().ToArray();
14
15
                int alice_score_count = Convert.ToInt32(Console.ReadLine());
16
                int[] alice_scores = Console.ReadLine().Split(' ').Select(y => Convert.ToInt32(y)).ToArray();
17
18
                int last_rank_idx = scores.Length;
19
                for (int i = 0; i < alice_score_count; i++)</pre>
20
21 ▼
                    last_rank_idx = GetScorePlacement(scores, last_rank_idx, alice_scores[i]);
22
23
                    Console.WriteLine(last_rank_idx + 1);
24
25
26
            private static int GetScorePlacement(int[] scores, int start, int val)
```

```
28 ▼
            {
29
                 while (start != 0 && scores[start - 1] <= val)
30
31 ▼
                     start--;
32
33
34
35
                 return start;
36
            }
37
        }
38
    }
39
40
                                                                                                                      Line: 39 Col: 1
                       Test against custom input
                                                                                                          Run Code
```

**1** Upload Code as File

Submit Code

# Congrats, you solved this challenge! ✓ Test Case #0 Test Case #1 ✓ Test Case #2 ✓ Test Case #3 Test Case #4 ✓ Test Case #5 Test Case #6 Test Case #7 ✓ Test Case #8 ✓ Test Case #9 Test Case #10 Next Challenge

Copyright © 2017 HackerRank. All Rights Reserved

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature