

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Fluxia - Gestión de Provisiones</title>
  <link href="https://fonts.googleapis.com/css2?family=IBM+Plex+Sans:wght@400;500;600;700&family=IBM+Plex+Mono:wght@400;600&display=swap" rel="stylesheet">
  <style>
    :root {
      --bg-app: #f1f5f9;
      --card-bg: #ffffff;
      --text-main: #0f172a;
      --text-muted: #64748b;
      --primary: #0d9488;
      --primary-hover: #0f766e;
      --yellow-bg: #fef3c7;
      --yellow-border: #fde68a;
      --yellow-text: #92400e;
      --border-color: #e2e8f0;
    }

    * {
      box-sizing: border-box;
      margin: 0;
      padding: 0;
      font-family: 'IBM Plex Sans', sans-serif;
    }

    body {
      background-color: var(--bg-app);
      color: var(--text-main);
      padding: 16px;
      display: flex;
      justify-content: center;
    }

    .mobile-container {
      width: 100%;
      max-width: 420px;
```

```
background: var(--bg-app);
display: flex;
flex-direction: column;
gap: 16px;
}

.btn-registrar {
width: 100%;
background-color: var(--primary);
color: white;
border: none;
padding: 14px;
border-radius: 12px;
font-size: 16px;
font-weight: 600;
cursor: pointer;
box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.1);
}

.btn-registrar:hover {
background-color: var(--primary-hover);
}

.summary-banner {
background: var(--card-bg);
padding: 12px 16px;
border-radius: 12px;
display: flex;
justify-content: space-between;
align-items: center;
font-size: 14px;
font-weight: 500;
box-shadow: 0 1px 3px rgba(0,0,0,0.05);
}

.summary-amount {
font-family: 'IBM Plex Mono', monospace;
font-weight: 600;
}

.pending-container {
```

```
display: flex;
flex-direction: column;
gap: 10px;
}

.yellow-card {
  background-color: var(--yellow-bg);
  border: 1px solid var(--yellow-border);
  border-radius: 12px;
  padding: 14px 16px;
  display: flex;
  flex-direction: column;
  gap: 10px;
  box-shadow: 0 2px 4px rgba(0,0,0,0.02);
}

.yellow-card-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  font-weight: 700;
  font-size: 15px;
  color: var(--yellow-text);
}

.yellow-card-amount {
  font-family: 'IBM Plex Mono', monospace;
  font-size: 16px;
}

.yellow-card-desc {
  font-size: 13px;
  color: #78350f;
}

.yellow-card-actions {
  display: flex;
  gap: 8px;
  justify-content: flex-end;
}
```

```
.card-btn {
  padding: 6px 14px;
  border-radius: 6px;
  font-size: 12px;
  font-weight: 600;
  border: none;
  cursor: pointer;
}

.btn-reponer-action {
  background-color: var(--primary);
  color: white;
}

.btn-yno-action {
  background-color: #475569;
  color: white;
}

.section-title {
  font-size: 12px;
  font-weight: 700;
  color: var(--text-muted);
  letter-spacing: 0.5px;
  margin-top: 12px;
  margin-bottom: 4px;
  text-transform: uppercase;
}

.history-list {
  display: flex;
  flex-direction: column;
  gap: 8px;
}

.history-item {
  background: var(--card-bg);
  padding: 12px 16px;
  border-radius: 10px;
  display: flex;
  justify-content: space-between;
```

```

        align-items: center;
        border: 1px solid var(--border-color);
    }

.history-info {
    display: flex;
    flex-direction: column;
    gap: 2px;
}

.history-title {
    font-size: 14px;
    font-weight: 600;
}

.history-date {
    font-size: 12px;
    color: var(--text-muted);
}

.history-amount {
    font-family: 'IBM Plex Mono', monospace;
    font-weight: 600;
    color: #ef4444;
}
</style>
</head>
<body>

<div class="mobile-container">
    <button class="btn-registrar">Registrar uso</button>

    <div class="summary-banner">
        <span>⌚ Pendiente de reponer a tus provisiones</span>
        <span class="summary-amount" id="total-pending">0,00 €</span>
    </div>

    <div class="pending-container" id="pending-cards-container"></div>

    <div class="section-title">Usos registrados · Septiembre</div>
    <div class="history-list" id="history-list-container"></div>

```

</div>

<script>

```
let usosData = [
  { id: 1, tipo: "RESCATE", concepto: "Tributos (IBI, Basura, Vehículo)", fecha:
"2026-09-10", importe: 390.48, pendienteReponer: 390.48 },
  { id: 2, tipo: "RESCATE", concepto: "Boda Ana", fecha: "2026-09-17", importe: 100.00,
pendienteReponer: 100.00 },
  { id: 3, tipo: "RESCATE", concepto: "Seguro de coche", fecha: "2026-09-20", importe:
45.00, pendienteReponer: 45.00 },
  { id: 4, tipo: "Retiro temporal", concepto: "Mantenimiento césped", fecha: "2026-09-20",
importe: 35.00, pendienteReponer: 35.00 }
];

function renderApp() {
  const pendingContainer = document.getElementById('pending-cards-container');
  const historyContainer = document.getElementById('history-list-container');
  const totalPendingElement = document.getElementById('total-pending');

  pendingContainer.innerHTML = '';
  historyContainer.innerHTML = '';

  let totalPendingSum = 0;

  usosData.forEach(item => {
    if (item.pendienteReponer > 0) {
      totalPendingSum += item.pendienteReponer;

      const card = document.createElement('div');
      card.className = 'yellow-card';
      card.innerHTML = `
        <div class="yellow-card-header">
          <span>🔄 ${item.tipo.toUpperCase()}</span>
          <span class="yellow-card-amount">$
${item.pendienteReponer.toFixed(2).replace('.', ',')} €</span>
        </div>
        <div class="yellow-card-desc">De «${item.concepto}» · sin fecha prevista</div>
        <div class="yellow-card-actions">
          <button class="card-btn btn-reponer-action" onclick="reponerItem($
${item.id})">Reponer</button>
          <button class="card-btn btn-yno-action" onclick="marcarYaNo(${item.id})">Ya
```

```

no</button>
    </div>
    `;
    pendingContainer.appendChild(card);
  } else {
    const historyItem = document.createElement('div');
    historyItem.className = 'history-item';
    historyItem.innerHTML = `
      <div class="history-info">
        <span class="history-title">${item.concepto} · ${item.tipo}</span>
        <span class="history-date">${item.fecha} · Repuesto completamente</span>
      </div>
      <span class="history-amount">-${item.importe.toFixed(2).replace('.', ',')} €</
span>
    `;
    historyContainer.appendChild(historyItem);
  }
});

totalPendingElement.textContent = totalPendingSum.toFixed(2).replace('.', ',') + ' €';
}

function reponerItem(id) {
  const item = usosData.find(u => u.id === id);
  if (item) {
    item.pendienteReponer = 0;
    renderApp();
  }
}

function marcarYaNo(id) {
  usosData = usosData.filter(u => u.id !== id);
  renderApp();
}

document.addEventListener('DOMContentLoaded', renderApp);
</script>
</body>
</html>

```