



# Gotex Doc

---

J&T Apis

## Contents:

<b>J&amp;T Apis .....</b>	<b>3</b>
<b>1.1 Create Order .....</b>	<b>3</b>
<b>1.2 Print Sticker .....</b>	<b>6</b>
<b>1.3 Get All User Orders.....</b>	<b>7</b>
<b>1.4 Cancel Order .....</b>	<b>9</b>

# J&T Apis

## 1.1 Create Order

- **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/jt/create-user-order>
- **Method:** POST

- **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

- **Body**

Field	Type	Mandatory /Optional	Introduction
userId	String	Mandatory	
Apikey	String	Mandatory	
re_address	String	Mandatory	
re_city	String	Mandatory	
re_mobile	String	Mandatory	
re_name	String	Mandatory	
re_prov	String	Mandatory	Province
s_address	String	Mandatory	
s_city	String	Mandatory	
s_mobile	String	Mandatory	
s_name	String	Mandatory	
s_prov	String	Mandatory	
Description	String	Mandatory	
Weight	String	Mandatory	weight of package in KG
goodsType	String	Mandatory	Item type (Match to the Item type on the waybill): ITN1 Clothes ITN2 Document ITN3 Food ITN4 others ITN5 Digital product ITN6 Daily necessities ITN7 Fragile Items
Items	Array of Objects	Optional	Product information list. Look at the

			next table
Cod	Boolean	Mandatory	True means cod (cash on delivery) payment method.
shipmentValue	Number	Mandatory	Price of products (added in cod only) by default = 0
<p>Order price = shipment price + kgprice if weight &gt; 15kg</p> <p>In case of cod payment method, the <b>shipmentValue</b> added to the total order price <b>in the bill</b>.</p> <p><b>Note:</b> shipment price and kgprice is specified by our administration.</p>			

- **Items**

Number	Number	Mandatory	Item code number
itemType	String	Optional	
itemName	string	Optional	
priceCurrency	string	Optional	
itemValue	strings	Optional	
itemUrl	string	Optional	
Desc	string	Optional	

- **Response Example**

**Response on success :**

```
{
  "data": {
    "user": "64fefed86d3f876edc2f42a0",
    "company": "jt",
    "ordernumber": 3,
    "data": {
      "code": "1",
      "msg": "success",
      "data": {
        "txlogisticId": "1695119354337Gotex",
        "billCode": "UTE010007144468",
        "subCodes": [],
        "sortingCode": "--",
        "createOrderTime": "2023-09-19 23:33:06"
      }
    },
    "paytype": "cc",
    "status": "pending",
    "price": 23,
    "createdate": "Tue Sep 19 2023 23:33:06 GMT+0300 (Eastern European Summer Time)",
    "_id": "650a05822221fc307fb5fbf2",
    "__v": 0
  }
}
```

**Response on error look like this :**

```
{
  "err": "userId not valid"
}
```

## 1.2 Print Sticker

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/jt/print-sticker/:id>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

▪ **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	

▪ **Parameters**

Field	Type	Mandatory /Optional	Introduction
Id	string	Mandatory	orderId

▪ **Response Example**

**Response on success :**

```
{
  "msg": "ok",
  "data": "/jtAwb/65620285322ee6a855b2af02.pdf"
}
```

**Response on error look like this :**

```
{
  "err": "userId not valid"
}
```

### 1.3 Get All User Orders

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/jt/get-user-orders>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

▪ **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	

▪ **Response Example**

**Response on success :**

```
{
  "data": [
    {
      "status": "pending",
      "_id": "6509e6531605ab2a1409de5f",
      "user": "64fefed86d3f876edc2f42a0",
      "company": "jt",
      "ordernumber": 2,
      "data": {
        "code": "1",
        "msg": "success",
        "data": {
          "txlogisticId": "1695119354337Gotex",
          "billCode": "UTE010006042014",
          "subCodes": [],
          "sortingCode": "--",
          "createOrderTime": "2023-09-19 21:20:04"
        }
      },
      "paytype": "cc",
      "price": 22,
      "createdate": "Tue Sep 19 2023 21:20:03 GMT+0300 (Eastern European Summer Time)",
      "__v": 0
    }
  ]
}
```

**Response on error look like this :**

```
{
  "err": "userId not valid"
}
```



## 1.4 Cancel Order

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/jt/cancel-order>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

▪ **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	
orderId	string	Mandatory	

▪ **Response Example**

**Response on success :**

```
{
  "data": {
    "code": "1",
    "msg": "success",
    "data": {
      "txlogisticId": "1695119354337Gotex",
      "billCode": "UTE010006602811"
    }
  }
}
```

**Response on error look like this :**

```
{
  "err": "userId not valid"
}
```