

Gotex Doc

Smsa Apis

Contents:

Smsa A	Smsa Apis3			
1.1	Create Order	3		
1.2	Print Sticker	5		
1 3	Get All User Orders	6		

Smsa Apis

1.1 Create Order

• Test URL: https://dashboard.go-tex.net/gotex-co-test/smsa/create-user-order

Method: POST

Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

Body

Field	Туре	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	
c_name	string	Mandatory	
c_ContactPhoneNumber	string	Mandatory	
c_District	string	Mandatory	
c_City	string	Mandatory	
c_AddressLine1	string	Mandatory	
p_name	string	Mandatory	
p_ContactPhoneNumber	string	Mandatory	
p_District	string	Mandatory	
p_City	string	Mandatory	
p_AddressLine1	string	Mandatory	
pieces	Int	Mandatory	
weight	Float	Mandatory	weight of package in KG
description	string	Mandatory	
Value	Float	Mandatory	
Cod	Boolean	Mandatory	True means cod (cash on delivery) payment method.
shipmentValue	Number	Mandatory	shipment price by default = 0

The total order price (credit card) = shipmentValue + kgprice if weight > 15kg In case that is a cod payment method, the **cod price** added to the total order price. **Note:** kgprice and cod price is specified by our administration.

Response Example

```
Response on success:
  "msg": "order created",
  "data": {
    "user": "64fefed86d3f876edc2f42a0",
    "company": "smsa",
    "ordernumber": 3,
    "data": {
      "sawb": "290845068470",
      "createDate": "2023-09-21T00:00:00",
      "shipmentParcelsCount": 1,
      "waybills": [
        {
          "awb": "290845068470",
          "awbFile": String
        }
      ]
    },
    "paytype": "cc",
    "createdate": "Fri Sep 22 2023 00:51:31 GMT+0300 (Eastern European Summer Time)",
    "status": "pending",
    "_id": "650cbae398df06df7bd47290",
    " v": 0
  }
}
Response on error look like this:
  "err": "userId not valid"
}
```

1.2 Print Sticker

■ **Test URL**: https://dashboard.go-tex.net/gotex-co-test/smsa/print-sticker/:id

■ Method: POST

Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

Body

Field	Туре	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	

Parameters

Field	Туре	Mandatory /Optional	Introduction
Id	string	Mandatory	orderld

Response Example

```
Response on success:

{
    "msg": "ok",
    "data": [
        "/smsaAwb/3-p1.pdf"
    ]
}Response on error look like this:
{
    "err": "userId not valid"
}
```

1.3 Get All User Orders

■ **Test URL**: https://dashboard.go-tex.net/gotex-co-test/smsa/get-user-orders

■ Method: POST

Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

Body

Field	Туре	Mandatory /Optional	Introduction
userId	string	Mandatory	
apikey	string	Mandatory	

Response Example

```
Response on success in JSON:
{
  "data": [
    {
  "_id": "650cb9d47653ca0b2776afbc",
  "user": "64fefed86d3f876edc2f42a0",
  "company": "smsa",
  "ordernumber": 1,
  "data": {
    "sawb": "290845068398",
    "createDate": "2023-09-21T00:00:00",
    "shipmentParcelsCount": 1,
    "waybills": [
        "awb": "290845068398",
        "awbFile": String
      }
    ]
  },
  "paytype": "cc",
  "status": "pending",
  "createdate": "Fri Sep 22 2023 00:47:00 GMT+0300 (Eastern European Summer Time)",
  "status": "pending",
  "__v": 0
}
]
Response on error look like this:
  "err": "userId not valid"
}
```