



Gotex Doc

Aramex Apis

Contents:

Aramex Apis	3
1.1 Create Order	3
1.2 Print Sticker	7
1.3 Get All Cities	8
1.4 Get All User Orders.....	9

Aramex Apis

1.1 Create Order

- **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/aramex/create-user-order>
- **Method:** POST

- **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

- **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	
c_name	string	Mandatory	
c_company	string	Mandatory	
c_email	string	Mandatory	
c_phone	string	Mandatory	
c_line1	string	Mandatory	
c_city	Sting	Mandatory	
c_CellPhone	string	Mandatory	
c_StateOrProvinceCode	string	Mandatory	
p_name	string	Mandatory	
p_company	Sting	Mandatory	
p_email	string	Mandatory	
p_phone	string	Mandatory	
p_line1	strings	Mandatory	
p_city	Array of Objects	Mandatory	
p_CellPhone	Boolean	Mandatory	
p_StateOrProvinceCode		Mandatory	

p_postCode		Mandatory	
Weight		Mandatory	weight of package in KG
Pieces		Mandatory	
Desc		Mandatory	
Cod	Boolean	Mandatory	True means cod (cash on delivery) payment method.
shipmentValue	Number	Mandatory	Price of products (added in cod only) by default = 0
<p>Order price = shipment price + kgprice if weight > 15kg</p> <p>In case of cod payment method, the shipmentValue added to the total order price in the bill.</p> <p>Note: shipment price and kgprice is specified by our administration.</p>			

- **Response Example**

Response on success :

```
{
  "msg": "order created successfully",
  "data": {
    "user": "64fefed86d3f876edc2f42a0",
    "company": "aramex",
    "ordernumber": 2,
    "data": {
      "Transaction": null,
      "Notifications": [],
      "HasErrors": false,
      "Shipments": [
        {
          "ID": "49248741662",
          "Reference1": "Shipment Reference",
          "Reference2": null,
          "Reference3": null,
          "ForeignHAWB": null,
          "HasErrors": false,
          "Notifications": [],
          "ShipmentLabel": {
            "LabelURL":
"https://ws.aramex.net/ShippingAPI.V2/rpt_cache/504aede46b4d466cb9dad3f94453e757.pdf",
            "LabelFileContents": []
          },
          "ShipmentDetails": {
            "Origin": "JED",
            "Destination": "DHA",
            "ChargeableWeight": {
              "Unit": "KG",
              "Value": 3
            },
            "DescriptionOfGoods": "test desc",
            "GoodsOriginCountry": "SA",
            "NumberOfPieces": 1,
            "ProductGroup": "DOM",
```

```

"PaymentType": "3",
    "PaymentOptions": "",
    "CustomsValueAmount": {
        "CurrencyCode": "SAR",
        "Value": 0
    },
    "InsuranceAmount": {
        "CurrencyCode": "SAR",
        "Value": 0
    },
    "Services": "",
    "OriginCity": "Makkah",
    "DestinationCity": "Dammam"
},
"ShipmentAttachments": []
}
]
},
"paytype": "cc",
"price": 22,
"createdate": "Sun Sep 24 2023 15:53:26 GMT+0300 (Eastern European Summer Time)",
"status": "pending",
"_id": "65103146cfb0566acccc2036",
"__v": 0
}
}

```

Response on error look like this :

```

{
  "err": "userId not valid"
}

```

1.2 Print Sticker

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/aramex/print-sticker/:id>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

▪ **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
apikey	string	Mandatory	

▪ **Parameters**

Field	Type	Mandatory /Optional	Introduction
Id	string	Mandatory	orderId

▪ **Response Example**

Response on success :

The image shows a sample Aramex shipping label. It includes the Aramex logo, a barcode with the number 49248741662, and various shipping details. The origin is JED and the destination is DHA. The date is Sep 24, 2023. The weight is 3 KG and the charges are 3 KG. The service is 71483910 and the customer is 0 SAR. The label also shows a D2 logo, a COD of 0 SAR, and a company name 'company abc'. The test shipper address is Line1234 and the test shipper address is Line123. The destination address is Line1234 and the destination address is Line123. The label also shows a company name 'company abc' and a test shipper address 'test1'. The label also shows a company name 'company abc' and a test shipper address 'test1'. The label also shows a company name 'company abc' and a test shipper address 'test1'.

Response on error look like this :

```
{
  "err": "userId not valid"
}
```

1.3 Get All Cities

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/aramex/get-cities>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

▪ **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	

▪ **Response Example**

Response on success :

```
{
  "data": {
    "Transaction": {
      "Reference1": "",
      "Reference2": "",
      "Reference3": "",
      "Reference4": "",
      "Reference5": ""
    },
    "Notifications": [],
    "HasErrors": false,
    "Cities": Array
  }
}
```

Response on error look like this :

```
{
  "err": "userId not valid"
}
```

1.4 Get All User Orders

▪ **Test URL:** <https://dashboard.go-tex.net/gotex-co-test/aramex/get-user-orders>

▪ **Method:** POST

▪ **Header**

Field	Type	Mandatory/Optional	Introduction
Content-Type	application/json;		

- **Body**

Field	Type	Mandatory /Optional	Introduction
userId	string	Mandatory	
apikey	string	Mandatory	

- **Response Example**

Response on success :

```
{
  "data": [
    {
      "_id": "65103146cfb0566acccc2036",
      "user": "64fefed86d3f876edc2f42a0",
      "company": "aramex",
      "ordernumber": 2,
      "data": {
        "Transaction": null,
        "Notifications": [],
        "HasErrors": false,
        "Shipments": [
          {
            "ID": "49248741662",
            "Reference1": "Shipment Reference",
            "Reference2": null,
            "Reference3": null,
            "ForeignHAWB": null,
            "HasErrors": false,
            "Notifications": [],
            "ShipmentLabel": {
              "LabelURL":
"https://ws.aramex.net/ShippingAPI.V2/rpt_cache/504aede46b4d466cb9dad3f94453e757.pdf",
              "LabelFileContents": []
            },
            "ShipmentDetails": {
              "Origin": "JED",
              "Destination": "DHA",
              "ChargeableWeight": {
                "Unit": "KG",
                "Value": 3
              },
              "DescriptionOfGoods": "test desc",
```

```

        "GoodsOriginCountry": "SA",
        "NumberOfPieces": 1,
        "ProductGroup": "DOM",
        "ProductType": "CDS",
        "PaymentType": "3",
        "PaymentOptions": "",
        "CustomsValueAmount": {
            "CurrencyCode": "SAR",
            "Value": 0
        },
        "CashOnDeliveryAmount": {
            "CurrencyCode": "SAR",
            "Value": 0
        },
        "Services": "",
        "OriginCity": "Makkah",
        "DestinationCity": "Dammam"
    },
    "ShipmentAttachments": []
}
]
},
"paytype": "cc",
"price": 22,
"createdate": "Sun Sep 24 2023 15:53:26 GMT+0300 (Eastern European Summer Time)",
"status": "pending",
"__v": 0
}
]
}

```

Response on error look like this :

```

{
  "err": "userId not valid"
}

```