

# Gotex Doc

Smsa Apis

# **Contents:**

Smsa A	Smsa Apis3			
1.1	Create Order	3		
1.2	Print Sticker	5		
1 3	Get All User Orders	6		

# **Smsa Apis**

#### 1.1 Create Order

• Test URL: https://dashboard.go-tex.net/gotex-co-test/smsa/create-user-order

Method: POST

#### Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

#### Body

Field	Туре	Mandatory /Optional	Introduction
userld	string	Mandatory	
	_	·	
Apikey	string	Mandatory	
c_name	string	Mandatory	
c_ContactPhoneNumber	string	Mandatory	
c_District	string	Mandatory	
c_City	string	Mandatory	
c_AddressLine1	string	Mandatory	
p_name	string	Mandatory	
p_ContactPhoneNumber	string	Mandatory	
p_District	string	Mandatory	
p_City	string	Mandatory	
p_AddressLine1	string	Mandatory	
pieces	Int	Mandatory	
weight	Float	Mandatory	weight of package in KG
description	string	Mandatory	
Value	Float	Mandatory	
Cod	Boolean	Mandatory	True means cod (cash on delivery) payment method.
shipmentValue	Number	Mandatory	Price of products (added in cod only) by default = 0

Order price = shipment price + kgprice if weight > 15kg

In case of cod payment method, the **shipmentValue** added to the total order price **in the bill**.

**Note:** shipment price and kgprice is specified by our administration.

#### Response Example

```
Response on success:
  "msg": "order created",
  "data": {
    "user": "64fefed86d3f876edc2f42a0",
    "company": "smsa",
    "ordernumber": 3,
    "data": {
      "sawb": "290845068470",
      "createDate": "2023-09-21T00:00:00",
      "shipmentParcelsCount": 1,
      "waybills": [
        {
          "awb": "290845068470",
          "awbFile": String
        }
      ]
    },
    "paytype": "cc",
    "createdate": "Fri Sep 22 2023 00:51:31 GMT+0300 (Eastern European Summer Time)",
    "status": "pending",
    "_id": "650cbae398df06df7bd47290",
    " v": 0
  }
}
Response on error look like this:
  "err": "userId not valid"
}
```

#### 1.2 Print Sticker

■ **Test URL**: https://dashboard.go-tex.net/gotex-co-test/smsa/print-sticker/:id

■ Method: POST

#### Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

#### Body

Field	Туре	Mandatory /Optional	Introduction
userId	string	Mandatory	
Apikey	string	Mandatory	

#### Parameters

Field	Type	Mandatory /Optional	Introduction
Id	string	Mandatory	orderld

#### Response Example

```
Response on success:

{
    "msg": "ok",
    "data": [
        "/smsaAwb/3-p1.pdf"
    ]
}Response on error look like this:
{
    "err": "userId not valid"
}
```

# 1.3 Get All User Orders

■ **Test URL**: https://dashboard.go-tex.net/gotex-co-test/smsa/get-user-orders

■ Method: POST

#### Header

Field	Туре	Mandatory/Optional	Introduction
Content-Type	application/json;		

### Body

Field	Туре	Mandatory /Optional	Introduction
userId	string	Mandatory	
apikey	string	Mandatory	

#### Response Example

```
Response on success in JSON:
{
  "data": [
    {
  "_id": "650cb9d47653ca0b2776afbc",
  "user": "64fefed86d3f876edc2f42a0",
  "company": "smsa",
  "ordernumber": 1,
  "data": {
    "sawb": "290845068398",
    "createDate": "2023-09-21T00:00:00",
    "shipmentParcelsCount": 1,
    "waybills": [
        "awb": "290845068398",
        "awbFile": String
      }
    ]
  },
  "paytype": "cc",
  "status": "pending",
  "createdate": "Fri Sep 22 2023 00:47:00 GMT+0300 (Eastern European Summer Time)",
  "status": "pending",
  "__v": 0
}
]
Response on error look like this:
  "err": "userId not valid"
}
```