



We enable docx-as-code

**Advanced Template version: 1.0**

# Git Hello

[[doc-subtitle]]

[[doc-type]]

[[doc-company]]

[[doc-company-url]]

Document Number: [[doc-id]]

Version: 1.0

Release Date: 11.10.2021



We enable docx-as-code

## Document History

Author Name: Nada  
Author Contact: [[doc-author-email]]

## Document Revision

Version Number	Release Date	Status	Change Description	Author
1.0	11.10.2021	Draft	Test	Nada

## Intellectual Property Rights

This document is exclusive property of [[doc-company]] and all rights are reserved.



## Table of Contents

<b>1 Introduction.....</b>	<b>4</b>
1.1 References.....	4
<b>2 Hello.....</b>	<b>5</b>
<b>3 README.....</b>	<b>6</b>
3.1 HelloGit.....	6
3.2 This is a header.....	6
<b>4 .....</b>	<b>7</b>
<b>4.1 h1 Heading 8-)</b> .....	<b>7</b>
4.1.1 h2 Heading.....	7
4.1.1.1 h3 Heading.....	7
4.1.1.1.1 h4 Heading.....	7
4.1.1.1.1.1 h5 Heading.....	7
4.1.1.1.1.1.1 h6 Heading.....	7
4.1.2 Horizontal Rules.....	7
4.1.3 Typographic replacements.....	7
4.1.4 Emphasis.....	7
4.1.5 Blockquotes.....	7
4.1.6 Lists.....	7
4.1.7 Code.....	8
4.1.8 Tables.....	8
4.1.9 Links.....	8
4.1.10 Images.....	9
4.1.11 Plugins.....	12
4.1.11.1 Emojies.....	12
4.1.11.2 Subscript / Superscript.....	12
4.1.11.3 <ins>.....	13
4.1.11.4 <mark>.....	13
4.1.11.5 Footnotes.....	13
4.1.11.6 Definition lists.....	13
4.1.11.7 Abbreviations.....	13
4.1.11.8 Custom containers.....	13
 <b>Table of Tables</b>	
Table 1: Document references.....	4
 <b>Table of Figures</b>	
Figure 1 The Stormtroopocat.....	11
Figure 2 The Dojocat.....	12



## 1 Introduction

### 1.1 References

Referenced documents in creation of this document are listed in the Table 1.

Document Reference	Document Title	Version	Filename
[1]	[[ reference-doc-title ]]		[[ reference-doc-filename ]]
[2]			
[3]			
[4]			
[5]			
[6]			
[7]			
[8]			

Table 1: Document references



We enable docx-as-code

## 2 Hello



### 3 README

#### 3.1 HelloGit

#### 3.2 This is a header

This is some text.

- ✓ *Here is list item*
- ✓ *Another one*

It's very easy to make some words bold and other words italic with Markdown.

You can even [link to Google!](#)

Example of some code:

```
function fancyAlert(arg) {  if(arg) {      $.facebox({div:'#foo'})  } }
```

Tables

First Header

Second Header

Content from cell 1

Content from cell 2

Content in the first column

Content in the second column



## 4

### 4.1 h1 Heading 8-)

#### 4.1.1 h2 Heading

##### 4.1.1.1 h3 Heading

##### 4.1.1.1.1 h4 Heading

##### 4.1.1.1.1.1 h5 Heading

##### 4.1.1.1.1.1.1 h6 Heading

### 4.1.2 Horizontal Rules

### 4.1.3 Typographic replacements

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!.....

!!!!!! ????? ,. -- ---

"Smartyants, double quotes" and 'single quotes'

### 4.1.4 Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

Strikethrough

### 4.1.5 Blockquotes

*Blockquotes can also be nested...*

*...by using additional greater-than signs right next to each other...*

*...or with spaces between arrows.*

---

### 4.1.6 Lists

Unordered

- ✓ Create a list by starting a line with +, -, or \*
- ✓ Sub-lists are made by indenting 2 spaces:
  1. Marker character change forces new list start:
    - Ac tristique libero volutpat at
    - Facilisis in pretium nisl aliquet



- *Nulla volutpat aliquam velit*

✓ *Very easy!*

Ordered

1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
3. Integer molestie lorem at massa
4. You can use sequential numbers...
5. ...or keep all the numbers as 1.

Start numbering with offset:

1. foo
2. bar

#### 4.1.7 Code

Inline code

Indented code

```
// Some comments line 1 of code line 2 of code line 3 of code
```

Block code "fences"

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {  return bar++; }; console.log(foo(5));
```

#### 4.1.8 Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

#### 4.1.9 Links

[link text](#)

[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)





We enable docx-as-code

#### **4.1.10 Images**



We enable docx-as-code






Figure 1 The Stormtroopocat

Like links, Images also have a footnote style syntax



Figure 2 The Dojocat

With a reference later in the document defining the URL location:

#### 4.1.11 Plugins

The killer feature of markdown-it is very effective support of [syntax plugins](#).

##### 4.1.11.1 [Emojies](#)

*Classic markup:* `:wink: :crush: :cry: :tear: :laughing: :yum:`

*Shortcuts (emoticons):* `:-) :-( 8-) ;)`

---

see [how to change output](#) with twemoji.

##### 4.1.11.2 [Subscript](#) / [Superscript](#)



We enable docx-as-code

- ✓ 19th
- ✓ H2O

#### 4.1.11.3 [<ins>](#)

Inserted text

#### 4.1.11.4 [<mark>](#)

==Marked text==

#### 4.1.11.5 [Footnotes](#)

Footnote 1 link<sup>1</sup>.

Footnote 2 link<sup>2</sup>.

Inline footnote<sup>^</sup>[Text of inline footnote] definition.

Duplicated footnote reference<sup>2</sup>.

#### 4.1.11.6 [Definition lists](#)

Term 1

Definition 1 with lazy continuation.

Term 2 with inline markup

Definition 2

```
{ some code, part of Definition 2 }
```

Third paragraph of definition 2.

Compact style:

Term 1 ~ Definition 1

Term 2 ~ Definition 2a ~ Definition 2b

#### 4.1.11.7 [Abbreviations](#)

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

\*[HTML]: Hyper Text Markup Language

#### 4.1.11.8 [Custom containers](#)

::: warning here be dragons :::

1. Footnote can have markup  
and multiple paragraphs.

1. Footnote text.





We enable docx-as-code



Figure 1: Last Page