

LAPORAN PRAKTIKUM 7



Dosen Pengajar :

Muhammad Ainurrohman, S. Kom

Di buat oleh :

Nama : Nadaliyah Dwi Indiriani

Nim : 2402052

Kelas : 3B

Prodi : Teknik Informatika

**PROGRAM STUDI D3 TEKNIK INFORMATIKA
POLITEKNIK PURBAYA
2024/2025**

1. Informasi_Admin

The screenshot shows a code editor interface with a dark theme. The left sidebar lists files in the 'RUANGKITA' folder, including 'admin.php', 'data_admin.php', 'edit_siswa.php', 'hapus_siswa.php', 'index.php', 'informasi_admin.php', 'koneksi.php', 'laporan_admin.php', 'login.php', 'Logo Informasi.jpg', 'Logo Paket Belajar.jpg', 'siswa.php', 'tambah_siswa.php', and 'transaksi_admin.php'. The main editor area displays the following PHP code:

```
<?php
session_start();
if (!isset($_SESSION['peran']) || $_SESSION['peran'] != 'Admin') {
    header("Location: index.php");
    exit;
}
<!DOCTYPE html>
<html lang="id">
<head>
<meta charset="UTF-8">
<style>
* {
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: Poppins, Arial, sans-serif;
}
body {
background: #ffffbea;
color: #333;
}
.navbar {
background: #fff;
display: flex;
justify-content: space-between;
}

```

The status bar at the bottom indicates 'Ln 131, Col 1 Spaces: 4 UTF-8 CRLF () PHP'.

Code Informasi_Admin

The screenshot shows a code editor interface with a dark theme. The left sidebar lists files in the 'RUANGKITA' folder, including 'admin.php', 'data_admin.php', 'edit_siswa.php', 'hapus_siswa.php', 'index.php', 'informasi_admin.php', 'koneksi.php', 'laporan_admin.php', 'login.php', 'Logo Informasi.jpg', 'Logo Paket Belajar.jpg', 'siswa.php', 'tambah_siswa.php', and 'transaksi_admin.php'. The main editor area displays the following CSS code:

```
.navbar {
align-items: center;
padding: 15px 40px;
border-bottom: 1px solid #eee;
box-shadow: 0 2px 6px rgba(0,0,0,0.05);
}
.navbar h2 {
color: #4a90e2;
font-weight: 700;
font-size: 22px;
}
.nav-links {
display: flex;
gap: 25px;
}
.nav-links a {
text-decoration: none;
color: #9cbdf2;
font-weight: 500;
transition: 0.3s;
}
.nav-links a:hover,
.nav-links a.active {
color: #4a90e2;
border-bottom: 2px solid #4a90e2;
}
```

The status bar at the bottom indicates 'Ln 131, Col 1 Spaces: 4 UTF-8 CRLF () PHP'.

Code Informasi_Admin

The screenshot shows a code editor interface with the following details:

- File Explorer:** Shows files in the "RUANGKITA" folder, including "admin.php", "data_admin.php", "edit_siswa.php", "hapus_siswa.php", "index.php", "informasi_admin.php", "koneksi.php", "laporan_admin.php", "login.php", "Logo Informasi.jpg", "Logo Paket Belajar.jpg", "siswa.php", "tambah_siswa.php", and "transaksi_admin.php".
- Editor Area:** Displays the following CSS code for "informasi_admin.php":

```
.nav-links a.active {  
    background-color: #fff4a1;  
    color: #000;  
    padding: 40px 20px;  
    font-size: 24px;  
    font-weight: bold;  
    border-radius: 10px;  
    margin-top: 20px;  
    width: 80%;  
    margin-left: auto;  
    margin-right: auto;  
    text-align: center;  
}  
  
.container {  
    text-align: center;  
    margin-top: 50px;  
    padding: 0 20px;  
}  
  
.image-container {  
    display: flex;  
    justify-content: center;  
    gap: 20px;  
    margin-top: 40px;  
}
```

Bottom status bar: Ln 131, Col 1 Spaces: 4 UTF-8 CRLF () PHP 23:08 29/11/2025

Code Informasi_Admin

The screenshot shows a code editor interface with the following details:

- File Explorer:** Shows files in the "RUANGKITA" folder, including "admin.php", "data_admin.php", "edit_siswa.php", "hapus_siswa.php", "index.php", "informasi_admin.php", "koneksi.php", "laporan_admin.php", "login.php", "Logo Informasi.jpg", "Logo Paket Belajar.jpg", "siswa.php", "tambah_siswa.php", and "transaksi_admin.php".
- Editor Area:** Displays the following CSS code for "informasi_admin.php":

```
.image-item {  
    text-align: center;  
    background-color: #fff4a1;  
    padding: 20px;  
    border-radius: 10px;  
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);  
}  
  
.image-item img {  
    max-width: 150px;  
    height: auto;  
    border-radius: 10px;  
}  
  
.image-item p {  
    margin-top: 10px;  
    font-size: 16px;  
    color: #333;  
    font-weight: bold;  
}  
  
footer {  
    text-align: center;  
    margin-top: 50px;  
    font-style: italic;  
    color: #555;  
}
```

Bottom status bar: Ln 131, Col 1 Spaces: 4 UTF-8 CRLF () PHP 23:08 29/11/2025


Code Informasi_Admin

```
114
115 a {
116     display: inline-block;
117     margin-top: 20px;
118     text-decoration: none;
119     color: #fff;
120     background: #4a90e2;
121     padding: 10px 20px;
122     border-radius: 10px;
123 }
124
125 a:hover {
126     background: #357acb;
127 }
128
129
130
131 <div class="image-container">
132     <div class="image-item">
133         
134         <p>Paket Belajar</p>
135     </div>
136     <div class="image-item">
137         
138         <p>Informasi</p>
139     </div>
140
141
142
143
144
145
146
147
148
149
```

Code Informasi_Admin

```
130 <body>
131     <footer>
132         Ruangkita, Tempat Tumbuh dan Berprestasi!
133     </footer>
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
```

Code Informasi_Admin



Output Informasi_Admin

2. informasi.php

```
<?php
include "koneksi.php";
if (isset($_POST['upload'])) {
    $judul = $_POST['judul'];
    $isi   = $_POST['isi'];

    $fotoName = $_FILES['foto']['name'];
    $fotoTmp  = $_FILES['foto']['tmp_name'];

    if (!is_dir("uploads")) {
        mkdir("uploads", 0777, true);
    }

    $namaFotoBaru = "";
    if (!empty($fotoName)) {
        $namaFotoBaru = time() . "_" . $fotoName;
        move_uploaded_file($fotoTmp, "uploads/" . $namaFotoBaru);
    }

    mysqli_query($koneksi,
        "INSERT INTO informasi_data (judul, isi, foto)
        VALUES ('$judul', '$isi', '$namaFotoBaru')");
}

header("Location: informasi.php");
exit;
}
```

Code Informasi.php

The screenshot shows a code editor interface with multiple tabs open. The active tab is 'informasi.php'. The code in the editor is as follows:

```
29
30 if (isset($_GET['delete'])) {
31     $id = $_GET['delete'];
32
33     $getFoto = mysqli_query($koneksi, "SELECT foto FROM informasi_data WHERE id='$id'");
34     if ($getFoto && mysqli_num_rows($getFoto) > 0) {
35
36         $f    = mysqli_fetch_assoc($getFoto);
37         $lokasi = "uploads/" . $f['foto'];
38
39         if (!empty($f['foto']) && file_exists($lokasi)) {
40             unlink($lokasi);
41         }
42
43         mysqli_query($koneksi, "DELETE FROM informasi_data WHERE id='$id'");
44     }
45
46     header("Location: informasi.php");
47     exit;
48 }
49
50 <!DOCTYPE html>
51 <html>
52 <head>
53     <title>Informasi</title>
54
55     <style>
56         body {
```

The code handles a 'delete' request from the URL. It retrieves the record ID from the query string, queries the database for the corresponding photo, and then deletes the record and its associated photo if it exists. Finally, it redirects the user back to the 'informasi.php' page.


Code Informasi.php

The screenshot shows a code editor interface with multiple tabs open. The active tab is 'informasi.php'. The code in the editor is as follows:

```
53 <head>
54     <style>
55         }
56
57     .box {
58         background: #ffff9b3;
59         padding: 30px;
60         border-radius: 25px;
61         width: 90%;
62         max-width: 1100px;
63         margin: 30px auto;
64     }
65
66     .box form,
67     .box table {
68         width: 100%;
69     }
70
71     input, textarea {
72         width: 100%;
73         padding: 10px;
74         border: 2px solid #80b3ff;
75         border-radius: 10px;
76         margin: 5px 0 20px 0;
77         box-sizing: border-box;
78     }
79
80     .file-wrapper {
81         background: white;
```

The code defines a CSS style for a form container ('.box') with rounded corners and padding. It also defines styles for input fields and textareas, including borders and padding. A specific class 'file-wrapper' is defined with a white background.

Code Informasi.php



```
53 <head>
54   <style>
55     .file-wrapper {
56       border: 2px solid #80b3ff;
57       border-radius: 10px;
58       padding: 10px;
59       margin-bottom: 20px;
60       width: 100%;
61       position: relative;
62       cursor: pointer;
63       box-sizing: border-box;
64     }
65
66     .file-wrapper input[type="file"] {
67       opacity: 0;
68       width: 100%;
69       height: 35px;
70       position: absolute;
71       top: 0;
72       left: 0;
73       cursor: pointer;
74     }
75
76     .file-text {
77       color: #555;
78       font-size: 14px;
79     }
80
81     button {
82       background-color: #80b3ff;
83       color: white;
84       border: none;
85       padding: 10px 20px;
86       border-radius: 5px;
87       font-size: 16px;
88       cursor: pointer;
89     }
90
91     button:hover {
92       background-color: #66b399;
93     }
94   </style>
95 
```

Code Informasi.php

The screenshot shows the Microsoft Visual Studio Code interface with the following details:

- File Menu:** File, Edit, Selection, View, Go, Run, ...
- Search Bar:** ruangkita
- Left Sidebar (OPEN EDITORS):** EXPLORER, RUANGKITA, informasi_foto, upload, uploads, admin.php, data_admin.php, edit_siswa.php, hapus_siswa.php, index.php, informasi_admin.php, informasi.php (selected), koneksi.php, laporan_admin.php, login.php, Logo Informasi.jpg, Logo Paket Belajar.jpg, siswa.php, tambah_siswa.php, transaksi_admin.php.
- Right Sidebar:** OUTLINE, TIMELINE.
- Bottom Status Bar:** In 221, Col 1 | Spaces: 4 | UTF-8 | CRLF | {} | PHP | 03/12/2025
- Bottom Taskbar:** Icons for File Explorer, Search, Task List, Git, Terminal, and various browser windows.

The main editor area displays the following PHP code for `informasi.php`:

```
<head>
<style>
button {
    padding: 10px 20px;
    background-color: #66aaff;
    border: none;
    color: white;
    border-radius: 10px;
    cursor: pointer;
}

table {
    width: 100%;
    border-collapse: collapse;
    background-color: #fff;
    margin-top: 30px;
    border: 2px solid #80b3ff;
    border-radius: 15px;
    overflow: hidden;
    text-align: center;
}

th, td {
    padding: 12px;
    vertical-align: middle;
}

th {
    background-color: #a9c9ff;
}
```

Code Informasi.php

The screenshot shows a code editor interface with multiple tabs open. The active tab is 'informasi.php'. The code displayed is the CSS (SCSS) portion of the file, specifically targeting the 'th' and 'td' elements in a table. The CSS includes styles like bold font weight for th, border-bottom for td, and specific widths for each column. The code editor has a dark theme, and the status bar at the bottom right shows the file is 221 lines long, saved in UTF-8, and has CRLF line endings.


```
53 <head>
54 <style>
55
56   th {
57     color: #003d99;
58     font-weight: bold;
59   }
60
61   td {
62     border-bottom: 1px solid #cce0ff;
63   }
64
65   th:nth-child(1), td:nth-child(1) { width: 50px; }
66   th:nth-child(2), td:nth-child(2) { width: 180px; }
67   th:nth-child(3), td:nth-child(3) { width: 400px; }
68   th:nth-child(4), td:nth-child(4) { width: 150px; }
69   th:nth-child(5), td:nth-child(5) { width: 80px; }
70
71   td img {
72     width: 80px;
73     height: auto;
74     display: block;
75     margin: 0 auto;
76   }
77
78   a.delete {
79     color: red;
80     text-decoration: none;
81     font-weight: bold;
82   }
```

Code Informasi.php

The screenshot shows a code editor interface with multiple tabs open. The active tab is 'informasi.php'. The code displayed is the HTML part of the file, starting with the head section and then the body. The body section contains a form for uploading files and a table with three columns labeled 'No', 'Judul', and 'Isi'. The code editor has a dark theme, and the status bar at the bottom right shows the file is 221 lines long, saved in UTF-8, and has CRLF line endings.


```
53 <head>
54 </style>
55
56 </head>
57
58 <body>
59
60   <div class="box">
61
62     <form method="POST" enctype="multipart/form-data">
63       <label>Judul:</label>
64       <input type="text" name="judul" required>
65
66       <label>Isi:</label>
67       <textarea name="isi" rows="4" required></textarea>
68
69       <label>Foto:</label>
70       <div class="file-wrapper">
71         <span class="file-text" id="file-name">Upload Foto...</span>
72         <input type="file" name="foto" id="foto">
73       </div>
74
75       <button type="submit" name="upload">Upload</button>
76     </form>
77
78     <table>
79       <thead>
80         <tr>
81           <th>No</th>
82           <th>Judul</th>
83           <th>Isi</th>
84         </tr>
85       </thead>
86
87       <tbody>
88         <tr>
89           <td>1</td>
90           <td>Judul Tes</td>
91           <td>Isi Tes</td>
92         </tr>
93       </tbody>
94     </table>
95
96   </div>
97
98 </body>
99
100 </html>
```

Code Informasi.php



```
File Edit Selection View Go Run ... ⏪ ⏩ ruangkita EXPLORE siswa.php koneksi.php admin.php informasi_admin.php informasi.php × data_admin.php tambah_siswa.php ... OPEN EDITORS > RUANGKITA > informasi_foto > upload > uploads > admin.php > data_admin.php > edit_siswa.php > hapus_siswa.php > index.php > informasi_admin.php > informasi.php > koneksi.php > laporan_admin.php > login.php > Logo Informasi.jpg > Logo Paket Belajar.jpg > siswa.php > tambah_siswa.php > transaksi_admin.php 169 <div class="box"> 170 <table> 171 <tr> 172 <th>Foto</th> 173 <th>Aksi</th> 174 </tr> 175 176 <?php 177 $no = 1; 178 $data = mysqli_query($koneksi, "SELECT * FROM informasi_data ORDER BY id DESC"); 179 180 while ($row = mysqli_fetch_assoc($data)) { 181 echo "<tr>"; 182 echo "<td>$no</td>"; 183 echo "<td>{$row['judul']}</td>"; 184 echo "<td>{$row['isi']}</td>"; 185 186 if (!empty($row['foto'])) { 187 echo "<td><img src='uploads/{$row['foto']}'></td>"; 188 } else { 189 echo "<td>-</td>"; 190 } 191 192 echo "<td><a class='delete' href='informasi.php?delete={$row['id']}' onclick='return confirm(\"Yakin hapus\")'>Hapus</a></td>"; 193 echo "</tr>"; 194 195 $no++; 196 197 } 198 ?> 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 </table> 219 220 </div> 221 222 <script> 223 document.getElementById("foto").addEventListener("change", function() { 224 document.getElementById("file-name").textContent = 225 this.files[0].name || "Upload Foto..."; 226 }); 227 </script> 228 229 </body> 230 </html> 231
```

Code Informasi.php



```
File Edit Selection View Go Run ... ⏪ ⏩ ruangkita EXPLORE siswa.php koneksi.php admin.php informasi_admin.php informasi.php × data_admin.php tambah_siswa.php ... OPEN EDITORS > RUANGKITA > informasi_foto > upload > uploads > admin.php > data_admin.php > edit_siswa.php > hapus_siswa.php > index.php > informasi_admin.php > informasi.php > koneksi.php > laporan_admin.php > login.php > Logo Informasi.jpg > Logo Paket Belajar.jpg > siswa.php > tambah_siswa.php > transaksi_admin.php 169 <div class="box"> 170 <table> 171 <tr> 172 <th>Foto</th> 173 <th>Aksi</th> 174 </tr> 175 176 <?php 177 $no = 1; 178 $data = mysqli_query($koneksi, "SELECT * FROM informasi_data ORDER BY id DESC"); 179 180 while ($row = mysqli_fetch_assoc($data)) { 181 echo "<tr>"; 182 echo "<td>$no</td>"; 183 echo "<td>{$row['judul']}</td>"; 184 echo "<td>{$row['isi']}</td>"; 185 186 if (!empty($row['foto'])) { 187 echo "<td><img src='uploads/{$row['foto']}'></td>"; 188 } else { 189 echo "<td>-</td>"; 190 } 191 192 echo "<td><a class='delete' href='informasi.php?delete={$row['id']}' onclick='return confirm(\"Yakin hapus\")'>Hapus</a></td>"; 193 echo "</tr>"; 194 195 $no++; 196 197 } 198 ?> 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 </table> 219 220 </div> 221 222 <script> 223 document.getElementById("foto").addEventListener("change", function() { 224 document.getElementById("file-name").textContent = 225 this.files[0].name || "Upload Foto..."; 226 }); 227 </script> 228 229 </body> 230 </html> 231
```

Code Informasi.php

Screenshot of a web browser window showing a PHP application for managing information. The page title is "Informasi" and the URL is "localhost/ruangkita/informasi.php".

The form fields are:

- Judul: (Text input field)
- Isi: (Text area)
- Foto:
 - Upload Foto... (Input field)
 - Upload (Button)

The table displays two entries:

No	Judul	Isi	Foto	Aksi
1	Pergantian jadwal	Jadwal Hari Senin Reguler 1A di ganti menjadi hari rabu		Delete
2	Informasi Libur	02/12/2025 Kelas Reguler 1A di liburkan		Delete

The browser status bar shows the date and time: 00:34 03/12/2025.

Output Informasi.php