



NSAI
Standards

Irish Standard
I.S. EN ISO 22300:2018

Security and resilience - Vocabulary (ISO 22300:2018)

© CEN 2018 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 22300:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 22300:2018

Published:

2018-03-07

*This document was published
under the authority of the NSAI
and comes into effect on:*

2018-03-26

ICS number:

01.040.03

03.100.01

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 22300:2018 is the adopted Irish version of the European Document EN ISO 22300:2018, Security and resilience - Vocabulary (ISO 22300:2018)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 22300

March 2018

ICS 01.040.03; 03.100.01

Supersedes EN ISO 22300:2014

English Version

Security and resilience - Vocabulary (ISO 22300:2018)

Sécurité et résilience - Vocabulaire (ISO 22300:2018)

Sicherheit und Resilienz - Terminologie (ISO 22300:2018)

This European Standard was approved by CEN on 22 January 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 22300:2018) has been prepared by Technical Committee ISO/TC 292 “Security and resilience” in collaboration with Technical Committee CEN/TC 391 “Societal and citizen security” the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2018, and conflicting national standards shall be withdrawn at the latest by September 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 22300:2014.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 22300:2018 has been approved by CEN as EN ISO 22300:2018 without any modification.

This page is intentionally left blank

Security and resilience — Vocabulary

Sécurité et résilience — Vocabulaire





COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Published in Switzerland

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
Bibliography		35

This is a free 50 page sample. Access the full version online.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 292, *Security and resilience*.

This second edition cancels and replaces the first edition (ISO 22300:2012), which has been technically revised.

The main changes compared to the previous edition are that terms have been added from recent published documents and documents transferred to ISO/TC 292.

Security and resilience — Vocabulary

1 Scope

This document defines terms used in security and resilience standards.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

activity

process (3.180) or set of processes undertaken by an *organization* (3.158) (or on its behalf) that produces or supports one or more *products or services* (3.181)

EXAMPLE Accounts, call centre, IT, manufacture, distribution.

3.2

affected area

location that has been impacted by a *disaster* (3.69)

Note 1 to entry: The term is more relevant to immediate *evacuations* (3.80).

3.3

after-action report

document (3.71) which records, describes and analyses the *exercise* (3.83), drawing on debriefs and reports from *observers* (3.154), and derives lessons from it

Note 1 to entry: The after-action report documents the results from the after-action *review* (3.197).

Note 2 to entry: An after-action report is also called a final exercise report.

3.4

alert

part of *public warning* (3.183) that captures attention of first responders and *people at risk* (3.166) in a developing *emergency* (3.77) situation

3.5

all clear

message or signal that the danger is over

3.6

all-hazards

naturally occurring *event* (3.82), human induced event (both intentional and unintentional) and technology caused event with potential *impact* (3.107) on an *organization* (3.158), *community* (3.42) or society and the environment on which it depends

ISO 22300:2018(E)

3.7

alternate worksite

work location, other than the primary location, to be used when the primary location is not accessible

3.8

appropriate law enforcement and other government officials

government and law enforcement *personnel* (3.169) that have specific legal jurisdiction over the *international supply chain* (3.127) or portions of it

3.9

area at risk

location that could be affected by a *disaster* (3.69)

Note 1 to entry: The term is more relevant to preventative *evacuations* (3.80).

3.10

asset

anything that has value to an *organization* (3.158)

Note 1 to entry: Assets include but are not limited to human, physical, *information* (3.116), intangible and environmental *resources* (3.193).

3.11

attack

successful or unsuccessful attempt(s) to circumvent an *authentication solution* (3.19), including attempts to imitate, produce or reproduce the *authentication elements* (3.17)

3.12

attribute data management system**ADMS**

system that stores, manages and controls access of data pertaining to *objects* (3.151)

3.13

audit

systematic, independent and documented *process* (3.180) for obtaining audit evidence and evaluating it objectively to determine the extent to which the audit criteria are fulfilled

Note 1 to entry: The fundamental elements of an audit include the determination of the *conformity* (3.45) of an *object* (3.151) according to a *procedure* (3.179) carried out by *personnel* (3.169) not being responsible for the object audited.

Note 2 to entry: An audit can be an internal audit (first party) or an external audit (second party or third party), and it can be a combined audit or a joint audit.

Note 3 to entry: Internal audits, sometimes called first-party audits, are conducted by, or on behalf of, the *organization* (3.158) itself for *management* (3.135) *review* (3.197) and other internal purposes, and can form the basis for an organization's declaration of conformity. Independence can be demonstrated by the freedom from responsibility for the *activity* (3.1) being audited.

Note 4 to entry: External audits include those generally called second- and third-party audits. Second-party audits are conducted by parties having an interest in the organization, such as customers, or by other persons on their behalf. Third-party audits are conducted by external, independent auditing organizations such as those providing certification/registration of conformity or government agencies.

Note 5 to entry: When two or more *management systems* (3.137) are audited together, this is termed a combined audit.

Note 6 to entry: When two or more auditing organizations cooperate to audit a single auditee, this is termed a joint audit.

Note 7 to entry: "Audit evidence" and "audit criteria" are defined in ISO 19011.

Note 8 to entry: ISO 28000 specifies the *requirements* (3.190) for a *security management* (3.227) system.

[SOURCE: ISO 9000:2015, 3.13.1, modified — Note 5 to entry has been replaced and Notes 6 to 8 to entry have been added.]

3.14

auditor

person who conducts an *audit* (3.13)

[SOURCE: ISO 19011:2011, 3.8]

3.15

authentic material good

material good (3.139) produced under the control of the legitimate manufacturer, originator of the *goods* (3.98) or *rights holder* (3.198)

3.16

authentication

process (3.180) of corroborating an *entity* (3.79) or attributes with a specified or understood level of assurance

3.17

authentication element

tangible *object* (3.151), visual feature or *information* (3.116) associated with a *material good* (3.139) or its packaging that is used as part of an *authentication solution* (3.19)

3.18

authentication function

function performing *authentication* (3.16)

3.19

authentication solution

complete set of means and *procedures* (3.179) that allows the *authentication* (3.16) of a *material good* (3.139) to be performed

3.20

authentication tool

set of hardware and/or software system(s) that is part of an anti-counterfeiting solution and is used to control the *authentication element* (3.17)

3.21

authoritative source

official origination of an attribute which is also responsible for maintaining that attribute

3.22

authorized economic operator

party involved in the international movement of *goods* (3.98) in whatever function that has been approved by or on behalf of a national customs administration as conforming to relevant *supply chain* (3.251) security standards

Note 1 to entry: "Authorized economic operator" is a term defined in the *World Customs Organization* (WCO) (3.277) Framework of Standards.

Note 2 to entry: Authorized economic operators include, among others, manufacturers, importers, exporters, brokers, carriers, consolidators, intermediaries, ports, airports, terminal operators, integrated operators, warehouses and distributors.

3.23

automated interpretation

process (3.180) that automatically evaluates authenticity by one or more components of the *authentication solution* (3.19)

ISO 22300:2018(E)

3.24

business continuity

capability of an *organization* (3.158) to continue the delivery of *products or services* (3.181) at acceptable predefined levels following a *disruption* (3.70)

3.25

business continuity management

holistic *management* (3.135) *process* (3.180) that identifies potential *threats* (3.259) to an *organization* (3.158) and the *impact* (3.107) those threats, if realized, can cause on business operations, and provides a framework for building organizational *resilience* (3.192) with the capability of an effective response that safeguards the interests of key *interested parties* (3.124), reputation, brand and value-creating *activities* (3.1)

3.26

business continuity management system**BCMS**

part of the overall *management system* (3.137) that establishes, implements, operates, monitors, *reviews* (3.197), maintains and improves *business continuity* (3.24)

Note 1 to entry: The management system includes organizational structure, policies, *planning* (3.170) *activities* (3.1), responsibilities, *procedures* (3.179), *processes* (3.180) and *resources* (3.193).

3.27

business continuity plan

documented *procedures* (3.179) that guide an organization to respond, recover, resume and restore itself to a pre-defined level of operation following a *disruption* (3.70)

Note 1 to entry: Typically this covers *resources* (3.193), services and *activities* (3.1) required to ensure the *continuity* (3.49) of critical business functions.

3.28

business continuity programme

ongoing *management* (3.135) and governance *process* (3.180) supported by *top management* (3.263) and appropriately resourced to implement and maintain *business continuity management* (3.25)

3.29

business impact analysis

process (3.180) of analysing *activities* (3.1) and the effect that a business *disruption* (3.70) can have upon them

3.30

business partner

contractor, supplier or service provider with whom an *organization* (3.158) contracts to assist the organization in its function as an *organization in the supply chain* (3.159)

3.31

capacity

combination of all the strengths and *resources* (3.193) available within an *organization* (3.158), *community* (3.42) or society that can reduce the level of *risk* (3.199) or the effects of a *crisis* (3.59)

Note 1 to entry: Capacity can include physical, institutional, social, or economic means as well as skilled *personnel* (3.169) or attributes such as leadership and *management* (3.135).

3.32

cargo transport unit

road freight vehicle, railway freight wagon, freight container, road tank vehicle, railway tank wagon or portable tank

3.33**certified client**

organization (3.158) whose *supply chain* (3.251) *security management* (3.227) system has been certified/registered by a qualified third party

3.34**civil protection**

measures taken and systems implemented to preserve the lives and health of citizens, their properties and their environment from undesired *events* (3.82)

Note 1 to entry: Undesired events can include accidents, emergencies and *disasters* (3.69).

3.35**client**

entity (3.79) that hires, has formerly hired, or intends to hire an *organization* (3.158) to perform *security operations* (3.232) on its behalf, including, as appropriate, where such an organization subcontracts with another company or local forces

EXAMPLE Consumer, contractor, end-user, retailer, beneficiary, purchaser.

Note 1 to entry: A client can be internal (e.g. another division) or external to the organization.

3.36**closed-circuit television system****CCTV system**

surveillance system comprised of cameras, recorders, interconnections and displays that are used to monitor activities in a store, a company or more generally a specific *infrastructure* (3.117) and/or a public place

3.37**colour blindness**

total or partial inability of a person to differentiate between certain *hues* (3.101)

3.38**colour-code**

set of colours used symbolically to represent particular meanings

3.39**command and control**

activities (3.1) of target-orientated decision making, including assessing the situation, *planning* (3.170), implementing decisions and controlling the effects of implementation on the *incident* (3.111)

Note 1 to entry: This *process* (3.180) is continuously repeated.

3.40**command and control system**

system that supports effective *emergency management* (3.78) of all available *assets* (3.10) in a preparation, *incident response* (3.115), *continuity* (3.49) and/or *recovery* (3.187) *process* (3.180)

3.41**communication and consultation**

continual and iterative *processes* (3.180) that an *organization* (3.158) conducts to provide, share or obtain *information* (3.116), and to engage in dialogue with *interested parties* (3.124) and others regarding the *management* (3.135) of *risk* (3.199)

Note 1 to entry: The information can relate to the existence, nature, form, *likelihood* (3.133), severity, *evaluation* (3.81), acceptability, treatment or other aspects of the management of risk and *security operations management* (3.233).

Note 2 to entry: Consultation is a two-way process of informed communication between an organization and its interested parties or others on an issue, prior to making a decision or determining a direction on that issue. Consultation is

ISO 22300:2018(E)

- a process which impacts on a decision through influence rather than power, and
- an input to decision making, not joint decision making.

[SOURCE: ISO/Guide 73:2009, 3.2.1, modified — In the definition, “stakeholders” has been changed to “interested parties and others” and Note 1 to entry has been modified.]

3.42**community**

group of associated *organizations* (3.158), individuals and groups sharing common interests

Note 1 to entry: Impacted communities are the groups of people and associated organizations affected by the provision of *security* (3.223) services, projects or operations.

3.43**community-based warning system**

method to communicate *information* (3.116) to the public through established networks

3.44**competence**

ability to apply knowledge and skills to achieve intended results

[SOURCE: ISO 9000:2015, 3.10.4, modified — Notes 1 and 2 to entry have been deleted.]

3.45**conformity**

fulfilment of a *requirement* (3.190)

[SOURCE: ISO 9000:2015, 3.6.11, modified — Notes 1 and 2 to entry have been deleted.]

3.46**consequence**

outcome of an *event* (3.82) affecting *objectives* (3.153)

Note 1 to entry: An event can lead to a range of consequences.

Note 2 to entry: A consequence can be certain or uncertain and can have positive or negative effects on objectives.

Note 3 to entry: Consequences can be expressed qualitatively or quantitatively.

Note 4 to entry: Initial consequences can escalate through cumulative effects from one event setting off a chain of events.

Note 5 to entry: Consequences are graded in terms of the magnitude or severity of the *impacts* (3.107).

[SOURCE: ISO/Guide 73:2009, 3.6.1.3, modified — Note 5 to entry has been added.]

3.47**contingency**

possible future *event* (3.82), condition or eventuality

3.48**continual improvement**

recurring *activity* (3.1) to enhance *performance* (3.167)

[SOURCE: ISO 9000:2015, 3.3.2, modified — Notes 1 and 2 to entry have been deleted.]

3.49**continuity**

strategic and tactical capability, pre-approved by *management* (3.135), of an *organization* (3.158) to plan for and respond to conditions, situations and *events* (3.82) in order to continue operations at an acceptable predefined level

Note 1 to entry: Continuity is the more general term for operational and *business continuity* (3.24) to ensure an organization's ability to continue operating outside of normal operating conditions. It applies not only to for-profit companies, but to organizations of all types, such as non-governmental, public interest and governmental.

3.50**conveyance**

physical instrument of international trade that transports *goods* (3.98) from one location to another

EXAMPLE Box, pallet, *cargo transport unit* (3.32), cargo handling equipment, truck, ship, aircraft, railcar.

3.51**cooperation**

process of working or acting together for common interests and values based on agreement

Note 1 to entry: The *organizations* (3.158) agree by contract or by other arrangements to contribute with their *resources* (3.193) to the *incident response* (3.115) but keep independence concerning their internal hierarchical structure.

3.52**coordination**

way in which different *organizations* (3.158) (public or private) or parts of the same organization work or act together in order to achieve a common *objective* (3.153)

Note 1 to entry: Coordination integrates the individual response *activities* (3.1) of involved parties (including, for example, public or private organizations and government) to achieve synergy to the extent that the *incident response* (3.115) has a unified objective and coordinates activities through transparent *information* (3.116) sharing regarding their respective incident response activities.

Note 2 to entry: All organizations are involved in the *process* (3.180) to agree on a common incident response objective and accept to implement the strategies by this consensus decision-making process.

3.53**correction**

action to eliminate a detected *nonconformity* (3.149)

[SOURCE: ISO 9000:2015, 3.12.3, modified — Notes 1 and 2 to entry have been deleted.]

3.54**corrective action**

action to eliminate the cause of a *nonconformity* (3.149) and to prevent recurrence

Note 1 to entry: In the case of other undesirable outcomes, action is necessary to minimize or eliminate causes and to reduce *impact* (3.107) or prevent recurrence. Such actions fall outside the concept of "corrective action" in the sense of this definition.

[SOURCE: ISO 9000:2015, 3.12.2, modified — Note 1 to entry has been replaced and Notes 2 and 3 to entry have been deleted.]

3.55**counterfeit**

simulate, reproduce or modify a *material good* (3.139) or its packaging without authorization

3.56**counterfeit good**

material good (3.139) imitating or copying an *authentic material good* (3.15)

ISO 22300:2018(E)

3.57

countermeasure

action taken to lower the *likelihood* (3.133) of a *security threat scenario* (3.241) succeeding in its *objectives* (3.153), or to reduce the likely *consequences* (3.46) of a security threat scenario

3.58

covert authentication element

authentication element (3.17) that is generally hidden from the human senses and can be revealed by an informed person using a tool or by *automated interpretation* (3.23)

3.59

crisis

unstable condition involving an impending abrupt or significant change that requires urgent attention and action to protect life, *assets* (3.10), property or the environment

3.60

crisis management

holistic *management* (3.135) *process* (3.180) that identifies potential *impacts* (3.107) that threaten an *organization* (3.158) and provides a framework for building *resilience* (3.192), with the capability for an effective response that safeguards the interests of the organization's key *interested parties* (3.124), reputation, brand and value-creating *activities* (3.1), as well as effectively restoring operational capabilities

Note 1 to entry: Crisis management also involves the management of *preparedness* (3.172), *mitigation* (3.146) response, and *continuity* (3.49) or *recovery* (3.187) in the event of an *incident* (3.111), as well as management of the overall programme through *training* (3.265), rehearsals and *reviews* (3.197) to ensure the preparedness, response and continuity plans stay current and up-to-date.

3.61

crisis management team

group of individuals functionally responsible for directing the development and execution of the response and operational *continuity* (3.49) plan, declaring an operational *disruption* (3.70) or *emergency* (3.77)/*crisis* (3.59) situation, and providing direction during the *recovery* (3.187) *process* (3.180), both pre-and post-disruptive *incident* (3.111)

Note 1 to entry: The *crisis management team* (3.61) can include individuals from the *organization* (3.158) as well as immediate and first responders, and *interested parties* (3.124).

3.62

critical control point**CCP**

point, step or *process* (3.180) at which controls can be applied and a *threat* (3.259) or *hazard* (3.99) can be prevented, eliminated or reduced to acceptable levels

3.63

critical customer

entity (3.79), the loss of whose business would threaten the survival of an *organization* (3.158)

3.64

critical product or service

resource (3.193) obtained from a supplier which, if unavailable, would disrupt an *organization's* (3.158) critical *activities* (3.1) and threaten its survival

Note 1 to entry: Critical products or services are essential resources to support an organization's high priority activities and *processes* (3.180) identified in its business impact analysis (BIA).

3.65

critical supplier

provider of *critical products or services* (3.64)

Note 1 to entry: This includes an "internal supplier", who is part of the same *organization* (3.158) as its customer.

3.66**criticality analysis**

process (3.180) designed to systematically identify and evaluate an *organization's* (3.158) *assets* (3.10) based on the importance of its mission or function, the group of *people at risk* (3.166), or the significance of an *undesirable event* (3.268) or *disruption* (3.70) on its ability to meet expectations

3.67**custodian copy**

duplicate that is subordinate to the *authoritative source* (3.21)

3.68**custody**

period of time where an *organization in the supply chain* (3.159) is directly controlling the manufacturing, handling, processing and transportation of *goods* (3.98) and their related shipping *information* (3.116) within the *supply chain* (3.251)

3.69**disaster**

situation where widespread human, material, economic or environmental losses have occurred which exceeded the ability of the affected *organization* (3.158), *community* (3.42) or society to respond and recover using its own *resources* (3.193)

3.70**disruption**

event (3.82), whether anticipated (e.g. a labour strike or hurricane) or unanticipated (e.g. a blackout or earthquake), that causes an unplanned, negative deviation from the expected delivery of *products or services* (3.181) according to an *organization's* (3.158) *objectives* (3.153)

3.71**document**

information (3.116) and the medium on which it is contained

Note 1 to entry: The medium can be paper, magnetic, electronic or optical computer disc, photograph or master sample, or a combination thereof.

Note 2 to entry: A set of documents, for example specifications and *records* (3.186), is frequently called "documentation".

[SOURCE: ISO 9000:2015, 3.8.5, modified — The example and Note 3 to entry has been deleted.]

3.72**documented information**

information (3.116) required to be controlled and maintained by an *organization* (3.158) and the medium on which it is contained

Note 1 to entry: Documented information can be in any format and media and from any source.

Note 2 to entry: Documented information can refer to:

- the *management system* (3.137), including related *processes* (3.180);
- information created in order for the organization to operate (documentation);
- evidence of results achieved (*records* (3.186)).

[SOURCE: ISO 9000:2015, 3.8.6, modified — Note 3 to entry has been deleted.]

3.73**downstream**

handling, processing and movement of *goods* (3.98) when they are no longer in the *custody* (3.68) of the *organization in the supply chain* (3.159)

ISO 22300:2018(E)

3.74**drill**

activity (3.1) which practises a particular skill and often involves repeating the same thing several times

EXAMPLE A fire drill to practise safely evacuating a building on fire.

3.75**dynamic metadata**

information (3.116) associated with a digital image aside from the pixel values that can change for each frame of a video sequence

3.76**effectiveness**

extent to which planned *activities* (3.1) are realized and planned results achieved

[SOURCE: ISO 9000:2015, 3.7.11, modified — Note 1 to entry has been deleted.]

3.77**emergency**

sudden, urgent, usually unexpected occurrence or *event* (3.82) requiring immediate action

Note 1 to entry: An emergency is usually a *disruption* (3.70) or condition that can often be anticipated or prepared for, but seldom exactly foreseen.

3.78**emergency management**

overall approach for preventing *emergencies* (3.77) and managing those that occur

Note 1 to entry: In general, emergency management utilizes a *risk management* (3.208) approach to *prevention* (3.173), *preparedness* (3.172), response and *recovery* (3.187) before, during and after potentially destabilizing *events* (3.82) and/or *disruptions* (3.70).

3.79**entity**

something that has a separate and distinct existence and that can be identified within context

Note 1 to entry: An entity can be a human, *organization* (3.158), physical *object* (3.151), class of objects or intangible object.

3.80**evacuation**

organized, phased and supervised dispersal of people from dangerous or potentially dangerous areas to places of safety

3.81**evaluation**

systematic *process* (3.180) that compares the result of *measurement* (3.143) to recognised criteria to determine the discrepancies between intended and actual *performance* (3.167)

Note 1 to entry: Gaps in performance are inputs into the *continual improvement* (3.48) process.

3.82**event**

occurrence or change of a particular set of circumstances

Note 1 to entry: An event can be one or more occurrences, and can have several causes.

Note 2 to entry: An event can consist of something not happening.

Note 3 to entry: An event can sometimes be referred to as an *incident* (3.111) or “accident”.

Note 4 to entry: An event without *consequences* (3.46) can also be referred to as a “near miss”, “incident”, “near hit” or “close call”.

Note 5 to entry: The nature, *likelihood* (3.133), and consequence of an event cannot be fully knowable.

Note 6 to entry: Likelihood associated with the event can be determined.

Note 7 to entry: An event can consist of a non-occurrence of one or more circumstances.

Note 8 to entry: An event with a consequence is sometimes referred to as an incident.

[SOURCE: ISO/Guide 73:2009, 3.5.1.3, modified — Notes 5 to 8 to entry have been added.]

3.83

exercise

process (3.180) to train for, assess, practise and improve *performance* (3.167) in an *organization* (3.158)

Note 1 to entry: Exercises can be used for validating policies, plans, *procedures* (3.179), *training* (3.265), equipment, and inter-organizational agreements; clarifying and training *personnel* (3.169) in roles and responsibilities; improving inter-organizational *coordination* (3.52) and communications; identifying gaps in *resources* (3.193); improving individual performance and identifying opportunities for improvement; and a controlled opportunity to practise improvisation.

Note 2 to entry: See also *test* (3.257).

3.84

exercise annual plan

document (3.71) in which the *exercise* (3.83) *policy* (3.171) plan has been translated to exercise goals and exercises, and in which an *exercise programme* (3.86) for a certain year is reflected

3.85

exercise coordinator

person responsible for *planning* (3.170), conducting and evaluating *exercise* (3.83) activities

Note 1 to entry: In larger exercises, this function may include several people/staff and may be called “exercise control”.

Note 2 to entry: Some countries use a term such as “exercise director” or similar instead of “exercise coordinator”.

Note 3 to entry: The exercise coordinator role is also responsible for the *cooperation* (3.51) among internal and external entities.

3.86

exercise programme

series of *exercise* (3.83) activities designed to meet an overall *objective* (3.153) or goal

3.87

exercise programme manager

person responsible for *planning* (3.170) and improving the *exercise programme* (3.86)

3.88

exercise project team

group of individuals responsible for *planning* (3.170), conducting and evaluating an *exercise* (3.83) project

3.89

exercise safety officer

person tasked with ensuring that any actions during the *exercise* (3.83) are performed safely

Note 1 to entry: In larger exercises, involving multiple functions, more than one safety officer may be assigned.

3.90

facility

plant, machinery, property, buildings, transportation units, sea/land/air ports and other items of *infrastructure* (3.117) or plant and related systems that have a distinct and quantifiable business function or service

ISO 22300:2018(E)

3.91**false acceptance rate**

proportion of *authentications* (3.16) wrongly declared true

3.92**false rejection rate**

proportion of *authentications* (3.16) wrongly declared false

3.93**forensic**

related to, or used in, courts of law

Note 1 to entry: This applies to video-surveillance used to produce legal evidence.

3.94**forensic analysis**

scientific methodology for authenticating *material goods* (3.139) by confirming an *authentication element* (3.17) or an intrinsic attribute through the use of specialized equipment by a skilled expert with special knowledge

3.95**full-scale exercise**

exercise (3.83) which involves multiple *organizations* (3.158) or functions and includes actual *activities* (3.1)

3.96**functional exercise**

exercise (3.83) to train for, assess, practise and improve the *performance* (3.167) of single functions designed to respond to and recover from an unwanted *event* (3.82)

Note 1 to entry: Functions can include an emergency operations centre (EOC) team, a *crisis management team* (3.61) or fire-fighters decontaminating mock victims.

3.97**geo-location**

specific location defined by one of several means to represent latitude, longitude, elevation above sea level and coordinate system

Note 1 to entry: Geo-location generally means the meaningful specification of the position of a point or *object* (3.151) on the earth. The term itself does not carry a prescription of the coordinate system to be used. Additional attributes associated with a geo-location are not a part of a geo-location specification.

3.98**goods**

items or materials that, upon the placement of a purchase order, are manufactured, handled, processed or transported within the *supply chain* (3.251) for usage or consumption by the purchaser

3.99**hazard**

source of potential harm

Note 1 to entry: Hazard can be a *risk source* (3.213).

[SOURCE: ISO/Guide 73:2009, 3.5.1.4]

3.100**hazard monitoring function**

activities (3.1) to obtain evidence-based *information* (3.116) on *hazards* (3.99) in a defined area used to make decisions about the need for *public warning* (3.183)

3.101**hue**

attribute of a visual sensation where an area appears to be similar to one of the perceived colours, red, yellow, green, and blue, or to a combination of two of them

3.102**human interpretation**

authenticity as evaluated by an *inspector* (3.120)

3.103**human rights risk analysis****HRRA**

process (3.180) to identify, analyse, evaluate and document human rights-related *risks* (3.199) and their *impacts* (3.107), in order to manage risk and to mitigate or prevent adverse human rights impacts and legal infractions

Note 1 to entry: The HRRA is part of the *organization's* (3.158) *requirement* (3.190) to undertake human rights due diligence to identify, prevent, mitigate and account for how it addresses impacts on human rights.

Note 2 to entry: The HRRA is framed by relevant international human rights principles and conventions and forms a fundamental part of the organization's overall *risk assessment* (3.203).

Note 3 to entry: The HRRA includes an analysis of the severity of actual and potential human rights impacts that the organization may cause or contribute to through its *security operations* (3.232), or which may be linked directly to the organization's operations, projects or services through its business relationships. The HRRA process should include consideration of the operational context, draw on the necessary human rights expertise, and involve direct, meaningful engagement with those *interested parties* (3.124) whose rights may be at risk.

Note 4 to entry: The analysis of the *consequences* (3.46) of adverse human rights impacts are measured and prioritized in terms of the severity of the impacts.

Note 5 to entry: HRRAs should be undertaken at regular intervals, recognizing that human rights risks may change over time.

Note 6 to entry: HRRAs will vary in complexity with the size of the organization, the risk of severe human rights impacts and the nature and context of its operations.

Note 7 to entry: HRRA is sometimes referred to as a "human rights risk assessment", a "human rights impact assessment" or a "human rights risk and impact assessment".

3.104**identification**

process (3.180) of recognizing the attributes that identify an *entity* (3.79)

3.105**identifier**

specified set of attributes assigned to an *entity* (3.79) for the purpose of *identification* (3.104)

3.106**identity**

set of attributes that are related to an *entity* (3.79)

Note 1 to entry: An identity can have unique attributes that enable an *object* (3.151) to be distinguished from all others.

Note 2 to entry: Identity can be viewed in terms of human, *organization* (3.158) and objects (physical and intangible).

3.107**impact**

evaluated *consequence* (3.46) of a particular outcome

ISO 22300:2018(E)

3.108

impact analysis

consequence analysis

process (3.180) of analysing all operational functions and the effect that an operational interruption can have upon them

Note 1 to entry: Impact analysis is part of the *risk assessment* (3.203) process and includes *business impact analysis* (3.29). Impact analysis identifies how the loss or damage will manifest itself; the degree for potential escalation of damage or loss with time following an *incident* (3.111); the minimum services and resources (human, physical, and financial) needed to enable business processes to continue to operate at a minimum acceptable level; and the timeframe and extent within which *activities* (3.1), functions and services of the organization should be recovered.

3.109

impartiality

actual or perceived presence of objectivity

Note 1 to entry: Objectivity means that conflicts of interest do not exist or are resolved so as not to adversely influence subsequent activities.

Note 2 to entry: Other terms commonly used to convey the element of impartiality are objectivity, independence, freedom from conflict of interests, freedom from bias, lack of prejudice, neutrality, fairness, open-mindedness, even-handedness, detachment and balance.

3.110

improvisation

act of inventing, composing or performing, with little or no preparation, a reaction to the unexpected

3.111

incident

situation that can be, or could lead to, a *disruption* (3.70), loss, *emergency* (3.77) or *crisis* (3.59)

3.112

incident command

process that is conducted as part of an *incident management system* (3.137), and which evolves during the *management* (3.135) of an *incident* (3.111)

3.113

incident management system

system that defines the roles and responsibilities of *personnel* (3.169) and the operating *procedures* (3.179) to be used in the management of incidents

3.114

incident preparedness

activities (3.1) taken to prepare for *incident response* (3.115)

3.115

incident response

actions taken in order to stop the causes of an imminent *hazard* (3.99) and/or mitigate the *consequences* (3.46) of potentially destabilizing *events* (3.82) or *disruptions* (3.70), and to recover to a normal situation

Note 1 to entry: Incident response is part of the *emergency management* (3.78) *process* (3.180).

3.116

information

data processed, organized and correlated to produce meaning

3.117

infrastructure

system of *facilities* (3.90), equipment and services needed for the operation of an *organization* (3.158)

[SOURCE: ISO 9000:2015, 3.5.2]

3.118**inherently dangerous property**

property that, if in the hands of an unauthorized individual, would create an imminent *threat* (3.259) of death or serious bodily harm

EXAMPLE Lethal weapons, ammunition, explosives, chemical agents, biological agents and toxins, nuclear or radiological materials.

3.119**inject**

scripted piece of *information* (3.116) inserted into an *exercise* (3.83) that is designed to elicit a response or decision and facilitate the flow of the exercise

Note 1 to entry: Injects can be written, oral, televised and/or transmitted via any means (e.g. phone, email, fax, voice, radio or sign).

3.120**inspector**

person who uses the *object examination function* (3.152) with the aim of evaluating an *object* (3.151)

Note 1 to entry: Any *participant* (3.163) within an identification and authentication system can act as an inspector.

Note 2 to entry: Inspectors can have different levels of qualification and *training* (3.265).

Note 3 to entry: The inspector can be an automated system.

3.121**inspector access history**

access logs detailing when *unique identifiers* (UID) (3.269) were checked, optionally by which (privileged) *inspector* (3.120), and optionally from what specific location

Note 1 to entry: Time stamps are often used.

3.122**integrated authentication element**

authentication element (3.17) that is added to the *material good* (3.139)

3.123**integrity**

property of safeguarding the accuracy and completeness of *assets* (3.10)

3.124**interested party**

stakeholder

person or *organization* (3.158) that can affect, be affected by, or perceive itself to be affected by a decision or *activity* (3.1)

EXAMPLE Customers, *owners* (3.162), people in an organization, providers, bankers, regulators, unions, partners or society that can include competitors or opposing pressure groups.

Note 1 to entry: A decision maker can be an interested party.

Note 2 to entry: Impacted communities and local populations are considered to be external interested parties.

Note 3 to entry: Throughout this document, the use of the term “interested party” is consistent with its usage in *security operations* (3.232).

[SOURCE: ISO 9000:2015, 3.2.3, modified — Note 1 to entry has been replaced and Notes 2 and 3 to entry have been added.]

ISO 22300:2018(E)

3.125

internal attack

attack (3.11) perpetrated by people or entities directly or indirectly linked with the legitimate manufacturer, originator of the *goods* (3.98) or *rights holder* (3.198) (staff of the rights holder, subcontractor, supplier, etc.)

3.126

internal audit

audit (3.13) conducted by, or on behalf of, an *organization* (3.158) itself for *management* (3.135) *review* (3.197) and other internal purposes, and which can form the basis for an organization's self-declaration of *conformity* (3.45)

Note 1 to entry: In many cases, particularly in smaller organizations, independence can be demonstrated by the freedom from responsibility for the *activity* (3.1) being audited.

3.127

international supply chain

supply chain (3.251) that at some point crosses an international or economic border

Note 1 to entry: All portions of this chain are considered international from the time a purchase order is concluded to the point where the *goods* (3.98) are released from customs control in the destination country or economy.

Note 2 to entry: If treaties or regional agreements have eliminated customs clearance of goods from specified countries or economies, the end of the international supply chain is the port of entry into the destination country or economy where the goods would have cleared customs if the agreements or treaties had not been in place.

3.128

interoperability

ability of diverse systems and *organizations* (3.158) to work together

3.129

intrinsic authentication element

authentication element (3.17) which is inherent to the *material good* (3.139)

3.130

invocation

act of declaring that an *organization's* (3.158) *business continuity* (3.24) arrangements need to be put into effect in order to continue delivery of key *products or services* (3.181)

3.131

key performance indicator**KPI**

quantifiable measure that an *organization* (3.158) uses to gauge or compare *performance* (3.167) in terms of meeting its strategic and operational *objectives* (3.153)

3.132

less-lethal force

degree of force used that is less likely to cause death or serious injury to overcome violent encounters and appropriately meet the levels of resistance encountered

3.133

likelihood

chance of something happening

Note 1 to entry: In *risk management* (3.208) terminology, the word "likelihood" is used to refer to the chance of something happening, whether defined, measured or determined objectively or subjectively, qualitatively or quantitatively, and described using general terms or mathematically (such as a *probability* (3.178) or a frequency over a given time period).

Note 2 to entry: The English term “likelihood” does not have a direct equivalent in some languages; instead, the equivalent of the term “probability” is often used. However, in English, “probability” is often narrowly interpreted as a mathematical term. Therefore, in risk management terminology, “likelihood” is used with the intent that it should have the same broad interpretation as the term “probability” has in many languages other than English.

[SOURCE: ISO/Guide 73:2009, 3.6.1.1]

3.134

logical structure

arrangement of data to optimize their access or processing by given user (human or machine)

3.135

management

coordinated *activities* (3.1) to direct and control an *organization* (3.158)

[SOURCE: ISO 9000:2015, 3.3.3, modified — Notes 1 and 2 to entry have been deleted.]

3.136

management plan

clearly defined and documented plan of action, typically covering the key *personnel* (3.169), *resources* (3.193), services, and actions needed to implement the *management* (3.135) *process* (3.180)

3.137

management system

set of interrelated or interacting elements of an *organization* (3.158) to establish policies and *objectives* (3.153), and *processes* (3.180) to achieve those objectives

Note 1 to entry: A management system can address a single discipline or several disciplines, e.g. quality management, financial management or environmental management.

Note 2 to entry: The management system elements establish the organization's structure, roles and responsibilities, *planning* (3.170), operation, policies, practices, rules, beliefs, objectives and processes to achieve those objectives.

Note 3 to entry: The scope of a management system can include the whole of the organization, specific and identified functions of the organization, specific and identified sections of the organization, or one or more functions across a group of organizations.

[SOURCE: ISO 9000:2015, 3.5.3, modified — Note 4 to entry has been deleted.]

3.138

management system consultancy and/or associated risk assessment

participation in designing, implementing or maintaining a *supply chain* (3.251) *security management* (3.227) system and in conducting *risk assessments* (3.203)

EXAMPLE preparing or producing manuals or *procedures* (3.179); giving specific advice, instructions or solutions towards the development and implementation of a supply chain security management system; conducting *internal audits* (3.126); conducting risk assessment and analysis.

Note 1 to entry: Arranging *training* (3.265) and participating as a trainer is not considered as consultancy, provided that, where the course relates to supply chain security management systems or auditing, the course is confined to the provision of generic *information* (3.116) that is freely available in the public domain, i.e. the trainer does not provide company-specific solutions.

3.139

material good

manufactured, grown product or one secured from nature

3.140

material good life cycle

stages in the life of a *material good* (3.139) including conception, design, manufacture, storage, service, resell and disposal

ISO 22300:2018(E)

3.141**maximum acceptable outage****MAO**

time it would take for adverse *impacts* (3.107), which can arise as a result of not providing a product/service or performing an *activity* (3.1), to become unacceptable

Note 1 to entry: See also *maximum tolerable period of disruption* (3.142).

3.142**maximum tolerable period of disruption****MTPD**

time it would take for adverse *impacts* (3.107), which can arise as a result of not providing a product/service or performing an *activity* (3.1), to become unacceptable

Note 1 to entry: See also *maximum acceptable outage* (3.141).

3.143**measurement**

process (3.180) to determine a value

[SOURCE: ISO 9000:2015, 3.11.4, modified — Notes 1 and 2 to entry have been deleted.]

3.144**metadata**

information (3.116) to describe audiovisual content and data essence in a defined format

EXAMPLE Time and date, text strings, location identifying data, audio and any other associated, linked or processed information.

3.145**minimum business continuity objective****MBCO**

minimum level of services and/or products that is acceptable to an *organization* (3.158) to achieve its *business objectives* (3.153) during a *disruption* (3.70)

3.146**mitigation**

limitation of any negative *consequence* (3.46) of a particular *incident* (3.111)

3.147**monitoring**

determining the status of a system, a *process* (3.180), a product, a service, or an *activity* (3.1)

Note 1 to entry: For the determination of the status, there can be a need to check, supervise or critically observe.

[SOURCE: ISO 9000:2015, 3.11.3, modified — Notes 2 and 3 to entry have been deleted.]

3.148**mutual aid agreement**

pre-arranged understanding between two or more entities to render assistance to each other

3.149**nonconformity**

non-fulfilment of a *requirement* (3.190)

[SOURCE: ISO 9000:2015, 3.6.9, modified — Note 1 to entry has been deleted.]

3.150**notification**

part of *public warning* (3.183) that provides essential *information* (3.116) to *people at risk* (3.166) regarding the decisions and actions necessary to cope with an *emergency* (3.77) situation

3.151**object**

single and distinct *entity* (3.79) that can be identified

3.152**object examination function****OEF**

process (3.180) of finding or determining the *unique identifier (UID)* (3.269) or other attributes intended to authenticate

Note 1 to entry: In this process, other attributes can assist in the *evaluation* (3.81) of the UID.

3.153**objective**

result to be achieved

Note 1 to entry: An objective can be strategic, tactical, or operational.

Note 2 to entry: Objectives can relate to different disciplines (such as financial, health and safety, and environmental objectives) and can apply at different levels (such as strategic, organization-wide, project, product and *process* (3.180)).

Note 3 to entry: An objective can be expressed in other ways, e.g. as an intended outcome, a purpose, an operational criterion or by the use of other words with similar meaning (e.g. aim, goal, or *target* (3.255)).

Note 4 to entry: In the context of *security operations management* (3.233) systems, *security operations objectives* (3.234) are set by the organization, consistent with the *security operations policy* (3.236), to achieve specific results.

[SOURCE: ISO 9000:2015, 3.7.1, modified — In Note 4 to entry, “security operations management systems” has replaced “quality management systems” and Note 5 to entry has been deleted.]

3.154**observer**

participant (3.163) who witnesses the *exercise* (3.83) while remaining separate from exercise activities

Note 1 to entry: Observers may be part of the *evaluation* (3.81) *process* (3.180).

3.155**off-the-shelf authentication tool**

authentication tool (3.20) that can be purchased through open sales networks

3.156**on-line authentication tool**

authentication tool (3.20) that requires a real-time on-line connection to be able to locally interpret the *authentication element* (3.17)

3.157**operational information**

information (3.116) that has been contextualized and analysed to provide an understanding of the situation and its possible evolution

3.158**organization**

person or group of people that has its own functions with responsibilities, authorities and relationships to achieve its *objectives* (3.153)

Note 1 to entry: The concept of organization includes, but is not limited to, sole-trader, company, corporation, firm, enterprise, authority, *partnership* (3.165), charity or institution, or part or combination thereof, whether incorporated or not, public or private.

Note 2 to entry: For organizations with more than one operating unit, a single operating unit can be defined as an organization.

ISO 22300:2018(E)

[SOURCE: ISO 9000:2015, 3.2.1, modified — Note 2 to entry has been replaced.]

3.159**organization in the supply chain**

entity ([3.79](#)) that

- manufactures, handles, processes, loads, consolidates, unloads or receives *goods* ([3.98](#)) upon placement of a purchase order that at some point crosses an international or economy border,
- transports goods by any mode in the *international supply chain* ([3.127](#)) regardless of whether their particular segment of the *supply chain* ([3.251](#)) crosses national (or economy) boundaries, or
- provides, manages or conducts the generation, distribution or flow of shipping *information* ([3.116](#)) used by customs agencies or in business practices.

3.160**outsource**

make an arrangement where an external *organization* ([3.158](#)) performs part of an organization's function or *process* ([3.180](#))

Note 1 to entry: An external organization is outside the scope of the *management system* ([3.137](#)), although the outsourced function or process is within the scope.

[SOURCE: ISO 9000:2015, 3.4.6, modified — Note 2 to entry has been deleted.]

3.161**overt authentication element**

authentication element ([3.17](#)) that is detectable and verifiable by one or more of the human senses without resource to a tool (other than everyday tools which correct imperfect human senses, such as spectacles or hearing aids)

3.162**owner**

entity ([3.79](#)) that legally controls the licensing and user rights and distribution of the *object* ([3.151](#)) associated with the *unique identifier (UID)* ([3.269](#))

3.163**participant**

person or *organization* ([3.158](#)) who performs a function related to an *exercise* ([3.83](#))

3.164**partnering**

associating with others in an *activity* ([3.1](#)) or area of common interest in order to achieve individual and collective *objectives* ([3.153](#))

3.165**partnership**

organized relationship between two bodies (public–public, private–public, private–private) which establishes the scope, roles, *procedures* ([3.179](#)) and tools to prevent and manage any *incident* ([3.111](#)) impacting on *security* ([3.223](#)) and *resilience* ([3.192](#)) with respect to related laws

3.166**people at risk**

individuals in the area who may be affected by an *incident* ([3.111](#))

3.167**performance**

measurable result

Note 1 to entry: Performance can relate either to quantitative or qualitative findings.

Note 2 to entry: Performance can relate to the *management* (3.135) of *activities* (3.1), *processes* (3.180), products, services, systems or *organizations* (3.158).

[SOURCE: ISO 9000:2015, 3.7.8, modified — Note 3 to entry has been deleted.]

3.168

performance evaluation

process (3.180) of determining measurable results

3.169

personnel

people working for and under the control of an *organization* (3.158)

Note 1 to entry: The concept of personnel includes, but is not limited to, employees, part-time staff and agency staff.

3.170

planning

part of *management* (3.135) focused on setting *security operations objectives* (3.234) and specifying necessary operational *processes* (3.180) and related *resources* (3.193) to fulfil the security operations objectives

3.171

policy

intentions and direction of an *organization* (3.158) as formally expressed by its *top management* (3.263)

[SOURCE: ISO 9000:2015, 3.5.8, modified — Note 1 to entry has been deleted.]

3.172

preparedness

readiness

activities (3.1), programmes, and systems developed and implemented prior to an *incident* (3.111) that can be used to support and enhance prevention, protection from, mitigation of, response to and recovery from *disruptions* (3.70), *emergencies* (3.77) or *disasters* (3.69)

3.173

prevention

measures that enable an *organization* (3.158) to avoid, preclude or limit the *impact* (3.107) of an *undesirable event* (3.268) or potential *disruption* (3.70)

3.174

prevention of hazards and threats

process (3.180), practices, techniques, materials, products, services or *resources* (3.193) used to avoid, reduce, or control *hazards* (3.99) and *threats* (3.259) and their associated *risks* (3.199) of any type in order to reduce their potential *likelihood* (3.133) or *consequences* (3.46)

3.175

preventive action

action to eliminate the cause of a potential *nonconformity* (3.149) or other undesirable potential situation

Note 1 to entry: There can be more than one cause for a potential nonconformity.

Note 2 to entry: Preventive action is taken to prevent occurrence whereas *corrective action* (3.54) is taken to prevent recurrence.

[SOURCE: ISO 9000:2015, 3.12.1]

3.176

prioritized activity

activity (3.1) to which priority is given following an *incident* (3.111) in order to mitigate *impacts* (3.107)

Note 1 to entry: Terms commonly used to describe these activities include critical, essential, vital, urgent and key.

ISO 22300:2018(E)

3.177

private security service provider

private security company

PSC

organization (3.158) that conducts or contracts *security operations* (3.232) and whose business activities include the provision of *security* (3.223) services either on its own behalf or on behalf of another

Note 1 to entry: PSCs provide services to *clients* (3.35) with the aim of ensuring their security and that of others.

Note 2 to entry: PSCs typically work in circumstances where governance is weak or rule of law undermined due to human- or naturally-caused *events* (3.82) and provide services for which *personnel* (3.169) can be required to carry weapons in the *performance* (3.167) of their duties in accordance with the terms of their contract.

Note 3 to entry: Examples of security services provided by PSCs include: guarding; close protection; physical protection measures; security awareness and *training* (3.265); *risk* (3.199), security and threat assessment; the provision of protective and defensive measures for individuals compounds, diplomatic and residential perimeters; escort of transport; and *policy* (3.171) analysis.

Note 4 to entry: A joint venture is considered part of the organization.

3.178

probability

measure of the chance of occurrence expressed as a number between 0 and 1 where 0 is impossibility and 1 is absolute certainty

Note 1 to entry: See also *likelihood* (3.133).

[SOURCE: ISO/Guide 73:2009, 3.6.1.4]

3.179

procedure

specified way to carry out an *activity* (3.1) or a *process* (3.180)

Note 1 to entry: Procedures can be documented or not.

Note 2 to entry: When a procedure is documented, the term “written procedure” or “documented procedure” is frequently used. The document that contains a procedure can be called a “procedure document”.

3.180

process

set of interrelated or interacting *activities* (3.1) that use inputs to deliver an intended result

[SOURCE: ISO 9000:2015, 3.4.1, modified — Notes 1 to 6 to entry have been deleted.]

3.181

product or service

beneficial outcome provided by an *organization* (3.158) to its customers, recipients and *interested parties* (3.124)

EXAMPLE Manufactured items, car insurance, community nursing.

3.182

protection

measures that safeguard and enable an *organization* (3.158) to reduce the *impact* (3.107) of a potential *disruption* (3.70)

3.183

public warning

notification (3.150) and *alert* (3.4) messages disseminated as an *incident response* (3.115) measure to enable responders and *people at risk* (3.166) to take safety measures

Note 1 to entry: Public warning can include *information* (3.116) to raise public awareness and understanding or to provide advisory or compulsory instructions.

3.184**public warning system**

set of protocols, *processes* (3.180) and technologies based on the *public warning* (3.183) *policy* (3.171) to deliver *notification* (3.150) and *alert* (3.4) messages in a developing *emergency* (3.77) situation to *people at risk* (3.166) and to first responders

3.185**purpose-built authentication tool**

authentication tool (3.20) dedicated to a specific *authentication solution* (3.19)

3.186**record**

document (3.71) stating results achieved or providing evidence of *activities* (3.1) performed

[SOURCE: ISO 9000:2015, 3.8.10, modified — Notes 1 and 2 to entry have been deleted.]

3.187**recovery**

restoration and improvement, where appropriate, of operations, *facilities* (3.90), livelihoods or living conditions of affected *organizations* (3.158), including efforts to reduce *risk* (3.199) factors

3.188**recovery point objective****RPO**

point to which *information* (3.116) used by an *activity* (3.1) is restored to enable the activity to operate on resumption

Note 1 to entry: Can also be referred to as “maximum data loss”.

3.189**recovery time objective****RTO**

period of time following an *incident* (3.111) within which a *product or service* (3.181) or an *activity* (3.1) is resumed, or *resources* (3.193) are recovered

Note 1 to entry: For products, services and activities, the recovery time objective is less than the time it would take for the adverse *impacts* (3.107) that would arise as a result of not providing a product/service or performing an activity to become unacceptable.

3.190**requirement**

need or expectation that is stated, generally implied or obligatory

Note 1 to entry: “Generally implied” means that it is custom or common practice for the *organization* (3.158) and *interested parties* (3.124) that the need or expectation under consideration is implied.

Note 2 to entry: A specified requirement is one that is stated, for example in documented *information* (3.116).

[SOURCE: ISO 9000:2015, 3.6.4, modified — Notes 3 to 6 to entry have been deleted.]

3.191**residual risk**

risk (3.199) remaining after *risk treatment* (3.215)

Note 1 to entry: Residual risk can contain unidentified risk.

Note 2 to entry: Residual risk can also be known as “retained risk”.

[SOURCE: ISO/Guide 73:2009, 3.8.1.6]

ISO 22300:2018(E)

3.192**resilience**

ability to absorb and adapt in a changing environment

3.193**resource**

asset, *facility* (3.90), equipment, material, product or waste that has potential value and can be used

3.194**response plan**

documented collection of *procedures* (3.179) and *information* (3.116) that is developed, compiled and maintained in readiness for use in an *incident* (3.111)

3.195**response programme**

plan, *processes* (3.180), and *resources* (3.193) to perform the *activities* (3.1) and services necessary to preserve and protect life, property, operations and critical *assets* (3.10)

Note 1 to entry: Response steps generally include *incident* (3.111) recognition, *notification* (3.150), assessment, declaration, plan execution, communications, and resources *management* (3.135).

3.196**response team**

group of individuals responsible for developing, executing, rehearsing, and maintaining the *response plan* (3.194), including the *processes* (3.180) and *procedures* (3.179)

3.197**review**

activity (3.1) undertaken to determine the suitability, adequacy and *effectiveness* (3.76) of the *management system* (3.137) and its component elements to achieve established *objectives* (3.153)

[SOURCE: ISO/Guide 73:2009, 3.8.2.2, modified — Note 1 to entry has been deleted.]

3.198**rights holder**

legal *entity* (3.79) either holding or authorised to use one or more intellectual property rights

3.199**risk**

effect of uncertainty on *objectives* (3.153)

Note 1 to entry: An effect is a deviation from the expected — positive and/or negative.

Note 2 to entry: Objectives can have different aspects (such as financial, health and safety, and environmental goals) and can apply at different levels (such as strategic, organization-wide, project, product and process).

Note 3 to entry: Risk is often characterized by reference to potential events and *consequences* (3.46), or a combination of these.

Note 4 to entry: Risk is often expressed in terms of a combination of the consequences of an event (including changes in circumstances) and the associated likelihood of occurrence.

Note 5 to entry: Uncertainty is the state, even partial, of deficiency of information related to, understanding or knowledge of, an event, its consequence, or likelihood.

[SOURCE: ISO/Guide 73:2009, 1.1]

3.200**risk acceptance**

informed decision to take a particular *risk* (3.199)

Note 1 to entry: Risk acceptance can occur without *risk treatment* (3.215) or during the *process* (3.180) of risk treatment.

Note 2 to entry: Accepted risks are subject to *monitoring* (3.147) and *review* (3.197).

[SOURCE: ISO/Guide 73:2009, 3.7.1.6, modified — Note 5 to entry has been added.]

3.201

risk analysis

process (3.180) to comprehend the nature of *risk* (3.199) and to determine the level of risk

Note 1 to entry: Risk analysis provides the basis for *risk evaluation* (3.206) and decisions about *risk treatment* (3.215).

Note 2 to entry: Risk analysis includes risk estimation.

[SOURCE: ISO/Guide 73:2009, 3.6.1]

3.202

risk appetite

amount and type of *risk* (3.199) that an *organization* (3.158) is willing to pursue or retain

[SOURCE: ISO/Guide 73:2009, 3.7.1.2]

3.203

risk assessment

overall *process* (3.180) of *risk identification* (3.207), *risk analysis* (3.201) and *risk evaluation* (3.206)

Note 1 to entry: Risk assessment involves the process of identifying internal and external *threats* (3.259) and vulnerabilities, identifying the *likelihood* (3.133) and *impact* (3.107) of an *event* (3.82) arising from such threats or vulnerabilities, defining critical functions necessary to continue the *organization's* (3.158) operations, defining the controls in place necessary to reduce exposure, and evaluating the cost of such controls.

[SOURCE: ISO/Guide 73:2009, 3.4.1, modified — Note 1 to entry has been added.]

3.204

risk communication

exchange or sharing of *information* (3.116) about *risk* (3.199) between the decision maker and other *interested parties* (3.124)

Note 1 to entry: The information can relate to the existence, nature, form, *probability* (3.178), severity, acceptability, treatment or other aspects of risk.

3.205

risk criteria

terms of reference against which the significance of a *risk* (3.199) is evaluated

Note 1 to entry: Risk criteria are based on organizational *objectives* (3.153), and external and internal context.

Note 2 to entry: Risk criteria can be derived from standards, laws, policies and other *requirements* (3.190).

[SOURCE: ISO/Guide 73:2009, 3.3.1.3]

3.206

risk evaluation

process (3.180) of comparing the results of *risk analysis* (3.201) with *risk criteria* (3.205) to determine whether the *risk* (3.199) and/or its magnitude is acceptable or tolerable

Note 1 to entry: Risk evaluation assists in the decision about *risk treatment* (3.215).

[SOURCE: ISO/Guide 73:2009, 3.7.1]

ISO 22300:2018(E)

3.207**risk identification**

process (3.180) of finding, recognizing and describing risks (3.199)

Note 1 to entry: Risk identification involves the *identification* (3.104) of *risk sources* (3.213), *events* (3.82), their causes and their potential *consequences* (3.46).

Note 2 to entry: Risk identification can involve historical data, theoretical analysis, informed and expert opinions, and interested parties' needs.

[SOURCE: ISO/Guide 73:2009, 3.4.1, modified — In Note 2 to entry, "stakeholders" has been changed to "interested parties".]

3.208**risk management**

coordinated *activities* (3.1) to direct and control an *organization* (3.158) with regard to *risk* (3.199)

Note 1 to entry: Risk management generally includes *risk assessment* (3.203), *risk treatment* (3.215), *risk acceptance* (3.200), and *risk communication* (3.204).

[SOURCE: ISO/Guide 73:2009, 2.1, modified — Note 1 to entry has been added.]

3.209**risk owner**

entity (3.79) with the accountability and authority to manage a *risk* (3.199)

[SOURCE: ISO/Guide 73:2009, 3.4.5]

3.210**risk reduction**

actions taken to lessen the *probability* (3.178) or negative *consequences* (3.46), or both, associated with a *risk* (3.199)

3.211**risk register**

record (3.186) of *information* (3.116) about identified *risks* (3.199)

Note 1 to entry: Compilation for all risks identified, analysed and evaluated in the *risk assessment* (3.203) process (3.180), including information on the risk register includes information on *likelihood* (3.133), *consequences* (3.46), treatments and *risk owners* (3.209).

[SOURCE: ISO/Guide 73:2009, 3.8.2.4, modified — Note 1 to entry has been replaced.]

3.212**risk sharing**

form of *risk treatment* (3.215) involving the agreed distribution of *risk* (3.199) with other parties

Note 1 to entry: Legal or regulatory *requirements* (3.190) can limit, prohibit or mandate risk sharing.

Note 2 to entry: Risk sharing can be carried out through insurance or other forms of contract.

Note 3 to entry: The extent to which risk is distributed can depend on the reliability and clarity of the sharing arrangements.

Note 4 to entry: Risk transfer is a form of risk sharing.

[SOURCE: ISO/Guide 73:2009, 3.8.1.3]

3.213**risk source**

element which alone or in combination has the intrinsic potential to give rise to *risk* (3.199)

Note 1 to entry: A risk source can be tangible or intangible.

[SOURCE: ISO/Guide 73:2009, 3.5.1.2]

3.214 risk tolerance

organization's (3.158) or interested party's readiness to bear the *risk* (3.199) after *risk treatment* (3.215) in order to achieve its *objectives* (3.153)

Note 1 to entry: Risk tolerance can be influenced by *client* (3.35), stakeholder, legal, or regulatory *requirements* (3.190).

[SOURCE: ISO/Guide 73:2009, 3.7.1.3, modified — In the definition, “stakeholder” has been changed to “interested party” and Note 1 to entry has been modified.]

3.215 risk treatment

process (3.180) to modify *risk* (3.199)

Note 1 to entry: Risk treatment can involve

- avoiding the risk by deciding not to start or continue with the *activity* (3.1) that gives rise to the risk,
- taking or increasing risk in order to pursue an opportunity,
- removing the *risk source* (3.213),
- changing the *likelihood* (3.133),
- changing the *consequences* (3.46),
- sharing the risk with another party or parties (including contracts and risk financing), and
- retaining the risk by informed decision.

Note 2 to entry: Risk treatments that deal with negative consequences are sometimes referred to as “risk mitigation”, “risk elimination”, “risk prevention” and “*risk reduction* (3.210)”.

Note 3 to entry: Risk treatment can create new risks or modify existing risks.

[SOURCE: ISO/Guide 73:2009, 3.8.1]

3.216 robustness

ability of a system to resist virtual or physical, internal or external *attacks* (3.11)

Note 1 to entry: Particularly, the ability to resist attempted imitation, copy, intrusion or bypassing.

3.217 scenario

pre-planned storyline that drives an *exercise* (3.83), as well as the stimuli used to achieve exercise project *performance* (3.167) *objectives* (3.153)

3.218 scene location

collection of *geo-locations* (3.97) that define the perimeter of the viewable scene of a camera

Note 1 to entry: The coordinate system is the same for each geo-location in the collection. There is at least one geo-location in the scene location. The geo-locations are ordered in either clockwise or counter-clockwise order. Single geo-location scenes interpret the geo-location as the centre of the scene.

3.219 scope of exercise

magnitude, *resources* (3.193) and extent which reflects the needs and *objectives* (3.153)

ISO 22300:2018(E)

3.220**scope of service**

function(s) that an *organization in the supply chain* (3.159) performs, and where it performs this/these functions

3.221**script**

story of the *exercise* (3.83) as it develops which allows directing staff to understand how *events* (3.82) should develop during exercise play as the various elements of the master events list are introduced

Note 1 to entry: The script is often written as a narrative of simulated events.

3.222**secret**

data and/or knowledge that are protected against disclosure to unauthorised entities

3.223**security**

state of being free from danger or *threat* (3.259)

3.224**security aspect**

characteristic, element, or property that reduces the *risk* (3.199) of unintentionally-, intentionally-, and naturally-caused *crises* (3.59) and *disasters* (3.69) which disrupt and have *consequences* (3.46) on the *products or services* (3.181), operation, critical *assets* (3.10) and *continuity* (3.49) of an *organization* (3.158) and its *interested parties* (3.124)

3.225**security cleared**

process (3.180) of verifying the trustworthiness of people who will have access to *security sensitive information* (3.240)

3.226**security declaration**

documented commitment by a *business partner* (3.30), which specifies *security* (3.223) measures implemented by that business partner, including, at a minimum, how *goods* (3.98) and physical instruments of international trade are safeguarded, associated *information* (3.116) is protected and security measures are demonstrated and verified

Note 1 to entry: It will be used by the *organization in the supply chain* (3.159) to evaluate the adequacy of security measures related to the security of goods.

3.227**security management**

systematic and coordinated *activities* (3.1) and practices through which an *organization* (3.158) optimally manages its *risks* (3.199), and the associated potential *threats* (3.259) and *impacts* (3.107)

3.228**security management objective**

specific outcome or achievement required of *security* (3.223) in order to meet the *security management policy* (3.229)

Note 1 to entry: It is essential that such outcomes are linked either directly or indirectly to providing the products, supply or services delivered by the total business to its customers or end users.

3.229**security management policy**

overall intentions and direction of an *organization* (3.158), related to the *security* (3.223) and the framework for the control of security-related *processes* (3.180) and *activities* (3.1) that are derived from and consistent with its *policy* (3.171) and regulatory *requirements* (3.190)

3.230**security management programme**

process (3.180) by which a security management objective (3.228) is achieved

3.231**security management target**

specific level of performance (3.167) required to achieve a security management objective (3.228)

3.232**security operation**

activity (3.1) and function related to the protection (3.182) of people, and tangible and intangible assets (3.10)

Note 1 to entry: *Security (3.223) operations can require the carrying and operating a weapon in the performance (3.167) of their duties.*

Note 2 to entry: The concept includes the International Code of Conduct (ICoC)^[5] definition of security services: guarding and protection of people and *objects (3.151)*, such as convoys, *facilities (3.90)*, designated sites, property or other places (whether armed or unarmed) or any other activity for which the *personnel (3.169)* of companies are required to carry or operate a weapon in the performance of their duties.

3.233**security operations management**

coordinated activities (3.1) to direct and control an organization (3.158) with regard to security operations (3.232)

Note 1 to entry: Direction and control with regard to security operations management generally includes establishment of the *policy (3.171)*, *planning (3.170)* and *objectives (3.153)* directing operational *processes (3.180)* and *continual improvement (3.48)*.

3.234**security operations objective**

objective (3.153) sought, or aimed for, related to security operations (3.232)

Note 1 to entry: Security operations objectives are generally based on the *organization's (3.158) security operations policy (3.236)*.

Note 2 to entry: Security operations objectives are generally specified for relevant functions and levels in the organization.

3.235**security operations personnel**

people working on behalf of an organization (3.158) who are engaged directly or indirectly in security operations (3.232)

3.236**security operations policy**

overall intentions and direction of an organization (3.158) related to security operations (3.232) as formally expressed by top management (3.263)

Note 1 to entry: Generally, the security operations policy is consistent with the overall policy of the organization and provides a framework for the setting of *security operations objectives (3.234)*.

Note 2 to entry: *Security operations management (3.233) principles presented in this document can form a basis for the establishment of a security operations policy consistent with the principles and obligations outlined in the International Code of Conduct (ICoC)^[5] and the Montreux Document^[6].*

3.237**security operations programme**

ongoing management (3.135) and governance process (3.180) supported by top management (3.263) and resourced to ensure that the necessary steps are taken to coordinate the efforts to achieve the objectives (3.153) of the security operations management (3.233) system

ISO 22300:2018(E)

3.238**security personnel**

people in an *organization in the supply chain* (3.159) who have been assigned *security* (3.223) related duties

Note 1 to entry: These people can be employees of the organization.

3.239**security plan**

planned arrangements for ensuring that *security* (3.223) is adequately managed

Note 1 to entry: It is designed to ensure the application of measures that protect the *organization* (3.158) from a *security* (3.223) *incident* (3.111).

Note 2 to entry: The plan can be incorporated into other operational plans.

3.240**security sensitive information**

security sensitive material

information (3.116) or material, produced by or incorporated into the *supply chain* (3.251) *security process* (3.180), that contains information about the *security* (3.223) processes, shipments or government directives that would not be readily available to the public and would be useful to someone wishing to initiate a *security incident*

3.241**security threat scenario**

means by which a potential *security* (3.223) *incident* (3.111) can occur

3.242**self-defence**

protection (3.182) of one's person or property against some injury attempted by another

3.243**semantic interoperability**

ability of two or more systems or services to automatically interpret and use *information* (3.116) that has been exchanged accurately

3.244**sensitive information**

information (3.116) that is protected from public disclosure only because it would have an adverse effect on an *organization* (3.158), national *security* (3.223) or public safety

3.245**shelter in place**

remain or take immediate refuge in a protected location relevant to the *risk* (3.199)

3.246**specifier**

entity (3.79) who defines the *requirements* (3.190) for an *authentication solution* (3.19) to be applied to a particular *material good* (3.139)

3.247**stand-alone authentication tool**

authentication tool (3.20) that is either used to reveal a covert *authentication element* (3.17) to the human senses for human *verification* (3.272) or that integrates the functions required to be able to verify the authentication element independently

3.248**static metadata**

information (3.116) associated with a digital image aside from the pixel values that does not change over time (or at least does not change over the addressed sequence)

3.249**strategic exercise**

exercise (3.83) involving top management (3.263) at a strategic level

Note 1 to entry: Strategic-level top management typically includes inter-ministerial *crisis (3.59) personnel (3.169)*, political-administrative personnel, cross-sector and cross-departmental management personnel, and the *crisis management (3.60) organization (3.158)* of the corporate management team.

Note 2 to entry: Strategic exercises are designed to assess reactions to crisis in extreme situations.

Note 3 to entry: Strategic exercises are designed to develop a comprehensive *coordination (3.52)* and decision-making culture in organizations in the public, private and not-for-profit sectors.

3.250**subcontracting**

contracting with an external party to fulfil an obligation arising out of an existing contract

Note 1 to entry: When a party is contracted to perform a range of services, it may subcontract one or more of those services to a “subcontractor” or local forces.

Note 2 to entry: Subsidiaries of a parent company may be considered a subcontracting *organization (3.158)*.

3.251**supply chain**

two-way relationship of organizations (3.158), people, processes (3.180), logistics, information (3.116), technology and resources (3.193) engaged in activities (3.1) and creating value from the sourcing of materials through the delivery of products or services (3.181)

Note 1 to entry: The supply chain may include vendors, subcontractors, manufacturing *facilities (3.90)*, logistics providers, internal distribution centres, distributors, wholesalers and other entities that lead to the end user.

3.252**supply chain continuity management****SCCM**

application of business continuity management (3.25) to a supply chain (3.251)

Note 1 to entry: Business continuity management should be applied to all the tiers of an *organization's (3.158)* supply chain.

Note 2 to entry: In practice, an organization usually would only apply it to the first tier of their suppliers and influence critical suppliers to apply SCCM to their suppliers.

3.253**syntactic interoperability**

ability of two or more systems or services to exchange structured information (3.116)

3.254**tamper evidence**

ability of the authentication element (3.17) to show that the material good (3.139) has been compromised

3.255**target**

detailed performance (3.167) requirement (3.190), applicable to an organization (3.158) or parts thereof, that arises from the objectives (3.153) and that needs to be set and met in order to achieve those objectives

[SOURCE: ISO 14050:2009, 4.1.3, modified — “environmental” has been deleted from the term and from before “objectives” in the definition.]

3.256**target group**

individuals or organizations (3.158) subject to exercise (3.83)

ISO 22300:2018(E)

3.257**test**

unique and particular type of *exercise* (3.83), which incorporates an expectation of a pass or fail element within the aim or *objectives* (3.153) of the exercise being planned

Note 1 to entry: The terms “test” and “*testing* (3.258)” are not the same as “exercise” and “exercising”.

3.258**testing**

procedure (3.179) for *evaluation* (3.81); a means of determining the presence, quality or veracity of something

Note 1 to entry: Testing may be referred to as a “trial”.

Note 2 to entry: Testing is often applied to supporting plans.

3.259**threat**

potential cause of an unwanted *incident* (3.111), which may result in harm to individuals, *assets* (3.10), a system or *organization* (3.158), the environment or the *community* (3.42)

3.260**threat analysis**

process (3.180) of identifying, qualifying and quantifying the potential cause of an unwanted *event* (3.82), which may result in harm to individuals, *assets* (3.10), a system or *organization* (3.158), the environment, or the *community* (3.42)

3.261**tier 1 supplier**

provider of *products or services* (3.181) directly to an *organization* (3.158) usually through a contractual arrangement

3.262**tier 2 supplier**

provider of *products or services* (3.181) indirectly to an *organization* (3.158) through a *tier 1 supplier* (3.261)

3.263**top management**

person or group of people who directs and controls an *organization* (3.158) at the highest level

Note 1 to entry: Top management has the power to delegate authority and provide *resources* (3.193) within the organization.

Note 2 to entry: If the scope of the *management system* (3.137) covers only part of an organization, then top management refers to those who direct and control that part of the organization.

Note 3 to entry: For this purpose, an organization can be identified by reference to the scope of the implementation of a management system.

Note 4 to entry: Top management may be referred to as the leadership of the organization.

Note 5 to entry: Top management, especially in a large multinational *organization* (3.158), may not be personally involved as described in this document; however, top management accountability through the chain of command shall be manifest.

[SOURCE: ISO 9000:2015, 3.1.1, modified — Note 3 to entry has been replaced and Notes 4 and 5 to entry have been added.]

3.264**track and trace**

means of identifying every individual *material good* (3.139) or lot(s) or batch in order to know where it has been (track) and where it is (trace) in the supply chain

3.265**training**

activities (3.1) designed to facilitate the learning and development of knowledge, skills and abilities, and to improve the *performance* (3.167) of specific tasks or roles

3.266**trusted query processing function****TQPF**

function that provides a gateway to *trusted verification function* (TVF) (3.267) and attribute management data system (ADMS)

Note 1 to entry: This includes software running locally on a hand-held device.

3.267**trusted verification function****TVF**

function that verifies whether a *unique identifier* (UID) (3.269) received is valid or not and manages a response according to rules and access privileges

3.268**undesirable event**

occurrence or change that has the potential to cause loss of life, harm to tangible or intangible *assets* (3.10), or negatively *impact* (3.107) the human rights and fundamental freedoms of internal or external *interested parties* (3.124)

3.269**unique identifier****UID**

code that represents a single and specific set of attributes that are related to an *object* (3.151) or class of objects during its life within a particular domain and scope of an object *identification* (3.104) system

3.270**upstream**

handling, processing and movement of *goods* (3.98) that occurs before the *organization in the supply chain* (3.159) takes *custody* (3.68) of the goods

3.271**use of force continuum**

increasing or decreasing the level of force applied as a continuum relative to the response of the adversary, using the amount of force reasonable and necessary

Note 1 to entry: The amount of force used should be the minimum reasonable amount needed to eliminate the *threat* (3.259) presented, thereby minimizing the *risk* (3.199) and severity of any injury that can occur.

Note 2 to entry: Escalation/de-escalation of force response with a level of force should be appropriate to the situation at hand, acknowledging that the response can move from one part of the continuum to another in a matter of seconds.

3.272**verification**

confirmation, through the provision of objective evidence, that specified *requirements* (3.190) have been fulfilled

[SOURCE: ISO 9000:2015, 3.8.12, modified — Notes 1 to 3 to entry have been deleted.]

ISO 22300:2018(E)

3.273

vulnerability

vulnerability analysis

vulnerability assessment

process (3.180) of identifying and quantifying something that creates susceptibility to a source of *risk* (3.199) that can lead to a *consequence* (3.46)

3.274

vulnerable group

individuals who share one or several characteristics that are the basis of discrimination or adverse social, economic, cultural, political or health circumstances and that cause them to lack the means to achieve their rights or, otherwise, enjoy equal opportunities

3.275

warning dissemination function

activities (3.1) to issue appropriate messages for *people at risk* (3.166) based on evidence-based *information* (3.116) received from the *hazard monitoring function* (3.100)

3.276

work environment

set of conditions under which work is performed

Note 1 to entry: Conditions include physical, social, psychological and environmental factors (such as temperature, lighting, recognition schemes, occupational stress, ergonomics and atmospheric composition).

[SOURCE: ISO 9000:2015, 3.5.5]

3.277

World Customs Organization**WCO**

independent intergovernmental body whose mission is to enhance the *effectiveness* (3.76) and efficiency of customs administrations

Note 1 to entry: It is the only intergovernmental worldwide *organization* (3.158) competent in customs matters.

Bibliography

- [1] ISO 9000:2015, *Quality management systems — Fundamentals and vocabulary*
- [2] ISO 14050:2009, *Environmental management — Vocabulary*
- [3] ISO 19011:2011, *Guidelines for auditing management systems*
- [4] ISO Guide 73:2009, *Risk management — Vocabulary*
- [5] ICoCA. International Code of Conduct for Private Security Service Providers. Confédération suisse, Geneva, 2010. Available at (2017-10-05): https://icoca.ch/en/the_icoc
- [6] FDFA and ICRC. The Montreux Document: On pertinent international legal obligations and good practices for States related to operations of private military and security companies during armed conflict. Confédération suisse and International Committee of the Red Cross, Berne/Geneva, 2008. Available at (2017-10-05): <https://icoca.ch/sites/default/files/resources/The%20Montreux%20Document.pdf>

This page is intentionally left blank



National Standards Authority of Ireland

NSAI is the state standardization body set up under the National Standards Authority of Ireland Act 1996 to publish Irish Standards.

Revisions

Irish Standards are updated by amendment or revisions from time to time. Users of Irish Standards should make sure that they possess the latest versions.

NSAI's [Tailored updating service](#) is designed to meet your precise needs and is therefore the most efficient and cost-effective way of keeping ahead. For more details on the tailored updating service see:

[Standards.ie](#)

Tel.: +353 1 857 6730/1

Buying standards

NSAI and International publications can be accessed:

- at [standards.ie](#)
- by tel: +353 1 857 6730/1 or
- email: info@standards.ie.

Feedback on Standards

NSAI welcomes any comments on standards whether proposing an amendment, correcting an error or identifying an ambiguity. Please use the "About NSAI" and then "Contact us" buttons on the [NSAI.ie](#) home page to explain your comment.

Participation in developing Standards

NSAI Standards, whether of National, European or International origin, are drawn up by panels of experts. Persons with expert knowledge in any field where standardization work is taking place and who are interested in contributing to the work of the panels are welcome to make themselves known to NSAI. Please note that conditions apply. Click on the "Get involved in Standards Development" button in [NSAI.ie](#)

This is a free preview. Purchase the entire publication at the link below:

I.S. EN ISO 22300:2018 - PDF

- Looking for additional Standards? Visit SAI Global Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation

Need to speak with a Customer Service Representative - Contact Us