


JURNAL MODUL 2

Nama : Nadia Tambunan
NIM : 103122400005
Kelas : SE-08-01



1. Buatlah setiap tabel diatas, tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. Film

```
CREATE TABLE Film (  
    id_film NUMBER PRIMARY KEY,  
    judul VARCHAR2(100) NOT NULL,  
    sinopsis CLOB,  
    tahun NUMBER(4),  
    durasi NUMBER  
);  
  
CREATE SEQUENCE Film_seq START WITH 1 INCREMENT BY 1;
```

b. Theater

```
CREATE TABLE Theater (  
    id_theater NUMBER PRIMARY KEY,  
    harga NUMBER(10,2),  
    kapasitas NUMBER,  
    kelas VARCHAR2(50)  
);  
  
CREATE SEQUENCE Theater_seq START WITH 1 INCREMENT BY 1;
```

c. Jadwal

```
CREATE TABLE Jadwal (  
    id_jadwal NUMBER PRIMARY KEY,  
    id_film NUMBER NOT NULL,  
    id_theater NUMBER NOT NULL,  
    periode_start TIMESTAMP NOT NULL,  
    periode_end TIMESTAMP NOT NULL,  
    FOREIGN KEY (id_film) REFERENCES Film(id_film),  
    FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)  
);  
  
CREATE SEQUENCE Jadwal_seq START WITH 1 INCREMENT BY 1;
```

d. Inventaris

```
CREATE TABLE Inventaris (  
    id_inventaris NUMBER PRIMARY KEY,  
    id_theater NUMBER NOT NULL,  
    nomor_kursi VARCHAR2(10),  
    FOREIGN KEY (id_theater) REFERENCES Theater(id_theater)  
);  
  
CREATE SEQUENCE Inventaris_seq START WITH 1 INCREMENT BY 1;
```

e. Member

```
CREATE TABLE Member (  
    id_member NUMBER PRIMARY KEY,  
    nama VARCHAR2(100) NOT NULL,  
    no_hp VARCHAR2(15),  
    tgl_lahir DATE,  
    email VARCHAR2(100)  
);  
  
CREATE SEQUENCE Member_seq START WITH 1 INCREMENT BY 1;
```

f. Transaksi

```
CREATE TABLE Transaksi (
    kode_pemesanan VARCHAR2(20) PRIMARY KEY,
    id_jadwal NUMBER NOT NULL,
    id_member NUMBER NOT NULL,
    status VARCHAR2(20),
    tanggal DATE NOT NULL,
    total_harga NUMBER(10,2),
    FOREIGN KEY (id_jadwal) REFERENCES Jadwal(id_jadwal),
    FOREIGN KEY (id_member) REFERENCES Member(id_member)
);

SELECT * FROM Film;
```

2. Lakukan insert data pada ke-enam tabel, sertakan tangkapan layar dan keterangannya.

a. Insert Film

```
INSERT ALL
  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (1, 'Avengers: Endgame', 'Superhero action movie', 2019, 181)
  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (2, 'The Shawshank Redemption', 'Drama klasik tentang persahabatan', 1994, 142)
  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (3, 'Inception', 'Sci-fi thriller tentang mimpi', 2010, 148)
  INTO Film (id_film, judul, sinopsis, tahun, durasi) VALUES (4, 'The Dark Knight', 'Superhero action dari Batman', 2008, 152)
SELECT * FROM dual;
SELECT * FROM Film;
```

ID_FILM	JUDUL	SINOPSIS	TAHUN	DURASI
1	Avengers: Endgame	Superhero action movie	2019	181
2	The Shawshank Redemption	Drama klasik tentang persahabatan	1994	142
3	Inception	Sci-fi thriller tentang mimpi	2010	148
4	The Dark Knight	Superhero action dari Batman	2008	152

b. Insert Theater

```
INSERT ALL
  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (1, 150000, 50, 'Premium')
  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (2, 120000, 60, 'Regular')
  INTO Theater (id_theater, harga, kapasitas, kelas) VALUES (3, 80000, 80, 'Economy')
SELECT * FROM dual;
SELECT * FROM Theater;
```

ID_THEATER	HARGA	KAPASITAS	KELAS
1	150000	50	Premium
2	120000	60	Regular
3	80000	80	Economy

c. Insert Jadwal

```
INSERT ALL
  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES (1, 1, 1, TO_TIMESTAMP('2025-03-10 19:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2025-03-20 23:59:59', 'YYYY-MM-DD HH24:MI:SS'))
  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES (2, 2, 2, TO_TIMESTAMP('2025-03-08 14:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2025-03-18 23:59:59', 'YYYY-MM-DD HH24:MI:SS'))
  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES (3, 3, 3, TO_TIMESTAMP('2025-03-15 10:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2025-03-25 23:59:59', 'YYYY-MM-DD HH24:MI:SS'))
  INTO Jadwal (id_jadwal, id_film, id_theater, periode_start, periode_end) VALUES (4, 4, 1, TO_TIMESTAMP('2025-03-12 16:00:00', 'YYYY-MM-DD HH24:MI:SS'), TO_TIMESTAMP('2025-03-22 23:59:59', 'YYYY-MM-DD HH24:MI:SS'))
SELECT * FROM dual;
SELECT * FROM Jadwal;
```

ID_JADWAL	ID_FILM	ID_THEATER	PERIODE_START	PERIODE_END
1	1	1	11-03-2025 19.00.00,000000000	20-03-2025 23.59.59,000000000
2	2	2	20-03-2025 14.00.00,000000000	18-03-2025 23.59.59,000000000
3	3	3	31-03-2025 10.00.00,000000000	25-03-2025 23.59.59,000000000
4	4	4	11-03-2025 16.00.00,000000000	22-03-2025 23.59.59,000000000

d. Insert Inventaris

```

INSERT ALL
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (1, 1, 'A1')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (2, 1, 'A2')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (3, 1, 'A3')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (4, 1, 'A4')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (5, 1, 'A5')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (6, 1, 'B1')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (7, 1, 'B2')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (8, 1, 'B3')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (9, 2, 'C1')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (10, 2, 'C2')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (11, 2, 'C3')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (12, 2, 'C4')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (13, 2, 'C5')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (14, 3, 'D1')
  INTO Inventaris (id_inventaris, id_theater, nomor_kursi) VALUES (15, 3, 'D2')
SELECT * FROM dual;
SELECT * FROM Inventaris;

```

Script Output x Query Result x

SQL | All Rows Fetched: 15 in 0.006 seconds

	ID_INVENTARIS	ID_THEATER	NOMOR_KURSI
1	1	1	A1
2	2	1	A2
3	3	1	A3
4	4	1	A4
5	5	1	A5
6	6	1	B1
7	7	1	B2
8	8	1	B3
9	9	2	C1
10	10	2	C2
11	11	2	C3
12	12	2	C4
13	13	2	C5
14	14	3	D1
15	15	3	D2

e. Insert Member

```

INSERT ALL
  INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES (1, 'Budi Santoso', '081234567890', TO_DATE('1990-05-15', 'YYYY-MM-DD'), 'budi@email.com')
  INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES (2, 'Siti Nurhaliza', '082345678901', TO_DATE('1992-08-22', 'YYYY-MM-DD'), 'siti@email.com')
  INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES (3, 'Ahmad Wijaya', '083456789012', TO_DATE('1988-03-10', 'YYYY-MM-DD'), 'ahmad@email.com')
  INTO Member (id_member, nama, no_hp, tgl_lahir, email) VALUES (4, 'Rina Kusuma', '084567890123', TO_DATE('1995-11-30', 'YYYY-MM-DD'), 'rina@email.com')
SELECT * FROM dual;
SELECT * FROM Member;

```

Script Output x Query Result x

SQL | All Rows Fetched: 4 in 0.024 seconds

	ID_MEMBER	NAMA	NO_HP	TGL_LAHIR	EMAIL
1	1	Budi Santoso	081234567890	15-05-1990	budi@email.com
2	2	Siti Nurhaliza	082345678901	22-08-1992	siti@email.com
3	3	Ahmad Wijaya	083456789012	10-03-1988	ahmad@email.com
4	4	Rina Kusuma	084567890123	30-11-1995	rina@email.com

f. Insert Transaksi

INSERT ALL

INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('TXN20250307001', 1, 1, 'confirmed', TO_DATE('2025-03-07', 'YYYY-MM-DD'), 300000)

INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('TXN20250307002', 2, 2, 'confirmed', TO_DATE('2025-03-07', 'YYYY-MM-DD'), 240000)

INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('TXN20250307003', 3, 3, 'pending', TO_DATE('2025-03-07', 'YYYY-MM-DD'), 160000)

INTO Transaksi (kode_pemesanan, id_jadwal, id_member, status, tanggal, total_harga) VALUES ('TXN20250307004', 4, 4, 'confirmed', TO_DATE('2025-03-07', 'YYYY-MM-DD'), 450000)

SELECT * FROM dual;

SELECT * FROM Transaksi;

Script Output x

Query Result x

All Rows Fetched: 4 in 0.006 seconds

	KODE_PEMESANAN	ID_JADWAL	ID_MEMBER	STATUS	TANGGAL	TOTAL_HARGA
1	TXN20250307001	1	1	confirmed	07-03-2025	300000
2	TXN20250307002	2	2	confirmed	07-03-2025	240000
3	TXN20250307003	3	3	pending	07-03-2025	160000
4	TXN20250307004	4	4	confirmed	07-03-2025	450000

3. Lakukan update data (minimal 5 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. Update Film

UPDATE Film SET durasi = 190 WHERE id_film = 1;
 UPDATE Film SET sinopsis = 'Film superhero terbaik sepanjang masa' WHERE id_film = 1;
 UPDATE Film SET tahun = 1995 WHERE id_film = 2;
 UPDATE Film SET judul = 'Inception: Dream Deeper' WHERE id_film = 3;
 UPDATE Film SET durasi = 155 WHERE id_film = 4;

ID_FILM	JUDUL	SINOPSIS	TAHUN	DURASI
1	1 Avengers: Endgame	Film superhero terbaik sepanjang masa	2019	190
2	2 The Shawshank Redemption	Drama klasik tentang persahabatan	1995	142
3	3 Inception: Dream Deeper	Sci-fi thriller tentang mimpi	2010	148
4	4 The Dark Knight	Superhero action dari Batman	2008	155

b. Update Theater

-- Update Theater

UPDATE Theater SET harga = 160000 WHERE id_theater = 1;
 UPDATE Theater SET kapasitas = 70 WHERE id_theater = 2;
 UPDATE Theater SET kelas = 'VIP' WHERE id_theater = 1;
 UPDATE Theater SET harga = 90000 WHERE id_theater = 3;

ID_THEATER	HARGA	KAPASITAS	KELAS
1	1 160000	50	VIP
2	2 120000	70	Regular
3	3 90000	80	Economy

c. Update Member

UPDATE Member SET no_hp = '089876543210' WHERE id_member = 1;
 UPDATE Member SET email = 'budi.santoso@gmail.com' WHERE id_member = 1;
 UPDATE Member SET nama = 'Siti Nur Haliza' WHERE id_member = 2;
 UPDATE Member SET tgl_lahir = TO_DATE('1988-06-20', 'YYYY-MM-DD') WHERE id_member = 3;
 UPDATE Member SET email = 'rina.k@gmail.com' WHERE id_member = 4;

ID_MEMBER	NAMA	NO_HP	TGL_LAHIR	EMAIL
1	1 Budi Santoso	089876543210	15-05-1990	budi.santoso@gmail.com
2	2 Siti Nur Haliza	082345678901	22-08-1992	siti@email.com
3	3 Ahmad Wijaya	083456789012	20-06-1988	ahmad@email.com
4	4 Rina Kusuma	084567890123	30-11-1995	rina.k@gmail.com

d. Update Transaksi

-- Update Transaksi

UPDATE Transaksi SET status = 'completed' WHERE kode_pemesanan = 'TXN20250307001';

UPDATE Transaksi SET total_harga = 320000 WHERE kode_pemesanan = 'TXN20250307002';

UPDATE Transaksi SET status = 'confirmed' WHERE kode_pemesanan = 'TXN20250307003';

UPDATE Transaksi SET status = 'cancelled' WHERE kode_pemesanan = 'TXN20250307004';

UPDATE Transaksi SET total_harga = 480000 WHERE kode_pemesanan = 'TXN20250307004';

	KODE_PEMESANAN	ID_JADWAL	ID_MEMBER	STATUS	TANGGAL	TOTAL_HARGA
1	TXN20250307001	1	1	completed	07-03-2025	300000
2	TXN20250307002	2	2	confirmed	07-03-2025	320000
3	TXN20250307003	3	3	confirmed	07-03-2025	160000
4	TXN20250307004	4	4	cancelled	07-03-2025	480000

e. Update Inventaris

-- Update Inventaris

UPDATE Inventaris SET nomor_kursi = 'A1A' WHERE id_inventaris = 1;

UPDATE Inventaris SET nomor_kursi = 'A2A' WHERE id_inventaris = 2;

UPDATE Inventaris SET nomor_kursi = 'B1A' WHERE id_inventaris = 6;

	ID_INVENTARIS	ID_THEATER	NOMOR_KURSI
1	1	1	A1A
2	2	1	A2A
3	3	1	A3
4	4	1	A4
5	5	1	A5
6	6	1	B1A
7	7	1	B2
8	8	1	B3
9	9	2	C1
10	10	2	C2
11	11	2	C3
12	12	2	C4
13	13	2	C5
14	14	3	D1
15	15	3	D2

4. Lakukan hapus data (minimal 2 data), tuliskan script SQL nya dan sertakan tangkapan layarnya.

a. Delete Data Tabel Transaksi

-- Delete Data Tabel Transaksi

DELETE FROM Transaksi WHERE id_jadwal = 1;

DELETE FROM Transaksi WHERE id_jadwal = 2;

	KODE_PEMESANAN	ID_JADWAL	ID_MEMBER	STATUS	TANGGAL	TOTAL_HARGA
1	TXN20250307003	3	3	confirmed	07-03-2025	160000
2	TXN20250307004	4	4	cancelled	07-03-2025	480000

b. Delete Data Tabel Jadwal

-- Delete Data Tabel Jadwal

DELETE FROM Jadwal WHERE id_film = 1;

DELETE FROM Jadwal WHERE id_film = 2;

	ID_JADWAL	ID_FILM	ID_THE...	PERIODE_START	PERIODE_END
1	3	3	3	15-03-2025 10.00.00,0000000000	25-03-2025 23.59.59,0000000000
2	4	4	1	12-03-2025 16.00.00,0000000000	22-03-2025 23.59.59,0000000000