

# Admin

## Execution Environment

|                 |                         |
|-----------------|-------------------------|
| Host name       | win10 - DESKTOP-FIL7UJ4 |
| OS              | Windows 10 64bit        |
| Katalon version | 7.8.2.208               |
| Browser         |                         |

## Summary

|             |                     |            |                     |
|-------------|---------------------|------------|---------------------|
| ID          | Test Suites/Admin   |            |                     |
| Description |                     |            |                     |
| Total       | 3                   |            |                     |
| Passed      | 0                   | Failed     | 3                   |
| Error       | 0                   | Incomplete | 0                   |
| Skipped     | 0                   |            |                     |
| Start       | 2021-01-10 22:33:25 | End        | 2021-01-10 22:33:31 |
| Elapsed     | 6.645s              |            |                     |

| # | ID                                    | Description | Status |
|---|---------------------------------------|-------------|--------|
| 1 | Test Cases/Admin/Get_AdminUser        |             | FAILED |
| 2 | Test Cases/Admin/Get_OrganizationInfo |             | FAILED |
| 3 | Test Cases/Admin/Login_Admin          |             | FAILED |

# Get\_AdminUser

---

## Information

|             |                                |     |                     |
|-------------|--------------------------------|-----|---------------------|
| ID          | Test Cases/Admin/Get_AdminUser |     |                     |
| Description |                                |     |                     |
| Tag         |                                |     |                     |
| Start       | 2021-01-10 22:33:26            | End | 2021-01-10 22:33:29 |
| Elapsed     | 2.575s                         |     |                     |
| Status      | FAILED                         |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Response = sendRequest(findTestObject("Admin/GET_Admin"))<br><a href="#">Send request successfully</a>                       | 1.463s  | PASSED |
| 2 | sendRequestAndVerify(findTestObject("Admin/GET_Admin"))<br><a href="#">Send request and verify the response successfully</a> | 0.719s  | PASSED |

# Get\_AdminUser

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | verifyResponseStatusCode(Response, 200)<br><br>Unable to verify response status code (Root cause: com.kms.katalon.core.exception.<br>StepFailedException: Expected status code is '200' but actual status code is '401'<br>at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.<br>groovy:50)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.<br>groovy:52)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall<br>(VerifyResponseStatusCodeKeyword.groovy:42)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call<br>(VerifyResponseStatusCodeKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:68)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyResponseStatusCode<br>(VerifyResponseStatusCodeKeyword.groovy:37)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:<br>32)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:73)<br>at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.<br>verifyResponseStatusCode(WSBuiltInKeywords.groovy:344)<br>at com.kms.katalon.core.webservice.keyword.<br>WSBuiltInKeywords\$verifyResponseStatusCode\$1.call(Unknown Source)<br>at Get_AdminUser.run(Get_AdminUser:22)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:394)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:385)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:364)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:356)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:251)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase<br>(TestSuiteExecutor.java:203)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:152)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>95)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>157)<br>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br>Source)<br>at TempTestSuite1610292791518.run(TempTestSuite1610292791518.groovy:39)<br>) | 0.059s  | FAILED |

# Get\_OrganizationInfo

## Information

|             |                                       |     |                     |
|-------------|---------------------------------------|-----|---------------------|
| ID          | Test Cases/Admin/Get_OrganizationInfo |     |                     |
| Description |                                       |     |                     |
| Tag         |                                       |     |                     |
| Start       | 2021-01-10 22:33:29                   | End | 2021-01-10 22:33:30 |
| Elapsed     | 1.395s                                |     |                     |
| Status      | FAILED                                |     |                     |

## Details

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | Response = sendRequest(findTestObject("Admin/GET_Admin2"))<br><a href="#">Send request successfully</a>                       | 0.511s  | PASSED |
| 2 | sendRequestAndVerify(findTestObject("Admin/GET_Admin2"))<br><a href="#">Send request and verify the response successfully</a> | 0.492s  | PASSED |

## Get\_OrganizationInfo

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | verifyResponseStatusCode(Response, 200)<br><br>Unable to verify response status code (Root cause: com.kms.katalon.core.exception.<br>StepFailedException: Expected status code is '200' but actual status code is '401'<br>at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.<br>groovy:50)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.<br>groovy:52)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall<br>(VerifyResponseStatusCodeKeyword.groovy:42)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call<br>(VerifyResponseStatusCodeKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:68)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyResponseStatusCode<br>(VerifyResponseStatusCodeKeyword.groovy:37)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:<br>32)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:73)<br>at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.<br>verifyResponseStatusCode(WSBuiltInKeywords.groovy:344)<br>at com.kms.katalon.core.webservice.keyword.<br>WSBuiltInKeywords\$verifyResponseStatusCode\$1.call(Unknown Source)<br>at Get_OrganizationInfo.run(Get_OrganizationInfo:22)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:394)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:385)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:364)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:356)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:251)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase<br>(TestSuiteExecutor.java:203)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:152)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>95)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>157)<br>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br>Source)<br>at TempTestSuite1610292791518.run(TempTestSuite1610292791518.groovy:39)<br>) | 0.008s  | FAILED |

# Login\_Admin

## Information

|             |                              |     |                     |
|-------------|------------------------------|-----|---------------------|
| ID          | Test Cases/Admin/Login_Admin |     |                     |
| Description |                              |     |                     |
| Tag         |                              |     |                     |
| Start       | 2021-01-10 22:33:30          | End | 2021-01-10 22:33:31 |
| Elapsed     | 1.101s                       |     |                     |
| Status      | FAILED                       |     |                     |

## Details

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Response = sendRequest(findTestObject("Admin/POST_Admin", ["variable":"","variable_0":""]))<br><br>Send request successfully                       | 0.368s  | PASSED |
| 2 | sendRequestAndVerify(findTestObject("Admin/POST_Admin", ["variable":"","variable_0":""]))<br><br>Send request and verify the response successfully | 0.552s  | PASSED |

# Login\_Admin

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 3 | verifyResponseStatusCode(Response, 200)<br><br>Unable to verify response status code (Root cause: com.kms.katalon.core.exception.<br>StepFailedException: Expected status code is '200' but actual status code is '401'<br>at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.<br>groovy:50)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyStatusCode(VerifyResponseStatusCodeKeyword.<br>groovy:52)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.doCall<br>(VerifyResponseStatusCodeKeyword.groovy:42)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword\$_verifyResponseStatusCode_closure1.call<br>(VerifyResponseStatusCodeKeyword.groovy)<br>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br>(KeywordMain.groovy:68)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.verifyResponseStatusCode<br>(VerifyResponseStatusCodeKeyword.groovy:37)<br>at com.kms.katalon.core.webservice.keyword.builtin.<br>VerifyResponseStatusCodeKeyword.execute(VerifyResponseStatusCodeKeyword.groovy:<br>32)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:73)<br>at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.<br>verifyResponseStatusCode(WSBuiltInKeywords.groovy:344)<br>at com.kms.katalon.core.webservice.keyword.<br>WSBuiltInKeywords\$verifyResponseStatusCode\$1.call(Unknown Source)<br>at Login_Admin.run(Login_Admin:22)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.<br>java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:394)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.<br>java:385)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:364)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:356)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:251)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase<br>(TestSuiteExecutor.java:203)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br>(TestSuiteExecutor.java:152)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:<br>95)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:<br>157)<br>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown<br>Source)<br>at TempTestSuite1610292791518.run(TempTestSuite1610292791518.groovy:39)<br>) | 0.018s  | FAILED |