

The new EC2 instance is launched

The screenshot shows the AWS Management Console interface. At the top, a green banner indicates "Success: Successfully initiated launch of instance (i-0a8db23ec3ebfe3b9)". Below this, the "Launch log" shows "Initializing requests" and "Launch initiation" both as "Succeeded". The "Next Steps" section includes links for "Create billing usage alerts", "Connect to your instance", "Connect an RDS database", and "Create EBS snapshot policy". The "Instances (47)" table lists several instances, with the newly launched instance "EC2_PostgreSQL_Diachenko" (ID: i-0a8db23ec3ebfe3b9) highlighted in red. It is in the "Running" state, using the "t2.micro" instance type, and has "2/2 checks passed". The "All instances" section on the left shows "Instance alarm states" as "None", "Service health" as "Access denied", and "Health events affecting EC2 instances" as "None".

Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS
adrian-wrobel-cloudformation-ec2	i-0f66210cae4c6fb27	Stopped	t2.micro	-	eu-central-1c	-
Diveleva_PostgreSQL_EC2	i-0b9274ab39e677130	Running	t2.micro	2/2 checks passed	eu-central-1c	ec2-35-159-126-107.eu...
EC2_PostgreSQL_Diachenko	i-0a8db23ec3ebfe3b9	Running	t2.micro	2/2 checks passed	eu-central-1c	ec2-3-77-148-120.eu-c...
kerevan-rusadze-ec2-copy	i-0b4de5abc983ce99a	Stopped	t2.micro	-	eu-central-1c	-
altynay-utebayeva-ec2-task2	i-073872829a68726e6	Stopped	t2.micro	-	eu-central-1c	-
elmira-ec2-postgresql	i-005423240a0627258	Running	t2.micro	2/2 checks passed	eu-central-1c	ec2-3-73-65-45.eu-cent...

Establishing connection

The screenshot shows the AWS Management Console interface for the "EC2_PostgreSQL_Diachenko" instance. The "In SSH client" tab is selected, displaying the "SSH key pair assigned at launch" as "EC2_PG_Server_Diachenko_Keys". The "How to connect" section provides instructions for connecting via SSH. A "PuTTY Configuration" dialog box is open, showing the "Basic options for your PuTTY session" tab. The "Host Name (or IP address)" is set to "ec2-3-77-148-120.eu-central-1.compute.amazonaws.com" and the "Port" is "22". The "Connection type" is set to "SSH". The "Username" is "ec2-user". The "Close window on exit" option is set to "Only on clean exit".

eu-central-1.console.aws.amazon.com/ec2/home?region=eu-central-1#ConnectToInstance:instanceId=i-0a8db23ec3ebfe3b9

PuTTY Configuration

Category: Session, Logging, Terminal, Keyboard, Bell, Features, Window, Appearance, Behaviour, Translation, Selection, Colours, Connection, Data, Priority, SSH, Serial, Telnet, Rlogin, SUPDUP

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address): ec2-3-77-148-120.eu-central-1.compute.amazonaws.com Port: 22

Connection type: ☒ SSH ☐ Serial ☐ Other: Telnet

Load, save or delete a stored session

Saved Sessions: [Empty list]

Default Settings: [Empty list]

Close window on exit: ☐ Always ☐ Never ☒ Only on clean exit

Buttons: About, Help, Open, Cancel

Username: ec2-user


How to connect

1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
4. Connect to your instance using its Public DNS


```
chmod 400 "EC2_PG_Server_Diachenko_Keys.pem"
```

```
ssh -i "EC2_PG_Server_Diachenko_Keys.pem" ec2-user@ec2-3-77-148-120.eu-central-1.compute.amazonaws.com
```


Connection via Dbeaver



A few objects are created



File copied from S3 to EC2

```
[ec2-user@ip-172-31-9-34 ~]$ aws s3 cp s3://nadiia-diachenko-dwh-bucket/di_dwh_database/schema_bl_dm/dim_channels/dim_channels.csv ./
download: s3://nadiia-diachenko-dwh-bucket/di_dwh_database/schema_bl_dm/dim_channels/dim_channels.csv to ./dim_channels.csv
[ec2-user@ip-172-31-9-34 ~]$ ls -la
total 20
drwx-----. 6 ec2-user ec2-user 162 Aug 20 20:29 .
drwxr-xr-x. 3 root root 22 Aug 19 20:44 ..
-rw-----. 1 ec2-user ec2-user 901 Aug 19 22:40 .bash_history
-rw-r--r--. 1 ec2-user ec2-user 18 Jan 28 2023 .bash_logout
-rw-r--r--. 1 ec2-user ec2-user 141 Jan 28 2023 .bash_profile
-rw-r--r--. 1 ec2-user ec2-user 492 Jan 28 2023 .bashrc
drwx-----. 3 ec2-user ec2-user 16 Aug 19 21:47 .cache
drwx-----. 3 ec2-user ec2-user 16 Aug 19 21:47 .config
drwx-----. 3 ec2-user ec2-user 19 Aug 19 21:47 .local
drwx-----. 2 ec2-user ec2-user 29 Aug 19 20:44 .ssh
-rw-r--r--. 1 ec2-user ec2-user 614 Aug 18 18:49 dim_channels.csv
[ec2-user@ip-172-31-9-34 ~]$
```

Snapshot is created

eu-central-1.console.aws.amazon.com/ec2/home?region=eu-central-1#Volumes:volumeId=vol-07a9abe2b37e60d6c

Successfully created snapshot snap-0440ea8bb8f0e3ef1 from volume vol-07a9abe2b37e60d6c. If you need your snapshot to be immediately available considering Fast Snapshot Restore.

Manage fast snapshot restore

Volumes (1) Info

Volume ID = vol-07a9abe2b37e60d6c

Name	Volume ID	Type	Size	IOPS	Throughput	Snapshot ID	Source volume ID	Created	Availability Zone	Volume s
	vol-07a9abe2b37e60d6c	gp2	8 GiB	100	-	snap-015fa5f...	-	2026/08/19 23:43 GMT+3	eu1-az1 (eu-central-1)	In-use

Fault tolerance for all volumes in this Region

Snapshot summary

Snapshot ID: snap-0440ea8bb8f0e3ef1

Owner: 260586643565

Description: Dichenko_initial_snapshot

Source volume: vol-07a9abe2b37e60d6c

Volume size: 8 GiB

Encryption: Not encrypted

KMS key ID: -

KMS key alias: -

KMS key ARN: -

The image(AMI) from the root snapshot is created

Successfully requested new image ami-07e6ca86f845ffb13. The image is being created. The image-creation process can take several minutes to complete.

ami-07e6ca86f845ffb13

Details

Snapshot ID: snap-0440ea8bb8f0e3ef1

Owner: 260586643565

Description: Dichenko_initial_snapshot

Source volume: vol-07a9abe2b37e60d6c

Volume size: 8 GiB

Encryption: Not encrypted

KMS key ID: -

KMS key alias: -

KMS key ARN: -

Full snapshot size: 1.87 GiB

Started: Thu Aug 20 2026 23:44:30 GMT+0300 (Eastern European Summer Time)

Progress: 100%

Snapshot status: Completed

Fast snapshot restore: -

Snapshot settings


Storage tier

Tags

Snapshot Lock

The first web page is launched!

<http://18.156.177.0>




Welcome to my EC2 Web Server!

```
ec2-user@ip-172-31-45-107:~$ systemctl status httpd.service
Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
Active: active (running) since Thu 2026-08-20 21:24:30 UTC; 8s ago
Docs: man:httpd.service(8)
Main PID: 3542 (httpd)
Status: "Started, listening on: port 80"
Tasks: 177 (limit: 1113)
Memory: 13.3M
CPU: 51ms
CGroup: /system.slice/httpd.service
├─3542 /usr/sbin/httpd -DFOREGROUND
├─3543 /usr/sbin/httpd -DFOREGROUND
├─3545 /usr/sbin/httpd -DFOREGROUND
├─3546 /usr/sbin/httpd -DFOREGROUND
└─3569 /usr/sbin/httpd -DFOREGROUND

Aug 20 21:24:30 ip-172-31-45-107.eu-central-1.compute.internal systemd[1]: Starting
service - The Apache HTTP Server...
Aug 20 21:24:30 ip-172-31-45-107.eu-central-1.compute.internal systemd[1]: Started
rvice - The Apache HTTP Server.
Aug 20 21:24:30 ip-172-31-45-107.eu-central-1.compute.internal httpd[3542]: Server
ed, listening on: port 80
[ec2-user@ip-172-31-45-107 ~]$ echo "<h1>Welcome to my EC2 Web Server!</h1>" | sudo
r/www/html/index.html
-bash: !: event not found
[ec2-user@ip-172-31-45-107 ~]$ echo '<h1>Welcome to my EC2 Web Server!</h1>' | sudo
r/www/html/index.html
<h1>Welcome to my EC2 Web Server!</h1>
[ec2-user@ip-172-31-45-107 ~]$ curl http://localhost
<h1>Welcome to my EC2 Web Server!</h1>
[ec2-user@ip-172-31-45-107 ~]$
```

SNS is created



Subscription is added

The screenshot shows the AWS console interface for adding a subscription. A green notification banner at the top states: "Subscription to EC2_diachenko_sns created successfully. The ARN of the subscription is arn:aws:sns:eu-central-1:260586643565:EC2_diachenko_sns:2aea2ef8-01d6-4f7b-92d2-a164a789f5ec". Below this, the "Subscription: 2aea2ef8-01d6-4f7b-92d2-a164a789f5ec" details are shown, including the ARN, endpoint (nadiadiachenko93@gmail.com), and topic (EC2_diachenko_sns). A red arrow points from the ARN in the console to the "AWS Notification - Subscription Confirmation" email in a Gmail inbox. The email content includes the subscription ARN and a link to confirm the subscription. Below the email, the confirmation URL is shown: sns.eu-central-1.amazonaws.com/confirmation.html?TopicArn=arn:aws:sns:eu-central-1:260586643565:EC2_diachenko_sns:2aea2ef8-01d6-4f7b-92d2-a164a789f5ec.



Simple Notification Service

Subscription confirmed!

You have successfully subscribed.

Your subscription's id is:

arn:aws:sns:eu-central-1:260586643565:EC2_diachenko_sns:2aea2ef8-01d6-4f7b-92d2-a164a789f5ec

If it was not your intention to subscribe, [click here to unsubscribe](#).

A Watch>Alarm is created

The screenshot shows the AWS CloudWatch console. The left sidebar lists navigation options: CloudWatch, Favorites and recents, Ingestion, Dashboards, Alarms (20), AI Operations, GenAI Observability, Application Signals (APM), Infrastructure Monitoring, Logs, Metrics, Network Monitoring, Setup, and Observability Workshops. The main panel displays the "EC2_diachenko_alarm" details. The "Alarms (142)" list on the left shows the alarm is in an "OK" state. The "Graph" section shows a "CPUUtilization" metric alarm with a threshold of 50. The graph shows a single data point at 19:00, which is below the threshold, indicating the alarm is OK. The legend indicates that a green dot represents an "OK" state.

EC2 creation with CloudFormation

The screenshot shows the AWS console for the 'nadiia-diachenko-dwh-bucket' in the 'eu-central-1' region. The 'Objects' tab is selected, showing two objects: 'di_dwh_database/' and 'ec2-apache-template.yaml'. A red arrow points to 'ec2-apache-template.yaml'. An inset terminal window shows the command 'ls -la' and its output, which includes the file 'ec2-apache-template.yaml'.

```
Key: Name
Value: EC2-CloudFormation-Diachenko

Outputs:
InstancePublicIP:
  Description: Public IP address of the created EC2 instance
  Value: !GetAtt EC2Instance.PublicIp
WebURL:
  Description: URL of the web server
  Value: !Sub "http://${EC2Instance.PublicIp}"

[ec2-user@ip-172-31-9-34 ~]$ ls -la
total 40
drwx----- 6 ec2-user ec2-user 16384 Aug 20 21:50 .
drwxr-xr-x  3 root    root      22 Aug 19 20:44 ..
-rw-----  1 ec2-user ec2-user  981 Aug 19 22:40 .bash_history
-rw-r--r--  1 ec2-user ec2-user  18 Jan 28 2023 .bash_logout
-rw-r--r--  1 ec2-user ec2-user 141 Jan 28 2023 .bash_profile
-rw-r--r--  1 ec2-user ec2-user 492 Jan 28 2023 .bashrc
drwx----- 3 ec2-user ec2-user  16 Aug 19 21:47 .cache
drwx----- 3 ec2-user ec2-user  16 Aug 19 21:47 .config
drwx----- 3 ec2-user ec2-user  19 Aug 19 21:47 .local
drwx----- 2 ec2-user ec2-user  48 Aug 20 21:12 .ssh
-rw-r--r--  1 ec2-user ec2-user 614 Aug 18 18:49 dim_channels.csv
-rw-r--r--  1 ec2-user ec2-user 1557 Aug 20 21:50 ec2-apache-template.yaml
[ec2-user@ip-172-31-9-34 ~]$ aws s3 cp ec2-apache-template.yaml s3://nadiia-diachenko-dwh-bucket/ec2-apache-template.yaml
upload: ./ec2-apache-template.yaml to s3://nadiia-diachenko-dwh-bucket/ec2-apache-template.yaml
[ec2-user@ip-172-31-9-34 ~]$ aws s3 ls s3://nadiia-diachenko-dwh-bucket/
2026-08-20 21:55:37      1557 ec2-apache-template.yaml
[ec2-user@ip-172-31-9-34 ~]$
```

The screenshot shows the AWS CloudFormation console for the 'ec2diachenkostack' in the 'eu-central-1' region. The 'Stack info' tab is selected, showing the stack's ID, description, status, and other details. The stack is in the 'CREATE_COMPLETE' state.

Stack info

Property	Value
Stack ID	arn:aws:cloudformation:eu-central-1:260586643565:stack/ec2diachenkostack/f87d16e0-9ce4-11f1-be02-0a749eb2412d
Description	Deploy EC2 instance using an existing Security Group
Status	CREATE_COMPLETE
Status reason	-
Parent stack	-
Created time	2026-08-21 01:17:46 UTC+0300
Updated time	-

http://52.59.51.130/

eu-central-1.console.aws.amazon.com/cloudformation/home?region=eu-central-1#/stacks/outputs?stackId=arn%3Aaws%3Acloudformation%3Aeu-central-1%3A260586643565%3A...

Search [Alt+S]

Europe (Frankfurt)

CloudFormation > Stacks > ec2diachenkostack

Deployment validations are now available – Validate before you deploy

Deployment validations now cover create and update stack operations, not just change sets. Validations include property syntax, name conflict and invalid references. Control validations at the operation level with --disable-rollback

Notifications 0 0 0 2 0 0

Stacks (100+)

Filter status

Active

View nested

< 1 2 3 4 5 ... >

Stacks

ec2-bruno-zulin-stack

2026-08-21 01:18:59 UTC+0300

REVIEW_IN_PROGRESS

ec2diachenkostack

2026-08-21 01:17:46 UTC+0300

CREATE_COMPLETE

revazsimsive-vantora-stack

2026-08-21 01:15:27 UTC+0300

CREATE_COMPLETE

arthur-task2-cloudformation

2026-08-21 01:11:55 UTC+0300

CREATE_COMPLETE

ec2diachenkostack

Delete stack Update stack Stack actions

Stack info Events Resources Outputs Parameters Template Changesets Git sync

Outputs (2)

Search outputs

Key	Value	Description	Export name
InstancePublicIP	52.59.51.130	Public IP address of the created EC2 instance	-
WebURL	http://52.59.51.130	URL of the web server	-