

Mental Health Text Analysis Understanding Emotional Distress Through Language Patterns

Nadia Haidari Practical Data Sci May 5, 2026



Salford & Co.

THE PROBLEM

- **Mental health struggles are increasing globally**
- **Many people express emotions online before seeking help**
- **Detecting warning signs early is difficult**



THE DATA


- **Dataset from Kaggle**
- **Reddit-style mental health posts**
- **Two categories:**
 - **suicide**
 - **non-suicide**

Tools Used:


- **Python**
- **pandas**
- **matplotlib**
- **seaborn**



A cartoon illustration of a young boy with black hair, wearing a blue long-sleeved shirt and dark pants. He is shown from the side, crawling away on his hands and knees. His face is red with tears, and his mouth is open in a cry. His right hand is raised near his face. A small blue squiggle is on the ground near his hand. In the top left corner, there is a large, stylized purple letter 'F'.



SENTIMENT GRAPH



APPROACH

Text Cleaning → Word Analysis → Sentiment Analysis → Visualization



ACTION & IMPACT



Main recommendation:

“Mental health organizations and online platforms could use text analysis tools to identify emotional distress patterns earlier.”

Stakeholders:

- **NGOs**
- **Mental health researchers**
- **Social media platforms**
- **Online support communities**

Limitations:

- **Text alone cannot diagnose mental health**
- **Emotional language varies between individuals**

Future Work:

- **Machine learning prediction model**
- **Real-time monitoring systems**

CONCLUSION

