# Combining Multiple Data Sources to Predict IUCN Conservation Status of Reptiles

#### Results

The following tables show the results of final models for each combination of model and dataset. Each table details the values for the six metrics used, sensitivity, specificity, precision,  $F_{\beta=0.5}$ , AUC and TSS, for each of the six groups of species. They also contain the results of the paired one-sided Wilcoxon tests done using the AOO\_EOO dataset as baseline, or the AllFeatures or AllFeatures\_FS in the case of the tests done between the EcoFeatures and AllFeatures datasets, see eco-all columns. Values marked with a bold color represent models where performance, for that particular metric and algorithm, was, significatively, improved relative to the AOO\_EOO dataset. Values of the Wilcoxon tests marked with one or two asterisks (\*, \*\*) indicate significance values higher than 95%, or 99%, respectively.

# Amphisbaenians

Sensitivity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.913	0.014	0.896	0.019	0.986	0.943	0.017	0.003**	0.998	0.886	0.018	0.997	0.945	0.015	0.003**	0.998
xgboost	0.917	0.015	0.895	0.024	0.986	0.949	0.012	0.003**	1.000	0.864	0.017	1.000	0.943	0.013	0.005**	1.000
c50	0.885	0.020	0.769	0.049	1.000	0.908	0.034	0.038*	0.998	0.777	0.038	1.000	0.925	0.021	0.004**	0.998
knn	0.916	0.014	0.854	0.023	1.000	0.795	0.024	0.998	0.003**	0.844	0.023	1.000	0.824	0.019	1.000	0.005**
glm	0.783	0.258	0.748	0.034	0.615	0.851	0.025	0.539	0.998	0.741	0.030	0.652	0.861	0.022	0.539	0.998
rpart	0.879	0.023	0.717	0.085	1.000	0.879	0.027	0.500	1.000	0.692	0.095	1.000	0.879	0.027	0.500	0.998

#### Specificity

	A00 & E	OO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.717	0.032	0.724	0.018	0.500	0.767	0.022	0.001**	0.998	0.709	0.020	0.884	0.778	0.022	0.001**	0.998
xgboost	0.760	0.030	0.710	0.023	0.997	0.749	0.025	0.986	1.000	0.726	0.021	0.997	0.760	0.025	0.561	1.000
c50	0.752	0.022	0.715	0.029	0.997	0.768	0.037	0.323	0.999	0.717	0.052	0.981	0.751	0.025	0.620	0.938
knn	0.766	0.029	0.706	0.022	1.000	0.760	0.025	0.682	0.998	0.709	0.024	1.000	0.749	0.022	0.981	1.000
glm	0.695	0.171	0.748	0.019	0.161	0.736	0.020	0.188	0.007**	0.726	0.020	0.312	0.727	0.023	0.278	0.594
rpart	0.783	0.025	0.699	0.095	0.990	0.780	0.029	0.814	0.989	0.704	0.071	0.990	0.780	0.029	0.814	0.990

#### Precision

	A00 & E	EOO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.620	0.028	0.620	0.018	0.688	0.671	0.023	0.001**	1.000	0.606	0.019	0.935	0.683	0.023	0.001**	1.000
xgboost	0.658	0.029	0.608	0.024	1.000	0.656	0.023	0.862	1.000	0.614	0.021	1.000	0.665	0.023	0.278	1.000
c50	0.643	0.023	0.576	0.021	1.000	0.665	0.037	0.065	1.000	0.582	0.039	1.000	0.652	0.024	0.161	1.000
knn	0.664	0.030	0.594	0.023	1.000	0.625	0.028	0.997	1.000	0.594	0.024	1.000	0.623	0.024	0.999	1.000
glm	0.592	0.091	0.599	0.022	0.385	0.619	0.021	0.188	1.000	0.576	0.022	0.754	0.614	0.021	0.312	1.000
rpart	0.672	0.026	0.554	0.056	1.000	0.669	0.027	0.814	1.000	0.544	0.029	1.000	0.669	0.027	0.814	1.000

#### F1 0.5

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	III feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.834	0.016	0.823	0.017	0.947	0.872	0.016	0.001**	1.000	0.811	0.018	0.990	0.877	0.016	0.001**	1.000
xgboost	0.850	0.017	0.818	0.024	0.999	0.871	0.012	0.001**	1.000	0.799	0.017	1.000	0.870	0.011	0.002**	1.000
c50	0.823	0.020	0.720	0.035	1.000	0.845	0.025	0.007**	1.000	0.727	0.028	1.000	0.853	0.015	0.003**	1.000
knn	0.851	0.017	0.785	0.022	1.000	0.754	0.023	1.000	0.001**	0.778	0.022	1.000	0.774	0.019	1.000	0.246
glm	0.711	0.188	0.712	0.029	0.577	0.791	0.022	0.461	1.000	0.700	0.026	0.577	0.796	0.019	0.423	1.000
rpart	0.828	0.018	0.672	0.050	1.000	0.827	0.019	0.814	1.000	0.653	0.065	1.000	0.827	0.019	0.814	1.000

#### AUC

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.815	0.019	0.810	0.015	0.862	0.855	0.016	0.001**	1.000	0.798	0.017	0.981	0.862	0.015	0.001**	0.998
xgboost	0.838	0.019	0.802	0.022	1.000	0.849	0.014	0.007**	1.000	0.795	0.016	1.000	0.852	0.012	0.005**	1.000
c50	0.819	0.018	0.742	0.020	1.000	0.838	0.021	0.005**	1.000	0.747	0.025	1.000	0.838	0.014	0.005**	1.000
knn	0.841	0.019	0.780	0.021	1.000	0.777	0.020	0.998	0.216	0.776	0.021	1.000	0.786	0.018	1.000	0.995
glm	0.739	0.073	0.748	0.020	0.348	0.793	0.017	0.019*	1.000	0.733	0.019	0.577	0.794	0.017	0.019*	1.000
rpart	0.831	0.015	0.708	0.022	1.000	0.830	0.014	0.963	1.000	0.698	0.020	1.000	0.830	0.014	0.963	1.000

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	Α	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.630	0.038	0.620	0.031	0.862	0.710	0.031	0.001**	1.000	0.596	0.034	0.981	0.723	0.030	0.001**	1.000
xgboost	0.676	0.038	0.605	0.043	1.000	0.698	0.027	0.007**	1.000	0.590	0.032	1.000	0.704	0.025	0.005**	1.000
c50	0.637	0.036	0.484	0.040	1.000	0.676	0.041	0.005**	1.000	0.493	0.050	1.000	0.676	0.028	0.005**	1.000
knn	0.682	0.037	0.560	0.041	1.000	0.554	0.041	1.000	0.216	0.553	0.041	1.000	0.572	0.036	1.000	0.997
glm	0.478	0.146	0.496	0.041	0.348	0.587	0.035	0.019*	1.000	0.466	0.038	0.577	0.587	0.033	0.019*	1.000
rpart	0.662	0.031	0.416	0.044	1.000	0.660	0.029	0.963	1.000	0.396	0.039	1.000	0.660	0.029	0.963	1.000

## Crocodiles

Sensitivity

	A00 & E	EOO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	All	featu	res FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.917	0.18	0.95	0.158	0.5	1	0	0.186	0.5	0.95	0.158	0.5	1	0	0.186	0.5
xgboost	0.7	0.27	0.9	0.211	0.08	0.867	0.219	0.049*	0.707	0.95	0.158	0.027*	1	0	0.016*	0.5
c50	0.817	0.337	0.917	0.18	0.293	0.867	0.322	0.293	0.814	0.767	0.251	0.717	1	0	0.091	0.024*
knn	0.917	0.18	0.917	0.18	0.574	1	0	0.186	0.186	1	0	0.186	1	0	0.186	1
glm	0.917	0.18	0.6	0.402	0.972	0.6	0.402	0.972	1	0.95	0.158	0.5	1	0	0.186	0.5
rpart	1	0	1	0	1	1	0	1	1	1	0	1	1	0	1	1

#### Specificity

	A00 & E	OO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	P	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.8	0.422	0.75	0.264	0.604	0.8	0.258	0.556	0.383	0.7	0.258	0.696	0.95	0.158	0.186	0.036*
xgboost	0.75	0.354	0.75	0.354	0.556	0.7	0.422	0.666	0.71	0.75	0.264	0.579	0.8	0.258	0.412	0.386
c50	0.9	0.211	0.65	0.242	0.958	0.6	0.211	0.995	0.725	0.75	0.264	0.89	0.6	0.211	0.995	0.978
knn	0.7	0.422	8.0	0.258	0.304	0.7	0.258	0.5	0.97	8.0	0.258	0.294	0.7	0.258	0.546	0.825
glm	0.7	0.422	0.65	0.412	0.672	0.65	0.412	0.672	1	0.75	0.264	0.396	0.9	0.211	0.036*	0.149
rpart	0	0	0	0	1	0	0	1	1	0	0	1	0	0	1	1

#### Precision

	A00 & E	EOO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.883	0.249	0.833	0.188	0.633	0.875	0.163	0.706	0.392	0.8	0.185	0.714	0.967	0.105	0.186	0.06
xgboost	0.8	0.258	0.852	0.201	0.294	0.825	0.25	0.5	0.658	0.833	0.188	0.446	0.875	0.163	0.221	0.356
c50	0.85	0.337	0.758	0.178	0.784	0.675	0.273	0.991	0.741	0.825	0.194	0.633	0.75	0.136	0.911	0.915
knn	0.817	0.254	0.85	0.2	0.387	0.808	0.167	0.458	0.821	0.883	0.153	0.276	0.808	0.167	0.664	0.909
glm	0.817	0.254	0.683	0.404	0.828	0.683	0.404	0.828	1	0.833	0.188	0.416	0.933	0.141	0.049*	0.219
rpart	0.52	0.042	0.52	0.042	1	0.52	0.042	1	1	0.52	0.042	1	0.52	0.042	1	1

#### F1 0.5

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	Α	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.9	0.185	0.919	0.152	0.4	0.966	0.044	0.337	0.392	0.91	0.15	0.472	0.991	0.029	0.091	0.06
xgboost	0.702	0.242	0.878	0.19	0.054	0.845	0.21	0.026*	0.735	0.919	0.152	0.026*	0.966	0.044	0.01**	0.231
c50	0.913	0.181	0.874	0.163	0.803	0.906	0.097	0.667	0.286	0.759	0.209	0.915	0.933	0.037	0.602	0.037*
knn	0.886	0.187	0.898	0.175	0.444	0.948	0.045	0.358	0.29	0.969	0.041	0.134	0.948	0.045	0.337	0.909
glm	0.882	0.178	0.733	0.216	0.882	0.733	0.216	0.882	1	0.919	0.152	0.311	0.982	0.038	0.029*	0.219
rpart	0.843	0.021	0.843	0.021	1	0.843	0.021	1	1	0.843	0.021	1	0.843	0.021	1	1

#### AUC

	400 0 1	\	Faala	-:!			A II &4.		11	Faala	alaal faak.			II fo o to coo	- 50	11
	AUU & I	EOO only (base)	ECOIO	gicai teat	tures only		All featu	res	eco-all	ECOIO	gicai teatu	res only FS	<i>F</i>	All feature	8 FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.858	0.267	0.85	0.175	0.633	0.9	0.129	0.543	0.286	0.825	0.169	0.715	0.975	0.079	0.091	0.035*
xgboost	0.725	0.233	0.825	0.206	0.114	0.783	0.267	0.304	0.584	0.85	0.175	0.061	0.9	0.129	0.053	0.212
c50	0.858	0.267	0.783	0.172	0.782	0.733	0.211	0.967	0.672	0.758	0.154	0.837	8.0	0.105	0.81	0.328
knn	0.808	0.275	0.858	0.197	0.362	0.85	0.129	0.375	0.715	0.9	0.129	0.303	0.85	0.129	0.295	0.825
glm	0.808	0.258	0.625	0.297	0.927	0.625	0.297	0.927	1	0.85	0.175	0.471	0.95	0.105	0.027*	0.12
rpart	0.5	0	0.5	0	1	0.5	0	1	1	0.5	0	1	0.5	0	1	1

	A00 & E	OO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.717	0.533	0.7	0.35	0.633	8.0	0.258	0.543	0.286	0.65	0.337	0.715	0.95	0.158	0.091	0.035*
xgboost	0.45	0.465	0.65	0.412	0.084	0.567	0.534	0.304	0.584	0.7	0.35	0.061	0.8	0.258	0.053	0.212
c50	0.717	0.533	0.567	0.344	0.782	0.467	0.422	0.967	0.672	0.517	0.309	0.837	0.6	0.211	0.81	0.328
knn	0.617	0.55	0.717	0.393	0.362	0.7	0.258	0.375	0.715	8.0	0.258	0.303	0.7	0.258	0.295	0.825
glm	0.617	0.516	0.25	0.594	0.927	0.25	0.594	0.927	1	0.7	0.35	0.471	0.9	0.211	0.027*	0.12
rpart	0	0	0	0	1	0	0	1	1	0	0	1	0	0	1	1

### Lizards

Sensitivity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.933	0.019	0.836	0.034	0.998	0.961	0.017	0.003**	0.003**	0.811	0.027	0.998	0.963	0.017	0.003**	0.001**
xgboost	0.942	0.023	0.851	0.022	0.998	0.956	0.015	0.006**	0.003**	0.812	0.025	0.998	0.958	0.018	0.009**	0.003**
c50	0.914	0.027	0.741	0.057	1	0.909	0.034	0.637	0.001**	0.718	0.059	0.998	0.912	0.034	0.528	0.001**
knn	0.945	0.022	0.777	0.05	0.998	0.805	0.039	1	0.019*	0.777	0.032	0.998	0.823	0.034	0.998	0.003**
glm	0.922	0.023	0.743	0.02	0.998	0.881	0.033	0.999	0.003**	0.757	0.023	1	0.884	0.03	0.997	0.001**
rpart	0.915	0.015	0.668	0.082	1	0.914	0.014	0.963	0.001**	0.69	0.085	1	0.914	0.014	0.963	0.001**

#### Specificity

	A00 & E	OO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.715	0.034	0.75	0.033	0.007**	0.711	0.026	0.639	0.997	0.74	0.029	0.038*	0.717	0.025	0.383	0.98
xgboost	0.738	0.031	0.703	0.028	0.991	0.703	0.023	0.998	0.601	0.712	0.032	0.976	0.701	0.028	0.998	0.903
c50	0.721	0.048	0.695	0.085	0.882	0.733	0.054	0.5	0.053	0.719	0.057	0.472	0.742	0.042	0.363	0.118
knn	0.713	0.025	0.746	0.029	0.007**	0.738	0.038	0.046*	0.899	0.73	0.035	0.078	0.737	0.037	0.023*	0.246
glm	0.718	0.069	0.732	0.031	0.238	0.711	0.037	0.784	0.974	0.735	0.024	0.312	0.713	0.033	0.722	0.991
rpart	0.757	0.025	0.744	0.067	0.652	0.756	0.025	0.963	0.385	0.723	0.073	0.923	0.756	0.025	0.963	0.092

#### Precision

	A00 & E	EOO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.632	0.03	0.637	0.031	0.312	0.635	0.023	0.246	0.615	0.62	0.024	0.839	0.64	0.022	0.097	0.007**
xgboost	0.653	0.032	0.6	0.024	1	0.628	0.021	1	0.001**	0.597	0.026	1	0.626	0.023	1	0.002**
c50	0.633	0.043	0.566	0.057	1	0.643	0.042	0.5	0.001**	0.574	0.038	1	0.65	0.035	0.277	0.001**
knn	0.632	0.024	0.615	0.035	0.903	0.617	0.038	0.839	0.615	0.602	0.031	0.999	0.621	0.034	0.935	0.042*
glm	0.635	0.055	0.592	0.031	0.997	0.615	0.032	0.958	0.007**	0.599	0.023	0.986	0.617	0.03	0.947	0.01**
rpart	0.664	0.025	0.582	0.042	1	0.662	0.024	0.969	0.001**	0.571	0.048	1	0.662	0.024	0.969	0.001**

#### F1 0.5

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.852	0.019	0.787	0.028	1	0.872	0.018	0.001**	0.001**	0.763	0.022	1	0.874	0.016	0.001**	0.001**
xgboost	0.865	0.025	0.785	0.019	1	0.866	0.017	0.246	0.001**	0.757	0.02	1	0.866	0.017	0.246	0.001**
c50	0.839	0.029	0.695	0.036	1	0.839	0.024	0.5	0.001**	0.682	0.041	1	0.843	0.027	0.318	0.001**
knn	0.859	0.022	0.738	0.044	1	0.759	0.034	1	0.032*	0.734	0.027	1	0.772	0.027	1	0.001**
glm	0.845	0.025	0.707	0.021	1	0.81	0.028	0.999	0.001**	0.719	0.02	1	0.813	0.027	0.999	0.001**
rpart	0.851	0.016	0.646	0.059	1	0.849	0.015	0.969	0.001**	0.659	0.061	1	0.849	0.015	0.969	0.001**

#### AUC

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	III feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.824	0.021	0.793	0.023	0.998	0.836	0.018	0.014*	0.001**	0.775	0.017	1	0.84	0.017	0.005**	0.001**
xgboost	0.84	0.025	0.777	0.018	1	0.83	0.017	0.986	0.001**	0.762	0.018	1	0.829	0.018	0.986	0.001**
c50	0.817	0.032	0.718	0.031	1	0.821	0.024	0.318	0.001**	0.718	0.025	1	0.827	0.024	0.062	0.003**
knn	0.829	0.02	0.762	0.033	1	0.772	0.029	1	0.097	0.754	0.022	1	0.78	0.023	1	0.001**
glm	0.82	0.035	0.738	0.021	1	0.796	0.026	0.998	0.001**	0.746	0.017	1	0.798	0.024	0.993	0.001**
rpart	0.836	0.017	0.706	0.026	1	0.835	0.016	0.969	0.001**	0.706	0.028	1	0.835	0.016	0.969	0.001**

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	es	eco-all	Ecolog	gical featu	res only FS	A	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.648	0.042	0.586	0.045	0.998	0.672	0.037	0.014*	0.001**	0.551	0.035	1	0.68	0.034	0.005**	0.001**
xgboost	0.68	0.049	0.554	0.035	1	0.66	0.035	0.986	0.001**	0.524	0.036	1	0.659	0.036	0.986	0.001**
c50	0.635	0.063	0.436	0.061	1	0.643	0.048	0.318	0.001**	0.437	0.05	1	0.654	0.049	0.062	0.003**
knn	0.657	0.041	0.523	0.065	1	0.543	0.059	1	0.097	0.507	0.044	1	0.56	0.046	1	0.001**
glm	0.641	0.07	0.475	0.042	1	0.592	0.052	0.998	0.001**	0.492	0.034	1	0.596	0.049	0.993	0.001**
rpart	0.673	0.034	0.412	0.051	1	0.67	0.033	0.969	0.001**	0.413	0.056	1	0.67	0.033	0.969	0.001**

## **Snakes**

Sensitivity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.942	0.032	0.914	0.04	0.968	0.967	0.028	0.007**	0.004**	0.91	0.044	0.984	0.973	0.028	0.007**	0.003**
xgboost	0.949	0.025	0.93	0.039	0.975	0.965	0.029	0.011*	0.011*	0.926	0.04	0.993	0.967	0.024	0.007**	0.006**
c50	0.856	0.077	0.797	0.088	0.916	0.838	0.052	0.807	0.096	0.809	0.067	0.946	0.821	0.051	0.899	0.253
knn	0.945	0.032	0.908	0.051	0.986	0.959	0.033	0.276	0.003**	0.914	0.035	0.984	0.947	0.033	0.5	0.004**
glm	0.971	0.025	0.918	0.037	0.995	0.953	0.035	0.979	0.007**	0.92	0.036	0.995	0.949	0.037	0.986	0.011*
rpart	0.846	0.081	0.825	0.084	0.763	0.838	0.083	0.663	0.27	0.809	0.085	0.931	0.84	0.081	0.534	0.041*

#### Specificity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.82	0.036	0.756	0.041	0.997	0.722	0.036	0.998	0.996	0.756	0.042	0.997	0.71	0.037	1	0.998
xgboost	0.794	0.042	0.75	0.038	0.989	0.75	0.041	1	0.417	0.752	0.028	0.989	0.757	0.039	0.997	0.312
c50	0.867	0.043	0.818	0.05	0.984	0.878	0.028	0.181	0.006**	0.82	0.061	0.976	0.881	0.029	0.193	0.005**
knn	0.851	0.032	0.751	0.045	0.998	0.716	0.051	0.998	0.994	0.741	0.043	1	0.745	0.043	0.998	0.419
glm	0.621	0.071	0.759	0.041	0.001**	0.743	0.046	0.001**	0.953	0.751	0.043	0.003**	0.745	0.047	0.002**	0.73
rpart	0.87	0.033	0.754	0.123	0.995	0.867	0.03	0.825	0.005**	0.776	0.135	0.995	0.868	0.032	0.778	0.012*

#### Precision

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.657	0.044	0.577	0.041	1	0.558	0.032	1	0.976	0.576	0.042	0.999	0.549	0.035	1	0.99
xgboost	0.627	0.048	0.575	0.036	0.998	0.585	0.04	1	0.216	0.574	0.028	0.999	0.591	0.041	0.999	0.08
c50	0.706	0.056	0.618	0.054	1	0.715	0.042	0.312	0.001**	0.626	0.066	0.998	0.717	0.048	0.278	0.002**
knn	0.699	0.045	0.571	0.051	1	0.552	0.044	1	0.968	0.562	0.041	1	0.575	0.038	1	0.08
glm	0.484	0.044	0.581	0.038	0.001**	0.576	0.041	0.001**	0.779	0.574	0.04	0.001**	0.576	0.043	0.002**	0.385
rpart	0.705	0.048	0.567	0.081	1	0.696	0.043	0.853	0.001**	0.592	0.096	1	0.7	0.044	0.819	0.003**

F1 0.5

	A00 & E	OO only (base)	Ecolog	gical feat	ures only		All featu	es	eco-all	Ecolog	jical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.866	0.024	0.818	0.034	0.999	0.843	0.023	0.993	0.005**	0.815	0.037	0.999	0.842	0.025	0.99	0.001**
xgboost	0.86	0.022	0.827	0.031	1	0.853	0.026	0.947	0.007**	0.824	0.031	1	0.857	0.025	0.784	0.001**
c50	0.818	0.052	0.751	0.066	0.999	0.809	0.037	0.688	0.014*	0.762	0.049	0.995	0.797	0.038	0.754	0.097
knn	0.882	0.028	0.811	0.044	0.999	0.835	0.026	1	0.014*	0.811	0.029	1	0.838	0.023	1	0.002**
glm	0.806	0.026	0.822	0.029	0.032*	0.841	0.021	0.002**	0.009**	0.82	0.028	0.032*	0.839	0.024	0.003**	0.01**
rpart	0.812	0.062	0.748	0.038	0.997	0.804	0.062	0.779	0.01**	0.744	0.03	0.999	0.806	0.059	0.528	0.003**

AUC

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.881	0.019	0.835	0.028	1	0.845	0.021	0.999	0.053	0.833	0.03	1	0.841	0.023	1	0.161
xgboost	0.872	0.021	0.84	0.026	1	0.858	0.024	0.984	0.014*	0.839	0.023	1	0.862	0.024	0.981	0.002**
c50	0.862	0.029	0.808	0.041	1	0.858	0.021	0.539	0.002**	0.814	0.036	0.999	0.851	0.023	0.722	0.019*
knn	0.898	0.022	0.83	0.036	1	0.837	0.025	1	0.138	0.827	0.025	1	0.846	0.02	1	0.003**
glm	0.796	0.034	0.839	0.025	0.002**	0.848	0.019	0.001**	0.016*	0.836	0.025	0.003**	0.847	0.021	0.002**	0.032*
rpart	0.858	0.038	0.789	0.035	1	0.853	0.037	0.853	0.001**	0.793	0.034	1	0.854	0.035	0.583	0.003**

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.762	0.039	0.67	0.056	1	0.689	0.042	0.999	0.053	0.666	0.061	1	0.682	0.046	1	0.161
xgboost	0.743	0.042	0.68	0.051	1	0.715	0.048	0.984	0.014*	0.678	0.046	1	0.724	0.047	0.981	0.002**
c50	0.723	0.057	0.616	0.083	1	0.716	0.043	0.539	0.002**	0.629	0.072	0.999	0.702	0.046	0.722	0.019*
knn	0.797	0.044	0.659	0.072	1	0.675	0.05	1	0.138	0.655	0.051	1	0.692	0.039	1	0.003**
glm	0.591	0.067	0.678	0.05	0.002**	0.696	0.038	0.001**	0.016*	0.671	0.05	0.003**	0.694	0.041	0.002**	0.032*
rpart	0.716	0.075	0.579	0.071	1	0.705	0.074	0.853	0.001**	0.585	0.068	1	0.708	0.07	0.583	0.001**

## Turtles

Sensitivity

	A00 & I	EOO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.736	0.123	0.742	0.14	0.276	0.742	0.131	0.453	0.583	0.769	0.136	0.077	0.758	0.125	0.18	0.5
xgboost	0.769	0.136	0.72	0.15	8.0	0.735	0.114	0.78	0.365	0.802	0.106	0.117	0.802	0.112	0.223	0.568
c50	0.608	0.263	0.539	0.435	0.73	0.691	0.176	0.109	0.239	0.713	0.274	0.142	0.741	0.142	0.032*	0.399
knn	0.687	0.153	0.576	0.125	0.97	0.687	0.129	0.571	0.101	0.742	0.073	0.102	0.748	0.104	0.262	0.433
glm	0.896	0.08	0.687	0.136	0.997	0.721	0.143	0.997	0.27	0.71	0.114	0.998	0.737	0.115	0.996	0.317
rpart	0.616	0.151	0.675	0.173	0.238	0.719	0.185	0.086	0.171	0.703	0.135	0.091	0.758	0.171	0.029*	0.064

Specificity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.723	0.142	0.644	0.146	0.914	0.761	0.107	0.135	0.017*	0.724	0.183	0.453	0.707	0.156	0.583	0.856
xgboost	0.708	0.182	0.698	0.139	0.6	0.742	0.082	0.363	0.139	0.742	0.161	0.337	0.716	0.104	0.541	0.661
c50	0.661	0.382	0.663	0.272	0.571	0.577	0.25	0.797	0.779	0.6	0.244	0.73	0.602	0.182	0.762	0.524
knn	0.698	0.179	0.795	0.083	0.046*	0.733	0.117	0.311	0.955	0.642	0.143	0.781	0.661	0.092	0.696	0.429
glm	0.18	0.105	0.606	0.145	0.003**	0.67	0.156	0.003**	0.2	0.634	0.107	0.003**	0.687	0.123	0.003**	0.091
rpart	0.768	0.158	0.611	0.183	0.971	0.673	0.181	0.94	0.135	0.592	0.202	0.988	0.673	0.193	0.947	80.0

Precision

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.816	0.08	0.778	0.05	0.857	0.834	0.074	0.118	0.021*	0.83	0.076	0.312	0.814	0.074	0.385	0.754
xgboost	0.818	0.088	8.0	0.061	0.652	0.824	0.036	0.594	0.143	0.845	0.077	0.216	0.824	0.052	0.577	0.695
c50	0.806	0.123	0.701	0.101	0.922	0.759	0.14	0.938	0.188	0.755	0.082	0.819	0.765	0.104	0.882	0.285
knn	0.799	0.08	0.821	0.063	0.207	0.805	0.089	0.423	0.882	0.777	0.065	0.797	0.784	0.042	0.652	0.423
glm	0.64	0.031	0.742	0.071	0.002**	0.786	0.081	0.001**	0.188	0.762	0.046	0.001**	0.796	0.066	0.001**	0.08
rpart	0.825	0.091	0.743	0.104	0.958	0.791	0.119	0.884	0.037*	0.746	0.09	0.991	0.793	0.126	0.797	0.043*

F1 0.5

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.747	0.108	0.744	0.113	0.318	0.756	0.115	0.318	0.264	0.775	0.11	0.08	0.765	0.1	0.246	0.615
xgboost	0.773	0.117	0.729	0.125	0.839	0.749	0.094	0.797	0.246	0.806	0.083	0.053	0.803	0.091	0.278	0.577
c50	0.614	0.203	0.746	0.252	0.234	0.69	0.147	0.097	0.766	0.78	0.086	0.082	0.739	0.121	0.019*	0.545
knn	0.699	0.127	0.61	0.112	0.968	0.706	0.119	0.577	0.188	0.746	0.06	0.078	0.752	0.084	0.246	0.423
glm	0.828	0.057	0.694	0.114	0.999	0.729	0.122	0.99	0.312	0.716	0.093	1	0.745	0.1	0.981	0.216
rpart	0.642	0.131	0.682	0.147	0.246	0.725	0.163	0.097	0.188	0.706	0.114	0.118	0.761	0.154	0.024*	0.029*

AUC

	AOO & E	OO only (base)	Ecolo	gical feat	ures only		All featur	res	eco-all	Ecolog	gical featu	es only FS	Α	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.729	0.082	0.693	0.055	0.905	0.751	0.086	0.142	0.04*	0.746	0.079	0.27	0.733	0.072	0.461	0.677
xgboost	0.738	0.094	0.709	0.071	0.821	0.739	0.043	0.5	0.065	0.772	0.071	0.161	0.759	0.058	0.5	0.754
c50	0.635	0.081	0.601	0.116	0.92	0.634	0.09	0.581	0.246	0.657	0.096	0.423	0.671	0.085	0.033*	0.254
knn	0.692	0.064	0.686	0.059	0.5	0.71	0.106	0.342	0.461	0.692	0.068	0.547	0.704	0.052	0.305	0.439
glm	0.538	0.052	0.646	0.079	0.002**	0.696	0.088	0.001**	0.188	0.672	0.046	0.001**	0.712	0.083	0.001**	0.092
rpart	0.692	0.069	0.643	0.109	0.903	0.696	0.118	0.216	0.024*	0.648	0.099	0.978	0.715	0.143	0.246	0.022*

	A00 & E	EOO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	III feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.458	0.164	0.386	0.111	0.914	0.502	0.171	0.143	0.04*	0.493	0.157	0.278	0.465	0.144	0.461	0.688
xgboost	0.476	0.188	0.417	0.143	0.821	0.478	0.086	0.5	0.08	0.544	0.141	0.161	0.518	0.116	0.5	0.754
c50	0.27	0.161	0.202	0.233	0.92	0.267	0.18	0.581	0.246	0.313	0.192	0.423	0.343	0.171	0.033*	0.246
knn	0.385	0.128	0.372	0.117	0.5	0.421	0.212	0.342	0.461	0.384	0.136	0.547	0.408	0.103	0.305	0.459
glm	0.076	0.103	0.293	0.159	0.002**	0.392	0.177	0.001**	0.188	0.344	0.093	0.001**	0.424	0.166	0.001**	0.097
rpart	0.384	0.139	0.286	0.218	0.903	0.393	0.235	0.216	0.023*	0.296	0.199	0.978	0.431	0.286	0.246	0.022*

## All species

Sensitivity

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.913	0.014	0.896	0.019	0.986	0.943	0.017	0.003**	0.998	0.886	0.018	0.997	0.945	0.015	0.003**	0.998
xgboost	0.917	0.015	0.895	0.024	0.986	0.949	0.012	0.003**	1.000	0.864	0.017	1.000	0.943	0.013	0.005**	1.000
c50	0.885	0.020	0.769	0.049	1.000	0.908	0.034	0.038*	0.998	0.777	0.038	1.000	0.925	0.021	0.004**	0.998
knn	0.916	0.014	0.854	0.023	1.000	0.795	0.024	0.998	0.003**	0.844	0.023	1.000	0.824	0.019	1.000	0.005**
glm	0.783	0.258	0.748	0.034	0.615	0.851	0.025	0.539	0.998	0.741	0.030	0.652	0.861	0.022	0.539	0.998
rpart	0.879	0.023	0.717	0.085	1.000	0.879	0.027	0.500	1.000	0.692	0.095	1.000	0.879	0.027	0.500	0.998

#### Specificity

	A00 & E	EOO only (base)	Ecolo	gical feat	tures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.717	0.032	0.724	0.018	0.500	0.767	0.022	0.001**	0.998	0.709	0.020	0.884	0.778	0.022	0.001**	0.998
xgboost	0.760	0.030	0.710	0.023	0.997	0.749	0.025	0.986	1.000	0.726	0.021	0.997	0.760	0.025	0.561	1.000
c50	0.752	0.022	0.715	0.029	0.997	0.768	0.037	0.323	0.999	0.717	0.052	0.981	0.751	0.025	0.620	0.938
knn	0.766	0.029	0.706	0.022	1.000	0.760	0.025	0.682	0.998	0.709	0.024	1.000	0.749	0.022	0.981	1.000
glm	0.695	0.171	0.748	0.019	0.161	0.736	0.020	0.188	0.007**	0.726	0.020	0.312	0.727	0.023	0.278	0.594
rpart	0.783	0.025	0.699	0.095	0.990	0.780	0.029	0.814	0.989	0.704	0.071	0.990	0.780	0.029	0.814	0.990

#### Precision

	A00 & E	EOO only (base)	Ecolog	gical feat	tures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.620	0.028	0.620	0.018	0.688	0.671	0.023	0.001**	1.000	0.606	0.019	0.935	0.683	0.023	0.001**	1.000
xgboost	0.658	0.029	0.608	0.024	1.000	0.656	0.023	0.862	1.000	0.614	0.021	1.000	0.665	0.023	0.278	1.000
c50	0.643	0.023	0.576	0.021	1.000	0.665	0.037	0.065	1.000	0.582	0.039	1.000	0.652	0.024	0.161	1.000
knn	0.664	0.030	0.594	0.023	1.000	0.625	0.028	0.997	1.000	0.594	0.024	1.000	0.623	0.024	0.999	1.000
glm	0.592	0.091	0.599	0.022	0.385	0.619	0.021	0.188	1.000	0.576	0.022	0.754	0.614	0.021	0.312	1.000
rpart	0.672	0.026	0.554	0.056	1.000	0.669	0.027	0.814	1.000	0.544	0.029	1.000	0.669	0.027	0.814	1.000

#### F1 0.5

	A00 & E	EOO only (base)	Ecolog	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	A	II feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.834	0.016	0.823	0.017	0.947	0.872	0.016	0.001**	1.000	0.811	0.018	0.990	0.877	0.016	0.001**	1.000
xgboost	0.850	0.017	0.818	0.024	0.999	0.871	0.012	0.001**	1.000	0.799	0.017	1.000	0.870	0.011	0.002**	1.000
c50	0.823	0.020	0.720	0.035	1.000	0.845	0.025	0.007**	1.000	0.727	0.028	1.000	0.853	0.015	0.003**	1.000
knn	0.851	0.017	0.785	0.022	1.000	0.754	0.023	1.000	0.001**	0.778	0.022	1.000	0.774	0.019	1.000	0.246
glm	0.711	0.188	0.712	0.029	0.577	0.791	0.022	0.461	1.000	0.700	0.026	0.577	0.796	0.019	0.423	1.000
rpart	0.828	0.018	0.672	0.050	1.000	0.827	0.019	0.814	1.000	0.653	0.065	1.000	0.827	0.019	0.814	1.000

#### AUC

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolog	gical featu	res only FS	P	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.815	0.019	0.810	0.015	0.862	0.855	0.016	0.001**	1.000	0.798	0.017	0.981	0.862	0.015	0.001**	0.998
xgboost	0.838	0.019	0.802	0.022	1.000	0.849	0.014	0.007**	1.000	0.795	0.016	1.000	0.852	0.012	0.005**	1.000
c50	0.819	0.018	0.742	0.020	1.000	0.838	0.021	0.005**	1.000	0.747	0.025	1.000	0.838	0.014	0.005**	1.000
knn	0.841	0.019	0.780	0.021	1.000	0.777	0.020	0.998	0.216	0.776	0.021	1.000	0.786	0.018	1.000	0.995
glm	0.739	0.073	0.748	0.020	0.348	0.793	0.017	0.019*	1.000	0.733	0.019	0.577	0.794	0.017	0.019*	1.000
rpart	0.831	0.015	0.708	0.022	1.000	0.830	0.014	0.963	1.000	0.698	0.020	1.000	0.830	0.014	0.963	1.000

	A00 & E	OO only (base)	Ecolo	gical feat	ures only		All featu	res	eco-all	Ecolo	gical featu	res only FS	P	All feature	s FS	eco-all
	mean	sd	mean	sd	p-value	mean	sd	p-value	p-value	mean	sd	p-value	mean	sd	p-value	p-value
rf	0.630	0.038	0.620	0.031	0.862	0.710	0.031	0.001**	1.000	0.596	0.034	0.981	0.723	0.030	0.001**	1.000
xgboost	0.676	0.038	0.605	0.043	1.000	0.698	0.027	0.007**	1.000	0.590	0.032	1.000	0.704	0.025	0.005**	1.000
c50	0.637	0.036	0.484	0.040	1.000	0.676	0.041	0.005**	1.000	0.493	0.050	1.000	0.676	0.028	0.005**	1.000
knn	0.682	0.037	0.560	0.041	1.000	0.554	0.041	1.000	0.216	0.553	0.041	1.000	0.572	0.036	1.000	0.997
glm	0.478	0.146	0.496	0.041	0.348	0.587	0.035	0.019*	1.000	0.466	0.038	0.577	0.587	0.033	0.019*	1.000
rpart	0.662	0.031	0.416	0.044	1.000	0.660	0.029	0.963	1.000	0.396	0.039	1.000	0.660	0.029	0.963	1.000