# **Linear Regression**


Krishna Nadiminti January 19, 2016

### Reading and Cleaning the Data

```
docML1 <- read.csv("docML1.csv")
docML1<- subset(docML1,!(is.na(docML1$dwnlds)))
hr<-docML1$hour
dwnl<-docML1$dwnlds
### Replacing Nan with 0
#dwnl<-replace(dwnl, is.na(dwnl), 0)</pre>
```

## Plotting the Elements as Scatter Plot

plot(dwnl~hr)



## Computing Least Square Regression Equation

$$Y = mX + C$$

$$m = \sum_{i=1}^N (x_i - ar{x})(y_i - ar{y}_i) / \sum_{i=1}^N (x_i - ar{x})^2$$

#### Slope for the Linear regression is

```
(slope<- (Sxx/Sxy))
```

```
## [1] 2.619285
```

### Intercept for the Linear Regression Equation is

```
(intercept<- mean(dwnl)-(slope*mean(hr)))</pre>
```

```
## [1] 983.2275
```

### Predicted Downloads on noon Fifth day of next month

No of Hours on of Fifth day is 852

```
(Respone<- slope*852+intercept)
```


```
## [1] 3214.858
```

Total number of Downloads at 852 hours is 3236.685

### Visualizing the Regression Equation on the scatterplot

```
plot(dwnl~hr)
abline(intercept,slope)
```

9/22/2016 Linear Regression



Upon Plotting the Scatterplot we can consider that the popularity of the book has been steadily increasing over the period of time and the variables are nearly linear fashioned.

## Comparing the results with Existing LinearModel

modelLinear<- lm(dwnlds~hour,data = docML1)
summary(modelLinear)</pre>

```
##
## Call:
## lm(formula = dwnlds ~ hour, data = docML1)
## Residuals:
##
      Min
               1Q Median
                               3Q
                                     Max
## -1364.8 -461.4 -92.3
                          335.3 2979.3
##
## Coefficients:
##
              Estimate Std. Error t value Pr(>|t|)
## (Intercept) 983.227
                           49.268
                                    19.96
                                           <2e-16 ***
## hour
                            0.114
                                    22.97
                                           <2e-16 ***
                 2.619
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 662.2 on 734 degrees of freedom
## Multiple R-squared: 0.4182, Adjusted R-squared: 0.4174
## F-statistic: 527.7 on 1 and 734 DF, \, p-value: < 2.2e-16
```

Seems both the Functions have yielded the similar Results