



CONFIDENTIAL

Nomadix Nexus



Last Updated
10 January 2025

Table of Contents

#	Section	Page
0.1	Download this guide	3
1	Introduction	3
1.1	Scope and Purpose	3
1.2	Documentation Conventions	3
1.3	Passpoint Overview	3
1.4	End-to-End Service Components	4
1.5	High-Level Topology	5
1.6	Glossary	5
2	TRUSTED WIFI PASSPOINT CORE SERVICES	7
2.1	Prerequisites	7
2.2	Trusted WiFi Configuration	8
2.3	Analytics Dashboards	13
2.4	Troubleshooting	17
3	CUSTOMER REALM	20
3.1	Prerequisites	20
3.2	Trusted WiFi Realm Configuration	21
4	MOBILE APP INTEGRATION	21
4.1	Trusted WiFi Passpoint SDK	21
5	WI-FI NETWORKS CONFIGURATION	23
5.1	Prerequisites	23
5.2	Configuration	23
6	SUBSCRIBER DEVICES	24
6.1	Prerequisites	24
6.2	Operation	24
6.3	Troubleshooting	24

Administration Guide

Download this guide 

Introduction

Scope and Purpose

Thank you for purchasing the Trusted WiFi solution. The aim of this document is to cover the configuration, monitoring and troubleshooting of an end-to-end Trusted WiFi Passpoint service, with a focus on the core services delivered by Trusted WiFi.

Separate complementary documents are available, covering a selection of network hardware equipment configuration, as well as integration with the Trusted WiFi Passpoint Software Development Kit (SDK).

Documentation Conventions

The following conventions are used throughout this document:

Notes

Helpful information, suggestions or references.

Warning

Important notification that something might result in a configuration not working, loss of data, equipment damage or personal injury.

Bold and/or **green**: commands, command options and keywords.

Italics: variable, input requirement for a valid parameter.

Passpoint Overview

Passpoint – also known as Hotspot 2.0 – is an industry-wide next generation approach to public internet access driven by the Wi-Fi Alliance that brings the following benefits:

- Frictionless onboarding and roaming, thanks to a one-time registration followed by automatic access to interconnected hotspots
- More secure and private Wi-Fi connections, compared with general visitor networks

Passpoint is based on the IEEE 802.11u standard, which is a set of protocols enabling cellular-like roaming. Following the initial enrollment, frequent users such as visitors, guests or employees bypass repeated logins, forms and passwords, as their mobile devices automatically join the Wi-Fi subscriber service when they return to a venue or roam between inter-linked Passpoint enabled hotspots and providers, while being better protected against potential cyber threats.

If a device supports 802.11u and is enrolled to a service, it automatically communicates with the Wi-Fi infrastructure via the access points to discover the network SSID and connects securely to it by presenting its access credentials. Upon successful authentication, the device is provisioned with Passpoint standards-based management objects - known as Per-Provider Subscription Management Objects (PPS-MO).

GlobalReach - an ASSA ABLOY company - has been involved with Passpoint since its inception and even contributed to the creation and initial pilot testing of the standard. As a result, it is one of the few trusted worldwide experts on this topic, with a proven platform backed by real-world operational experiences at scale.

The best user experience is to offer Passpoint through a customer/brand mobile app integration, as it further simplifies the onboarding process, while incentivizing app downloads and customer loyalty, leading to further engagement and monetization opportunities. To this effect, Trusted WiFi offers a Software Development Kit (SDK) for easy app integration.

Seamless Onboarding and Roaming

Best user experience via brand mobile loyalty app integration:

- One-time setup in 3 "taps" via a mobile app
- Followed by automatic connection for returning visitors and roaming within any of the participating venues
- No manual SSID selection, no login/password, no reset after a given period
- No impact from MAC address randomization
- Incentive to download the app, leading to visitor engagement opportunities
- Non-compatible devices can still use the legacy onboarding process

End-to-End Service Components


Implementing an end-to-end Trusted WiFi Passpoint service requires a combination of the following software and hardware components:

- **Trusted WiFi Passpoint:** the core services are offered and managed centrally via the Trusted WiFi Passpoint Module (hosted and operated by GlobalReach). Following an initial setup performed by the GlobalReach Operations team, Managed Service Providers (MSPs) can then add sites to customer realms and monitor the solution.
- **Customer Realm:** the service requires connectivity to a realm including domain, security certificate and private key, as well as the database holding the users' Personally Identifiable Information (PII). It is the responsibility of the Identity Provider – typically the customer/brand – to make this part available.

- **Mobile App:** the best user experience is to offer Passpoint through a customer/brand mobile app integration. Trusted WiFi offers a **Software Development Kit (SDK)** for easy implementation. It is the responsibility of the app owner – typically the customer/brand – to perform the integration.
- **Local Networks:** the local networks must be compliant with Passpoint (Hotspot 2.0). – Most recent Wi-Fi access points and controllers from major vendors support Passpoint today, however older models or products from more exotic manufacturers might not do. The configuration of the local infrastructure is typically handled by the Managed Service Providers (MSPs).
- **User Devices:** the subscribers' mobile devices (belonging to visitors, guests, employees, etc.) must be compliant with Passpoint (Hotspot 2.0) – All recent iOS and Android-based smartphones or tablets support Passpoint today, however older models or products running less popular operating systems might not do. Laptops compatibility is also more erratic. It is therefore essential to maintain a traditional onboarding service in parallel with Passpoint to handle non-compatible devices.

High-Level Topology

The diagram below illustrates the high-level topology for the end-to-end Trusted WiFi Passpoint service:



Glossary

The following is a glossary of the most common terms used regarding this solution.

Term	Abbreviation	Description
Deployment	-	Enabling of a Trusted WiFi product module for a property via the Trusted WiFi interface.
Module	-	Product or service purchased from Trusted WiFi that is managed through its own sub-section via the Trusted WiFi interface.
License	-	Legal agreement that grants users the right to use specific software, outlining terms and conditions for its usage, distribution, and potential modifications, while protecting the intellectual property of the software developer. GlobalReach licenses comprise of two different types: one-off licenses - typically to initially enable a software module. recurring licenses - typically including software updates and technical support, or more in the case of OpEx consumption commercial models based on price per month/quarter/year. Trusted WiFi is sold as a combination of one-off licenses to activate the service and recurring licenses based on a price per Wi-Fi access point per month.
Managed Service Provider	MSP	The third-party company that remotely manages and monitors a client's IT infrastructure and end-user systems, offering services like network and infrastructure management, security, and 24/7 technical support.
Organization	Org	A company account in Trusted WiFi.
Operator	-	An organization type account in Trusted WiFi that is used by MSPs to manage a property's Wi-Fi network.
Customer	-	An organization type account in Trusted WiFi typically used for customers/brands that allows grouping to view all properties belonging to the same company even if managed by several different MSPs.
Linked Organization	Linked Org	A link creating a relationship between an operator and a customer account, allowing a customer to view a property while allowing an operator to manage it.
User	-	An individual accessing a product, service or system. In the context of Trusted WiFi, a user is setup to access products and deployments information at Admin/Editor/Viewer levels, according to their relevant role permissions. In the context of a given product or service, a user is another term referring to a subscriber: the person at the end of the chain interacting with that product or service – usually through a device.
Property	-	Trusted WiFi concept representing an Individual site or location where products are deployed.
Linked Property	-	Site or location shared between operator and customer accounts.

Passpoint Software Development Kit	Passpoint SDK	The service that sits within the customer's mobile app and that is connected to the Trusted WiFi RADIUS infrastructure allowing Passpoint profiles to be created for a given Passpoint realm.
Passpoint Realm	-	The customer specific domain that is used to provision Passpoint profiles that are approved for connection to any associated network.
Passpoint Profile	-	The security certified profile that sits on a subscriber's device. If installed correctly it allows seamless authentication to the secure Passpoint SSID.
Secure Passpoint Service Set Identifier	Secure Passpoint SSID	The Wi-Fi network that is associated to the Passpoint realm configured to allow subscriber devices with a valid Passpoint profile to seamlessly connect to the Passpoint network at a property.
Subscriber	-	An individual person using a service.
Subscriber Device	-	The equipment – typically a smartphone, tablet or computer – the subscriber is using to connect to the service.
Collision-Resistant Unique Identifier	CUID	A unique identifier designed to be collision-resistant – meaning engineered to minimize the likelihood of generating duplicate IDs even in distributed systems – and more efficient in terms of space and database indexing performance due to its sequential nature. In the context of Passpoint, a CUID is delivered to a subscriber device when it requests a Passpoint profile.
Customer Loyalty Mobile Application	Mobile App	The iOS and/or Android digital application used by businesses to engage and reward their customers through loyalty programs. In the context of Passpoint, the best user experience is to offer Passpoint through a customer/brand mobile app integration using the Trusted WiFi SDK.

TRUSTED WIFI PASSPOINT CORE SERVICES

Prerequisites

Trusted WiFi Components

The following Trusted WiFi products, licenses and services must be purchased:

- Trusted WiFi Passpoint core services module
- A one-time Passpoint activation fee per customer realm
- A recurring yearly Passpoint hosting fee per customer realm
- A recurring license per month per AP
- Trusted WiFi Passpoint Software Development Kit (SDK)
- A one-time SDK activation fee per customer realm, available either standalone or in combination with the one-time Passpoint activation fee

Warning

A purchase order is required to be sent to support@globalreachtech.com including: Operator details – company responsible for installing and managing the network at the site Customer name User contact details (name and email address)

Third-Party Components

The following third-party services must be available:

- A customer realm including domain, security certificate and private key, as well as the database holding the users' Personally Identifiable Information (PII). It is the responsibility of the Identity Provider – typically the customer/brand – to make this part available. This information must be emailed to support@globalreachtech.com for the GlobalReach's team to provision the realm on Trusted WiFi.
- The best user experience is to offer Passpoint through a customer/brand mobile app integration. Once they have access to the Trusted WiFi Passpoint SDK, it is the responsibility of the app owner – typically the customer/brand – to perform the integration.
- Local networks must be Passpoint compliant. Most recent Wi-Fi access points and controllers from major vendors support Passpoint today, however older models or products from smaller manufacturers might not do. The configuration of the local infrastructure is typically handled by the Managed Service Providers (MSPs).
- The subscribers' mobile devices (belonging to visitors, guests, employees, etc.) must be Passpoint compliant. All recent iOS and Android-based smartphones or tablets support Passpoint today, however older models or products running less popular operating systems might not do. Laptops compatibility is also more erratic. It is therefore essential to maintain a traditional onboarding service in parallel with Passpoint to handle non-compatible devices.

Assumptions

The instructions provided in this document assume the following:


Warning

The Trusted WiFi Passpoint module is activated and licensed. The Trusted WiFi Passpoint SDK is activated and licensed. Wi-Fi networks are Passpoint compliant, installed and ready on site. Subscriber devices are Passpoint compliant. The Managed Service Provider (MSP) has Trusted WiFi account with operator permissions. All properties must share the same NAI realm, RADIUS IP / port settings and SSID name for the Passpoint service (CustomerPasspoint). Each property requires a separate RADIUS secret and NAS identifier, both generated when a configuration is activated within the Trusted WiFi management platform.

Trusted WiFi Configuration


Trusted WiFi Login

- In a web browser, navigate to: <https://trustedwifi.cloud.global/> and enter your email and password.



Property Creation

- Select **Properties** from the left navigation menu and click on the **+ New Property** button at the top of the page to display the New Property form:



Properties

New Property

Name *

Site Code *

Customer Code

Customer

Sub brand

Address

Address 1

Address 2

City

State

Postcode

Country code *

Latitude

Longitude

Contact Details

Primary Contact Number

Primary Support Number

Localization Preferences

Timezone *

Locales

Default Locale *

Temperature Unit *

Distance Unit *

Currency *

- Complete the mandatory fields as per the description below:


Field	Description
Name	The hotel or site name.
Site Code	This can be any unique alpha-numeric identifier. It is best practice to use the same ID assigned to the property from the hotel brand. If the Gateway is going into a lab, then this can be a random number.
Country Code	Select the appropriate country from the pull-down list.
Timezone	The time zone where the hotel is located. This is important as it affects operations scheduled to take place at a specific time.
Default Locale	Refers to the local language. Currently only English (en) is supported.
Temperature Unit	Whether the administrator prefers to display temperature information using Fahrenheit or Celsius.
Distance Unit	Whether the administrator prefers to display distance measurements in Imperial or Metric.
Currency	The currency of the property.
- Select the **Customer** from the drop-down list. This will link the property to the correct account where the Passpoint realm is then shared with the property.
- Click **Create Property** to save the details.

Warning


All properties from a given customer must share the same realm, which is pre-provisioned to their account by the GlobalReach Support team – as explained further in this document. Please check with GlobalReach what is the correct customer name to use and contact support@globalreachtech.com to link your operator account if the customer name doesn't appear in the drop-down list.

Passpoint Module Deployment


- Scroll down the list or use the search field at the top to find the desired property:



- Select the property and click the **+ Deploy Product** button. Then Select the **Passpoint** module from the drop-down list and accept the End User License Agreement (EULA), then click the **Deploy** button:



- The Passpoint deployment is now featured on the property page and the service can be configured:




Warning

Once a property features deployed products, it cannot be deleted until the individual product deployments are first deleted to avoid deletion of live implementations.


Property Realm Details

Once a Passpoint module is linked to a property, the realm details can be accessed.

- Scroll down the list or use the search field at the top to find the desired property:



- Select the property and click the **Passpoint** tile to display the dashboard page below:



Warning

If the Passpoint Unlicensed message is displayed, it means this deployment is not showing valid licenses. Please contact the GlobalReach Support team urgently to resolve.

- Select the **Configuration** option in the left-hand navigation menu and click on **Edit**:

Properties > Hotel Angelica > Passpoint

Configuration

NAI Realm	
Friendly Name	
Primary RADIUS IP	116.214.120.1
Secondary RADIUS IP	116.214.121.1
RADIUS Authentication Port	1812
RADIUS Accounting Port	1813
NAS Identifier	1f386a9
RADIUS Secret	5dc7b90b296789h08a6ef764b1e3d

[Edit](#)

- Select the relevant customer **NAI Realm** from the drop-down list and click **Apply** to save the changes.

Properties > Hotel Angelica > Passpoint

Edit Configuration

RADIUS Configuration
Default

NAI Realm
customer.cloud.global

[Cancel](#) [Apply](#)

- Take note of the details for your respective installation as they will be required at a later step to configure the network hardware.

Configuration


NAI Realm	customer.cloud.global
Friendly Name	customer.cloud.global
Primary RADIUS IP	116.214.120.1
Secondary RADIUS IP	116.214.121.1
RADIUS Authentication Port	1812
RADIUS Accounting Port	1813
NAS Identifier	1f386a9
RADIUS Secret	5dc7b90b296789h08a6ef764b1e3d

Warning

The NAS Identifier and the RADIUS Secret are always unique per property.

Analytics Dashboards

Trusted WiFi provides analytics dashboards containing anonymous information on usage of the Passpoint service, available both at global and individual property levels.



Warning

Some of the analytics might not be available depending on the operator account permissions.

Global Profiles View

The global profiles view is available to customers/brands accounts only, as it offers an estate-wide summary showing the number of profiles being requested via the loyalty app, as well as the number of subscriber profiles being used across the estate. This information includes all sites, irrespective of the different Managed Service Providers.

Operator accounts will see profiles requests only across the properties that manage.


Profiles Widget:

The Profiles Widget shows all profiles requests, broken down by the selected period. It can also be further filtered by device type (toggles these on/off as required):



Deployments and Profiles Widget

The deployments widget shows how many instances of Passpoint have been setup across all customer properties, and associated to the customer's Passpoint realm. The profiles widget shows the total number of Passpoint profiles requested to date, across all properties.



Global Activity View

The global activity view is available to customers/brands accounts only, as it offers an estate-wide summary showing the profiles activity across the estate. This information includes all sites, irrespective of the different Managed Service Providers.

Operator accounts will see profile activity only across the properties that manage.

New vs Returning Filter

The new vs returning filter shows how many unique profiles were seen as new connections vs returning connections across all the customer's Passpoint networks during the selected period.

- **New filter:** total unique profiles seen as connecting for the first time (anywhere) during the selected period.
- **Returning filter:** total unique profiles seen as returning (from anywhere) connections during the selected period.
- **All filter:** total of all unique profiles seen connecting.



Property Level Activity View


This view is available to all users who have access to property information within the Trusted WiFi management platform.

New Vs Returning Filter

The new vs returning filter shows how many unique profiles were seen as new connections vs returning connections at a specific property during the selected period.

- **New filter:** total unique profiles seen as connecting for the first time (first time ever using the customer's realm) during the selected period.
- **Returning filter:** total unique profiles seen as returning connections (previously seen using the customer's realm at this property or another property using the same realm) during the selected period.

- **All filter:** total of all unique profiles seen connecting to this specific property during the selected period.




Troubleshooting

RADIUS Logs

Network Device Issues

- RADIUS logs are accessed from the left-hand navigation menu for an individual property's Passpoint deployment:



- Indicate the **NAS MAC** to find an individual device.
- Use the **Period Filter** to narrow-down the search if you know the timeframe you are looking for.
- Use the **Message Type** to narrow-down by Rejects or Accepts seen on RADIUS from that device.

Warning

If the RADIUS configuration is not setup correctly, all Passpoint RADIUS requests will be seen to be coming from unidentified subscriber devices, meaning they will get dropped silently.

The table in the RADIUS requests details section below provides a description of the error messages.

Subscriber Access Issues

- From the same RADIUS logs page as above, indicate the **CUI** to find an individual device.
- Use the **Period Filter** to narrow-down the search if you know the timeframe you are looking for.

- Use the **Message Type** to narrow-down by Rejects or Accepts seen on RADIUS from that device.

The table in the RADIUS requests details section below provides a description of the error messages.

RADIUS Summary

- The RADIUS summary is accessed from the left-hand navigation menu for an individual property's Passpoint deployment:



- This page presents a quick overview of the RADIUS accepts and rejects for allow an operator to check at a glance what is happening across the property network devices.

RADIUS Requests Details

The following sequence is what is expected to occur when a network device (AP) gets a request from a subscriber device to use the Passpoint service.

Warning

Logs showing these messages out of sequence could be a case of a step being skipped or having an issue when making that particular call. This is typically seen when there is a network issue or if the realm is not connected.

RADIUS Requests Sequence

Details	Description	Message Type
Network/TTLS Authentication	Pre-starting of the authentication process. The NAS IP is the public IP address at this stage.	Client
Profile Authentication	RADIUS request sent.	Accept
MSCHAPv2 [Success]	Authentication was successful and the subscriber device should have access to the Passpoint service.	Accept

RADIUS Rejects Descriptions

Details	Description	Message Type
Missing username/realm	No profile or Corrupt profile.	Reject
MS-CHAP2-Response is incorrect	Corrupt profile reject.	Reject
CUI not found	No profile or Corrupt profile.	Reject

CUSTOMER REALM

Prerequisites

Operating a Passpoint service requires connectivity to a customer realm including domain, security certificate and private key, as well as the database holding the users' Personally Identifiable Information (PII).

Warning

It is the responsibility of the Identity Provider – typically the customer/brand – to make these components available. This information must be emailed to support@globalreachtech.com for the GlobalReach Support team to provision the realm on Trusted WiFi.

Custom Domain

Any fully qualified custom domain name (FQDN) can be used, but must be present within the TLS certificate – for example: `passpoint.customer.com`

Warning

The domain must be under administrative control such that certificate Extended Validation (EV) can be completed successfully by the certificate authority.

Custom Certificates

The Passpoint service requires that the RADIUS server has a TLS certificate installed that matches the domain for the secure SSID through which Passpoint will operate. The certificate will be used to sign Passpoint profiles installed on subscriber devices, so the domain and certificate details should reflect desired branding.

The RADIUS certificate must meet the following requirements:

- CommonName (CN) must match the domain.
- DNS subjectAltName must match the domain.
- Must include Extended Validation (*EV).

For example, if the custom domain is `passpoint.customer.com`, the RADIUS certificate must have both the CN and subjectAltName fields set to `passpoint.customer.com`.

*EV SSL certificate validation: the CA will perform a rigorous verification of the site's ownership as well as the legitimacy of the company before issuing your certificate. The vetting process is more intensive than any other validation level and thus commands higher trust with end-users. Website owners will need to provide acceptable documents for the company during the validation process. These verifying documents attest that they have rights to the specific domain and that the business itself is legitimate.

The EV process ensures a thorough investigation is performed on the organization, and this information is displayed on the certificate itself. Historically, it's also been the only certificate that enables the organization's name to appear on the browser to indicate your website's identity.

Trusted WiFi Realm Configuration

The following is required for the setup of the customer realm on the Trusted WiFi platform:

- Chosen Realm (Domain) name
- Security Certificates
- Private key

Warning

These parameters are not self-configurable, so they must be emailed to support@globalreachtech.com to be provisioned on the Trusted WiFi platform. The certificates must be kept up to date for the service to work as expected. If the certificate expires, the subscriber will get a security warning in their browser when they try to connect to the Passpoint service at a supporting property. If your certificate or key is about to expire, please provide an updated version to support@globalreachtech.com so it can be updated in the Trusted WiFi platform.

Once the customer realm is setup by the GlobalReach's Operations team, it will appear as the NIA Realm in the Passpoint configuration section in Trusted WiFi – as described in an earlier chapter of this document.

Configuration	
NAI Realm	customer.cloud.global
Friendly Name	customer.cloud.global
Primary RADIUS IP	116.214.120.1
Secondary RADIUS IP	116.214.121.1
RADIUS Authentication Port	1812
RADIUS Accounting Port	1813
NAS Identifier	1ft386a9
RADIUS Secret	5dc7b90b296789h08a6ef764b1e3d

MOBILE APP INTEGRATION

Trusted WiFi Passpoint SDK

The best user experience is delivered through a loyalty app integration, offering the following benefits:

- No additional user information to collect - guest or visitor is already known from the app.

- One time download of the Passpoint profile in 3 “taps”.
- Incentive to increase the app uptake.
- Additional services and engagement possibilities once users have the app.
- Non-compatible devices can still use the legacy onboarding process.

Warning

Access to the GlobalReach Passpoint SDK and its documentation are subject to the purchase of the one-time activation fee per customer realm.


The Trusted WiFi Passpoint SDK offers a customer/brand the ability to insert an option for their app members to pre-download a secure Passpoint profile to their subscriber device before they travel to a property connected to the customer realm.

It also allows for actions such as removing a Passpoint profile or requesting a new one. This is helpful for support, in case subscriber profiles become corrupted or broken.


Following the purchase of the one-time activation fee per customer realm, the GlobalReach Operations team will require the name and email address of the developers in need of access to the SDK GitHub repository containing the technical information required to perform the integration.

The following screenshots illustrate Passpoint profile download via a demo app:

iOS Profile Download



Android profile download



WI-FI NETWORKS CONFIGURATION

Prerequisites

The local networks must be compliant with Passpoint (Hotspot 2.0). – Most recent Wi-Fi access points and controllers from major vendors support Passpoint today, however older models or products from smaller manufacturers might not do. The configuration of the local infrastructure is typically handled by the Managed Service Providers (MSPs).

Warning

Wi-Fi networks must be within their vendor's support lifecycle and running valid licenses. Wi-Fi networks must be Passpoint compliant.

Configuration

Hardware configuration is addressed via separate guides. At the time of writing, the following documents are available:

- Hardware Configuration Guide for Aruba Central
- Hardware Configuration Guide for Aruba Mobility Controllers
- Hardware Configuration Guide for Cisco Meraki
- Hardware Configuration Guide for Nomadix WLAN Controllers
- Hardware Configuration Guide for Ruckus SmartZone
- Hardware Configuration Guide for Ruckus ZoneDirector

Please refer to these documents for further configuration information.

SUBSCRIBER DEVICES

Prerequisites

The subscribers' mobile devices (belonging to visitors, guests, employees, etc.) must be compliant with Passpoint (Hotspot 2.0) – All recent iOS and Android-based smartphones or tablets support Passpoint today, however older models or products running less popular operating systems might not do. Laptops compatibility is also more erratic. It is therefore essential to maintain a traditional onboarding service in parallel with Passpoint to handle non-compatible devices.

Operation

If a Passpoint profile is installed correctly, the subscriber device should connect automatically to the customer's private Passpoint SSID on the supported property network.

Warning

The Passpoint service does not use captive portal or CNA pop-up, the subscriber devices automatically join the relevant Passpoint Wi-Fi SSID. Do not manually connect to the SSID, as this will not work and will cause the subscriber device to prompt for a username and password.

Troubleshooting

If a subscriber device is prompted for user name/password, the following may help to further assess identifying Passpoint profile related issues:

- If username/password are blank, this usually means there is no Passpoint profile found on the subscriber device
- If username is filled in, but password is blank, this usually means the Passpoint profile is corrupted and will not work.

If the Passpoint profile is not installed, use the customer app to download it to the subscriber device.