

MINGW64:/c/Users/LENOVO/Rebasedemo

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~  
$ git clone https://github.com/Prem-pj/git-rebase.git  
fatal: destination path 'git-rebase' already exists and is not an empty directory.
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~  
$ cd git-rebase
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/git-rebase (feature-rebase)  
$ cd ..
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~  
$ git clone https://github.com/Prem-pj/Rebasedemo.git  
Cloning into 'Rebasedemo'...  
warning: You appear to have cloned an empty repository.
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~  
$ cd Rebasedemo
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$ echo "print('this is python page1')" > a.py
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$ git add .
```

warning: in the working copy of 'a.py', LF will be replaced by CRLF the next time Git touches it

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$ git commit -m "commit A"  
[main (root-commit) 018af69] commit A  
1 file changed, 1 insertion(+)  
create mode 100644 a.py
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$ git push origin main  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Writing objects: 100% (3/3), 229 bytes | 114.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)  
$ echo "print('this is python page2')" > b.py
```

MINGW64:/c/Users/LENOVO/Rebasedemo

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git add .

warning: in the working copy of 'b.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git commit -m "commit B"

[main 25dd7d0] commit B

1 file changed, 1 insertion(+)

create mode 100644 b.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git push origin main

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 284 bytes | 142.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/Prem-pj/Rebasedemo.git

018af69..25dd7d0 main -> main

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git log --oneline

25dd7d0 (HEAD -> main, origin/main) commit B

018af69 commit A

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git branch feature-rebase

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git switch feature-rebase

Switched to branch 'feature-rebase'

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ echo "print('this is python page3')" > c.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ git add .

warning: in the working copy of 'c.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ git commit -m "Commit C"

[feature-rebase 9968ecc] Commit C

1 file changed, 1 insertion(+)

create mode 100644 c.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ git push origin feature-rebase

Enumerating objects: 4, done.

MINGW64:/c:/Users/LENOVO/Rebasedemo

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ echo "print('this is python page4')" > d.py
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ git add .
```

warning: in the working copy of 'd.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ git commit -m "Commit D"
```

[feature-rebase 3e5c090] Commit D

1 file changed, 1 insertion(+)

create mode 100644 d.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ git push origin feature-rebase
```

Enumerating objects: 4, done.

Counting objects: 100% (4/4), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 287 bytes | 287.00 KiB/s, done.

Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)

remote: Resolving deltas: 100% (1/1), completed with 1 local object.

To https://github.com/Prem-pj/Rebasedemo.git

9968ecc..3e5c090 feature-rebase -> feature-rebase

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ git switch main
```

Switched to branch 'main'

Your branch is up to date with 'origin/main'.

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ echo "print('this is python page5')" > e.py
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git add .
```

warning: in the working copy of 'e.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git commit -m "Commit E"
```

[main d1aad0b] Commit E

1 file changed, 1 insertion(+)

create mode 100644 e.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git log --oneline
```

d1aad0b (HEAD -> main) Commit E

25dd7d0 (origin/main) commit B

018af69 commit A

MINGW64:/c/Users/LENOVO/Rebasedemo

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 313 bytes | 313.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Prem-pj/Rebasedemo.git
25dd7d0..d1aad0b main -> main

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ echo "print('this is python page6')" > f.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git add .
warning: in the working copy of 'f.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git commit -m "Commit F"
[main 862f542] Commit F
1 file changed, 1 insertion(+)
create mode 100644 f.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Prem-pj/Rebasedemo.git
d1aad0b..862f542 main -> main

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git log --oneline
862f542 (HEAD -> main, origin/main) Commit F
d1aad0b Commit E
25dd7d0 commit B
018af69 commit A

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)
\$ git switch feature-rebase
Switched to branch 'feature-rebase'

MINGW64:/c/Users/LENOVO/Rebasedemo

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 313 bytes | 313.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Prem-pj/Rebasedemo.git
   25dd7d0..d1aad0b  main -> main
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ echo "print('this is python page6')" > f.py
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git add .
warning: in the working copy of 'f.py', LF will be replaced by CRLF the next time Git touches it
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git commit -m "Commit F"
[main 862f542] Commit F
1 file changed, 1 insertion(+)
create mode 100644 f.py
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Prem-pj/Rebasedemo.git
   d1aad0b..862f542  main -> main
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git log --oneline
862f542 (HEAD -> main, origin/main) Commit F
d1aad0b Commit E
25dd7d0 commit B
018af69 commit A
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

```
$ git switch feature-rebase
Switched to branch 'feature-rebase'
```

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

```
$ git rebase main
```

MINGW64:/c/Users/LENOVO/Rebasedemo

warning: in the working copy of 'f.py', LF will be replaced by CRLF the next time Git touches it

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git commit -m "Commit F"

[main 862f542] Commit F
1 file changed, 1 insertion(+)
create mode 100644 f.py

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git push origin main

Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 288 bytes | 288.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Prem-pj/Rebasedemo.git
d1aad0b..862f542 main -> main

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git log --oneline

862f542 (HEAD -> main, origin/main) Commit F
d1aad0b Commit E
25dd7d0 commit B
018af69 commit A

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (main)

\$ git switch feature-rebase

Switched to branch 'feature-rebase'

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ git rebase main

Successfully rebased and updated refs/heads/feature-rebase.

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$ git push origin feature-rebase --force

Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (6/6), 605 bytes | 201.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Prem-pj/Rebasedemo.git
+ 3e5c090...f563900 feature-rebase -> feature-rebase (forced update)

LENOVO@DESKTOP-S97V08Q MINGW64 ~/Rebasedemo (feature-rebase)

\$

Commits

main	All users	All time
Commits on Jun 25, 2026		
Commit F Prem-pj committed 9 minutes ago	862f542	<>
Commit E Prem-pj committed 21 minutes ago	d1aad0b	<>
commit B Prem-pj committed 37 minutes ago	25dd7d0	<>
commit A Prem-pj committed 38 minutes ago	018af69	<>

Commits

🔗 feature-rebase

▼

👤 All users

▼

📅 All time

▼

🕒

Commits on Jun 25, 2025

Commit D 👤 Prem-pj committed 34 minutes ago	3e5c090	📄	<>
Commit C 👤 Prem-pj committed 35 minutes ago	9968ecc	📄	<>
commit B 👤 Prem-pj committed 38 minutes ago	25dd7d0	📄	<>
commit A 👤 Prem-pj committed 39 minutes ago	018af69	📄	<>

Commits

feature-rebase		All users	All time
Commits on Jun 25, 2026			
Commit D		f563900	
Prem-pj committed 2 minutes ago			
Commit C		cf062c4	
Prem-pj committed 2 minutes ago			
Commit F		862f542	
Prem-pj committed 11 minutes ago			
Commit E		dlaad0b	
Prem-pj committed 22 minutes ago			
commit B		25dd7d0	
Prem-pj committed 39 minutes ago			
commit A		018af69	
Prem-pj committed 40 minutes ago			