

PRESCRIPTION

Patient Name: Harvey Specter

Patient ID: PAT147

Date: March 5, 2026

Physician: Dr. James Martinez, MD

License #: MD-54329

MEDICATIONS PRESCRIBED

1. Testosterone Cypionate (Injectable)

- Dosage:** 100 mg intramuscular
- Frequency:** Once weekly (every 7 days)
- Route:** Intramuscular injection
- Duration:** Ongoing
- Instructions:** Inject into thigh or gluteal muscle. Rotate injection sites. Office will provide injection training.
- Refills:** 5
- Note:** Requires regular monitoring

2. Vitamin D3

- Dosage:** 5,000 IU daily
- Route:** Oral
- Duration:** 3 months, then reduce to maintenance
- Instructions:** Take with fatty meal for better absorption
- Refills:** 3

3. Magnesium Glycinate

- Dosage:** 400 mg at bedtime
- Route:** Oral
- Duration:** Ongoing
- Instructions:** Take before bed. Helps with sleep quality, stress, and testosterone production.
- Refills:** 5

4. Ashwagandha Extract (KSM-66)

- **Dosage:** 600 mg daily
- **Route:** Oral
- **Duration:** 3 months
- **Instructions:** Take in evening. Adaptogen to help reduce cortisol and manage stress.
- **Refills:** 3

5. Zinc Picolinate

- **Dosage:** 30 mg daily
 - **Route:** Oral
 - **Duration:** Ongoing
 - **Instructions:** Take with food. Supports testosterone production. Do not exceed dose.
 - **Refills:** 5
-

CRITICAL LIFESTYLE MODIFICATIONS FOR HORMONE OPTIMIZATION

Stress Management (ESSENTIAL)

- Minimum 7-8 hours sleep nightly (non-negotiable)
- Meditation or mindfulness practice: 10-15 min daily
- Consider reducing work hours or delegating responsibilities
- Schedule regular time off

Exercise Adjustment

- Reduce excessive cardio (can elevate cortisol)
- Focus on heavy resistance training 3-4x/week
- Include 2 rest days minimum per week
- Avoid overtraining

Nutrition for Hormone Health

- Increase healthy fats: 30-35% of calories
- Ensure adequate protein: 1g per lb body weight
- Include cholesterol-rich foods (eggs, quality meats)
- Limit alcohol to 1-2 drinks per week maximum

MONITORING REQUIREMENTS

- **Week 6:** Recheck testosterone, estradiol, hematocrit
 - **Month 3:** Full hormone panel repeat
 - **Every 6 months:** PSA, liver function, lipids
 - Monitor for signs of excessive testosterone (acne, mood changes, sleep disturbance)
-

FOLLOW-UP

Return visit in 6 weeks for testosterone level check and dose adjustment if needed. Contact office immediately if chest pain, leg swelling, severe mood changes, or difficulty breathing occurs.

Physician Signature: Dr. James Martinez, MD

Date: March 5, 2026

Contact: (555) 789-4561

This prescription is valid for 12 months from the date of issue. No alterations permitted.