BSNA AD ~ SEQ_hyper ('trend (uncorrected)')







BSNA AD ~ SEQ_hypo ('trend (uncorrected)')





BSNA AD ~ SEQ_seeking ('trend (uncorrected)')



BSNA AD ~ SEQ_totalpt ('trend (uncorrected)')









BSNA FA ~ SEQ_hyper ('trend (uncorrected)')





BSNA FA ~ SEQ_hypo ('trend (uncorrected)')



BSNA FA ~ SEQ_seeking ('trend (uncorrected)')



BSNA FA ~ SEQ_totalpt ('trend (uncorrected)')



BSNA ICVF ~ SEQ_hyper ('trend (uncorrected)')





BSNA ICVF ~ SEQ_hypo ('trend (uncorrected)')



BSNA ICVF ~ SEQ_seeking ('trend (uncorrected)')









BSNA ICVF ~ SEQ_totalpt ('trend (uncorrected)')



BSNA MD ~ SEQ_hyper ('trend (uncorrected)')





BSNA MD ~ SEQ_hypo ('trend (uncorrected)')



BSNA MD ~ SEQ_seeking ('trend (uncorrected)')



BSNA MD ~ SEQ_totalpt ('trend (uncorrected)')



BSNA ODI ~ SEQ_hyper ('trend (uncorrected)')



BSNA ODI ~ SEQ_hypo ('trend (uncorrected)')











BSNA ODI ~ SEQ_seeking ('trend (uncorrected)')













BSNA ODI ~ SEQ_totalpt ('trend (uncorrected)')





BSNA R1 ~ SEQ_hyper ('trend (uncorrected)')













BSNA R1 ~ SEQ_seeking ('trend (uncorrected)')



BSNA R1 ~ SEQ_totalpt ('trend (uncorrected)')





BSNA RD ~ SEQ_hyper ('trend (uncorrected)')









BSNA RD ~ SEQ_hypo ('trend (uncorrected)')


























SEQ_seeking
Adj. BSNA RD_IC_l
n = 80
d = -2.11
r2 = 0.06
p = 0.0385
Adj. BSNA RD_iMRtl_l
n = 80
d = -2.96
r2 = 0.11
p = 0.0041
Adj. BSNA RD_iMRtl_r
n = 80
d = -2.44
r2 = 0.09
p = 0.0171
Adj. BSNA RD_iMRt_l
n = 80
d = -3.15
r2 = 0.13
p = 0.0023
Adj. BSNA RD_iMRtm_l
n = 80
d = -2.99
r2 = 0.15
p = 0.0037
Adj. BSNA RD_iMRtm_r
n = 80
d = -2.66
r2 = 0.16
p = 0.0096
Adj. BSNA RD_iMRt_r
n = 80
d = -2.54
r2 = 0.1
p = 0.0131
Adj. BSNA RD_ION_l
n = 80
d = -2.58
r2 = 0.14
p = 0.012
Adj. BSNA RD_LC_r
n = 80
d = -3.09
r2 = 0.13
p = 0.0028
Adj. BSNA RD_RMg
n = 80
d = -2.14
r2 = 0.14
p = 0.0353
Adj. BSNA RD_ROb
n = 80
d = -2.67
r2 = 0.12
p = 0.0092
Adj. BSNA RD_RPa
n = 80
d = -2.51
r2 = 0.11
p = 0.0143
Adj. BSNA RD_sMRtm_l
n = 80
d = -2.08
r2 = 0.07
p = 0.041
Adj. BSNA RD_sMRtm_r
n = 80
d = -2.14
r2 = 0.09
p = 0.0359
Adj. BSNA RD_SubC_l
n = 80
d = -2.5
r2 = 0.12
p = 0.0148
Adj. BSNA RD_Ve_r
n = 80
d = -2.61
r2 = 0.1
p = 0.0109


SEQ_totalpt
n = 80
d = -2.32
r2 = 0.07
p = 0.0228
Adj. BSNA RD_IC_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.74
r2 = 0.1
p = 0.0076
Adj. BSNA RD_iMRtl_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.15
r2 = 0.08
p = 0.035
Adj. BSNA RD_iMRtl_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.95
r2 = 0.11
p = 0.0042
Adj. BSNA RD_iMRt_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.54
r2 = 0.12
p = 0.0131
Adj. BSNA RD_iMRtm_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.22
r2 = 0.14
p = 0.0294
Adj. BSNA RD_iMRtm_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.2
r2 = 0.08
p = 0.0306
Adj. BSNA RD_iMRt_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.68
r2 = 0.15
p = 0.009
Adj. BSNA RD_ION_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.53
r2 = 0.1
p = 0.0135
Adj. BSNA RD_isRT_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -3.07
r2 = 0.13
p = 0.003
Adj. BSNA RD_LC_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.1
r2 = 0.07
p = 0.0393
Adj. BSNA RD_LDTg_CGPn_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.01
r2 = 0.07
p = 0.0485
Adj. BSNA RD_MiTg_PBG_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.45
r2 = 0.16
p = 0.0167
Adj. BSNA RD_RMg
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.7
r2 = 0.12
p = 0.0085
Adj. BSNA RD_ROb
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.49
r2 = 0.11
p = 0.0151
Adj. BSNA RD_RPa
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.21
r2 = 0.09
p = 0.0301
Adj. BSNA RD_sMRtm_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.34
r2 = 0.15
p = 0.0219
Adj. BSNA RD_SOC_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.64
r2 = 0.13
p = 0.01
Adj. BSNA RD_SubC_l
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.98
r2 = 0.12
p = 0.0039
Adj. BSNA RD_Ve_r
SEQ_totalpt


SEQ_totalpt
n = 80
d = -2.28
r2 = 0.07
p = 0.0257
Adj. BSNA RD_VSM_r
SEQ_totalpt

LONI AD ~ SEQ_hyper ('trend (uncorrected)')





LONI AD ~ SEQ_hypo ('trend (uncorrected)')





LONI FA ~ SEQ_hypo ('trend (uncorrected)')



LONI FA ~ SEQ_seeking ('trend (uncorrected)')



LONI FA ~ SEQ_totalpt ('trend (uncorrected)')





LONI ICVF ~ SEQ_hypo ('trend (uncorrected)')





LONI ICVF ~ SEQ_seeking ('trend (uncorrected)')



LONI ICVF ~ SEQ_totalpt ('trend (uncorrected)')



LONI MD ~ SEQ_hypo ('trend (uncorrected)')



LONI MD ~ SEQ_totalpt ('trend (uncorrected)')





LONI ODI ~ SEQ_hyper ('trend (uncorrected)')




LONI ODI ~ SEQ_seeking ('trend (uncorrected)')
SEQ_seeking
n = 80
d = -2.2
r2 = 0.06
p = 0.0306
Adj. LONI ODI_LLR
0.200
0.175
0.150
0.125
0.100
2
3
4
SEQ_seeking
SEQ_seeking
n = 80
d = -2.03
r2 = 0.07
p = 0.0463
Adj. LONI ODI_MLL
0.24
0.22
0.20
0.18
2
3
4
SEQ_seeking
SEQ_seeking
n = 80
d = -2.11
r2 = 0.06
p = 0.0386
Adj. LONI ODI_SCPSCL
0.26
0.24
0.22
0.20
2
3
4
SEQ_seeking

LONI RD ~ SEQ_hyper ('trend (uncorrected)')



LONI RD ~ SEQ_hypo ('trend (uncorrected)')



LONI RD ~ SEQ_seeking ('trend (uncorrected)')



LONI RD ~ SEQ_totalpt ('trend (uncorrected)')