



ADVANCED EVALUATION REPORT

JUNE 2026

Date of the Assessment: 08/06/2026

CONFIDENTIAL

The information contained within this report is considered **proprietary and confidential to dynamicfitness.lk**. Inappropriate and unauthorized disclosure of this report or portions of it could result in significant damage or loss to dynamicfitness.lk. This report should be distributed to individuals on a need-to-know basis only. Paper copies should be locked up when not in use. Electronic copies should be stored offline and protected appropriately.

Document Version: Evaluation Report v3.0 08/06/2026

Copyright **LK Domain Registry**®

All Rights Reserved

DISCLAIMER

LK Domain Registry conducted this assessment of dynamicfitness.lk that existed as of 08/06/2026. Cybersecurity threats are continuously changing, and new vulnerabilities are discovered regularly. No application or system can ever be 100% secure, no matter how much security testing is conducted. This report is intended only to provide documentation of the findings noted by dynamicfitness.lk as of 08/06/2026. All information in this assessment is provided "as is." The security assessment represented is historical; past security assessments are not a reliable indicator of future results.

LK Domain Registry does not warrant that the assessment was error-free, and since the security testing was conducted within a limited time frame. This report does not offer warranties, representations, or legal certifications concerning the applications or systems assessed. Under no circumstances shall LK Domain Registry be liable for any indirect, incidental, consequential, special, or exemplary damages arising out of or in connection with your access or use of or inability to access or use the applications or systems and any third-party content and services, whether or not the organization was advised of the possibility of such damages.

TABLE OF CONTENTS

1. Executive Summary.....	4
1.1. Assessment Methodology.....	4
1.2. Network Security Assessment.....	5
1.3. Scope of the Assessment.....	6
1.3.1. Coverage.....	6
1.3.2. Limitations.....	6
2. High-level evaluation summary.....	7
2.1. Network Security Assessment Summary.....	9
3. Appendix.....	9
3.1. Performance.....	9
3.1.1. First Contentful Paint (FCP).....	9
3.1.2. Largest Contentful Paint (LCP).....	10
3.1.3. Total Blocking Time (TBT).....	11
3.1.4. Cumulative Layout Shift (CLS).....	12
3.1.5. Speed Index.....	13
4. Security Findings.....	13
4.1. Network Security Report.....	13

1. Executive Summary

The TopWeb.LK technical team evaluated the website dynamicfitness.lk through multiple assessments, utilizing both manual review analysis and automated testing with professional tools. The evaluation occurred on 08/06/2026. This report aims to provide a summary of the findings and their impact. The discovery of these findings resulted from various tests conducted.

1.1. Assessment Methodology

TopWeb.LK technical team performed a Security Assessment of dynamicfitness.lk ("the web application") using a combination of manual review analysis as well as automated testing tools. Testing activities took place on 08/06/2026.




Figure 1: Web page evaluation methodology adopted by TopWeb.LK

External Security evaluation of host/s were conducted using licensed automated assessment tools through the internet with prospective of an external malicious attacker who discovers the vulnerabilities. During the manual evaluation on selected clusters (Technical, Design, and Content aspects) are done by a team experienced with [BestWeb.LK](#) website evaluation process.

The Semi-automated evaluation findings which are being used out the report is described below:

Good / Available	This classification indicates aspects of the website that are performing well or where issues are not detected. For instance, if there are no security vulnerabilities detected, if the website performed well it would fall under "Good/Not Detected."
Not Detected	
Average	This will suggest areas that are neither exceptional nor problematic. It indicates moderate performance or functionalities that meet basic standards but could benefit from enhancement. For example, if the website's loading speed is average but not exceptional or slow, it could be categorized as "Average."
Need to Improve / Not Available	This segmentation highlights areas where there are identified issues or mandatory enhancements. For instance, if there are slow loading times or poor mobile responsiveness, they would fall under "Need to Improve/Not Available." If you received "Detected" for under security vulnerabilities you wouldn't be able to go to the next stage without fixing that issue/s.
Detected	

1.2. Network Security Assessment

Findings of the automated testing stage which is being used out the report is described below:

Low	A vulnerability with a CVSSv3 base score of 0.1 through 3.9. Typically have very little impact on an organization's business. Exploitation usually requires local or physical system access.
Medium	A vulnerability with a CVSSv3 base score of 4.0 through 6.9. An attacker to reside on the same local network as the victim. Exploitation provides only very limited access.
High	A vulnerability with a CVSSv3 base score of 7.0 through 8.9. Exploitation is usually not straightforward. Does not result in elevated privileges, but may grant unintended access to data.
Critical	A vulnerability with a CVSSv3 base score of 9.0 through 10.0. Exploitation is usually straightforward. Results in root/administrator-level access to the system.

1.3. Scope of the Assessment

1.3.1. Coverage

The following Host(s) were evaluated during the External Evaluation assessment of dynamicfitness.lk

IP Address	Host Name/ Website Name	Status
52.74.6.109	dynamicfitness.lk	Responded

1.3.2. Limitations

Because only the external components that faces the internet, are being scanned, this assessment may not reveal all potential vulnerabilities of dynamicfitness.lk and a positive evaluation report does not indicate that your website is 100% secure.

The reasons for under-reporting may be due to:

- Blacklisting of the vulnerability scanner by the automatic intrusion detection to prevention systems which are in the ISPs.
- Blacklisting of the vulnerability scanner by the automatic intrusion detection to prevention systems which are in dynamicfitness.lk IT Systems such as perimeter firewalls, WAF, IDS or IPS.
- Transient issues in dynamicfitness.lk IT Systems.
- High network congestion or low bandwidth in the network.

And also Evaluating webpages using both human and automated systems has its advantages, but each approach also comes with its own limitations.

- Human assessment of design, content, and usability can be subjective. Different evaluators or even the same evaluator on two occasions might have varying opinions and preferences, potentially resulting in discrepancies in the final score.
- Automated tools can occasionally produce false positives or miss certain complex or newer security threats, as they rely on predefined patterns and databases.

****These limitations are inherent to automated scans and should be considered when reviewing the results.**

****We highly recommend keeping the OS, packages, libraries, CMS, plugins, etc., in their latest, secure, and stable versions. Instead of merely updating them to the latest version, it is advised to ensure they are up to date for optimal security.**


2. High-level evaluation summary

CRITERIA	DESCRIPTION	STATUS
TECHNICAL		
COMPLETENESS	Incomplete pages	Not Detected
	Contact information	Good
	Feedback / Contact us form	Need to Improve
	Data Protection & Privacy Policy	Good
	User Consent (Cookies) Policy	Good
NAVIGATION & STRUCTURE	Search & Discovery Tools	Good
	All links operational	Good
	Simple URL structure	Good
	Links to home page	Average
	Social Network Integration	Average
PERFORMANCE		
DESKTOP	First Contentful Paint	Good
	Largest Contentful Paint (LCP)	Good
	Total Blocking Time	Good
	Cumulative Layout Shift	Good
	Speed Index	Average
MOBILE	First Contentful Paint	Good
	Largest Contentful Paint (LCP)	Good
	Total Blocking Time	Good

	Cumulative Layout Shift	Good
	Speed Index	Average
	DESIGN	
USER EXPERIENCE	Clear site architecture	Good
	Site Map	Not Available
	User friendliness	Average
	Consistency use of standard headers, footers, menus, colours, alignments etc.	Good
	Help / FAQ / Reviews, Testimonials	Good
	CONTENT	
QUALITY	Volume of content	Good
	Up-to-date content	Good
SEO	Meta description	Available
	Crawlable links	Crawlable
	Valid robots.txt	Valid
	Image elements have alt attributes	Available
	Descriptive Text	Not Available
	Page isn't blocked from indexing	Available
	BONUS POINT	
	Additional Features*	Need to Improve

*For more information – Refer <https://topweb.lk/evaluation-criteria/>

2.1. Network Security Assessment Summary



[Click here](#) to view Detailed Network Security Assessment

3. Appendix

3.1. Performance

3.1.1. First Contentful Paint (FCP)

What is FCP

FCP is the time it takes for the browser to render the first piece of content on the page, such as text or an image. It measures how quickly the user can see something on the screen.

FCP time (in seconds)	Attributes
0–1.8	GOOD
1.8–3	AVERAGE
Over 3	NEED TO IMPROVE

How to improve your FCP score

To improve FCP, you need to make sure that the browser can load and display the first content as fast as possible. Some of the ways to improve FCP are:

- **Enable website caching:** This can reduce the network latency and the server response time, which can improve websites FCP. You can use page caching, browser caching, or a content delivery network (CDN) to implement caching on your web site.
- **Eliminate render-blocking resources:** These are the resources that prevent the browser from rendering the page until they are loaded, such as CSS and JavaScript files. You can eliminate render-blocking resources by using techniques such as inlining critical CSS, deferring or asynchronous loading non-critical JavaScript, and preloading critical resources.

- **Reduce page weight:** This is the total size of all the resources that are needed to load your webpage, such as images, videos, fonts, and scripts. You can reduce page weight by using techniques such as image compression and optimization, next-gen image formats, lazy loading, code minification, and code coverage optimization.

3.1.2. Largest Contentful Paint (LCP)

What is LCP

LCP is the time it takes for the browser to render the largest piece of content on the page, such as a large image or video. It measures how quickly the user can see the main content on the screen. To provide a good user experience, sites should strive to have Largest Contentful Paint of 2.5 seconds or less.

LCP time (in seconds)	Attributes
0-2.5	GOOD
2.5-4	AVERAGE
Over 4	NEED TO IMPROVE

How to improve your LCP score

To improve LCP, you need to make sure that browser can load and display the largest content as fast as possible. Some of the ways to improve LCP are:

- **Optimize your images:** Images are often the largest content on the page, and they can affect LCP significantly. You can optimize your images by using techniques such as image compression and optimization, next-gen image formats, lazy loading, and using a third-party image CDN.
- **Optimize your layout and design:** The layout and design of your web page can also influence the LCP of your web page, especially if you use elements such as video backgrounds, pop-ups, fade-ins, or sliders. You can optimize the layout and design of your web page by using techniques such as avoiding video backgrounds, delaying or pausing pop-ups, and using static images instead of sliders.
- **Optimize your fonts:** Fonts are also part of the content on the page, and they can affect LCP if they are not loaded quickly. You can optimize your fonts by using techniques such as hosting your fonts locally, using font-display: swap, and preloading your fonts.

3.1.3. Total Blocking Time (TBT)

What is TBT

Total Blocking Time (TBT) is a performance metric that measures the responsiveness of a web page to user input such as mouse clicks, screen taps, or keyboard inputs. It quantifies the total time between First Contentful Paint (FCP) and Time to Interactive (TTI) where the main thread was blocked for long enough to prevent input responsiveness.

The main thread is the process that transforms the code into a web page. It can be blocked by long tasks that take more than 50 milliseconds (ms) to execute, such as parsing HTML, executing JavaScript, or rendering CSS. These tasks can delay the FCP and TTI of the web page, and make it feel sluggish or janky to the user.

TBT time – For Desktop (in milliseconds)	Attributes
0-150	GOOD
150-350	AVERAGE
Over 350	NEED TO IMPROVE

How to Improve your TBT Score

To improve TBT, you need to optimize the loading and rendering process of your web page and make sure every step along the way is fast and efficient. Some common ways to improve TBT in any web site are:

- **Use website caching:** Caching is a technique that stores a copy of your web page on the server or the browser, that it can be loaded faster the next time it is requested. Caching can reduce the network latency and the server response time, which can improve both FCP and TTI.
- **Eliminate render-blocking resource:** Render-blocking resources are the ones that prevent the browser from rendering the page until they are loaded, such as CSS and JavaScript files. These resources can delay the FCP and TTI of your web page also, especially if they are large or slow to load. You can eliminate render-blocking resources by using techniques such as inlining critical CSS, deferring or asynchronous loading non-critical JavaScript, and preloading critical resources.

3.1.4. Cumulative Layout Shift (CLS)

What is CLS

CLS (Cumulative Layout Shift) measures the most significant surge in layout shift scores for each unexpected change in layout that happens throughout a page's entire existence.

CLS is a metric that measures the visual stability of a web page. It calculates the total amount of unexpected layout shifts that occur during the loading of a web page. A layout shift happens when a visible element changes its position or size, moving the content around it. A high CLS score indicates a poor user experience, as it can cause frustration and confusion for the visitors. Therefore, it is important to optimize your web page to minimize the CLS score.

How to Improve your CLS Score

To provide a good user experience, **sites should strive to have a CLS of 0.1 or less for at least 75% of page visits**. Unlike the other Core Web Vitals, which are time-based values measured in seconds or milliseconds, the CLS score is a unit-less value based on a calculation of how much content is shifting and by how far.

The most common causes of a poor CLS are:

- **Images and videos without dimensions:** If you do not specify the width and height attributes for your images and videos, they can cause layout shifts when they load, as they may take up more or less space than expected. To prevent this, you should always provide the correct dimensions for your images and videos, or use CSS aspect ratio boxes to reserve the space for them.
- **Ads, embeds, and iframes without dimensions:** If you use ads, embeds, or iframes on your web page, they can cause layout shifts when they load, as they may resize themselves dynamically. To prevent this, you should always provide the dimensions for your ads, embeds, or iframes, or use CSS aspect ratio boxes to reserve the space for them. You should also avoid inserting new ads, embeds, or iframes dynamically after the page has loaded, as this can cause unexpected layout shifts.
- **Dynamically injected content:** If you use JavaScript to add or remove content on your web page, such as animations, pop-ups, banners, or notifications, they can cause layout shifts when they load, as they may push or move the existing content. To prevent this, you should always avoid adding or removing content above the existing content, or use CSS transform or position: fixed to create the effect without affecting the layout.

3.1.5. Speed Index

What is Speed Index Measures

Speed Index (SI) is a performance metric that measures how quickly the content of a page is loaded and visible for the user. It calculates the average time it takes for the page to be visually complete above the fold, or within the viewport. A low SI score means that your page renders the visible content fast, giving your visitors the perception of a faster loading page. A high SI score means that your page takes longer to display the main content, which can frustrate and discourage your visitors.

Speed Index – For Desktop (in seconds)	Attributes
0–1.3	GOOD
1.3–2.3	AVERAGE
Over 2.3	NEED TO IMPROVE

How to Improve your Speed Index Score

A good SI score is less than 1.3 seconds (for Desktop), and it counts for 10% of the total performance score. To improve your SI score, you need to optimize the loading and rendering process of your web page and make sure every step along the way is fast and efficient.

- Use website caching.
- Reduce page weight.
- Optimize the layout and design of your web page.


4. Security Findings

4.1. Network Security Report

Enclosed herewith are the security findings resulting from the network security assessment conducted on 08/06/2026. We strongly recommend reviewing the attached report and taking necessary actions to address the identified vulnerabilities.

4.1. Network Security Report

dynamicfitness.lk



Scan Information

Start time: Tue Jun 9 05:00:23 2026
End time: Tue Jun 9 05:21:54 2026

Host Information

DNS Name: dynamicfitness.lk
IP: 52.74.6.109
OS: Linux Kernel 2.x on CentOS

Vulnerabilities

46180 - Additional DNS Hostnames -

Synopsis

Scanner has detected potential virtual hosts.

Description

Hostnames different from the current hostname have been collected by miscellaneous plugins. Scanner has generated a list of hostnames that point to the remote host. Note that these are only the alternate hostnames for vhosts discovered on a web server.

Different web servers may be hosted on name-based virtual hosts.

See Also

https://en.wikipedia.org/wiki/Virtual_hosting

Solution

If you want to test them, re-scan using the special vhost syntax, such as :

www.example.com[192.0.32.10]

Risk Factor

None

Plugin Information

Published: 2010/04/29, Modified: 2022/08/15

Plugin Output

tcp/0

The following hostnames point to the remote host :
- my.lk

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Scanner scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>
<https://nvd.nist.gov/products/cpe>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2010/04/21, Modified: 2026/05/27

Plugin Output

tcp/0

```
The remote operating system matched the following CPE :  
cpe:/o:linux:linux_kernel -> Linux Kernel
```

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/05/23, Modified: 2025/03/12

Plugin Output

tcp/0

```
Remote device type : unknown  
Confidence level : 56
```

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/80/www

```
The remote web server type is :  
Netlify
```

10107 - HTTP Server Type and Version

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/443/www

```
The remote web server type is :  
Netlify
```

12053 - Host Fully Qualified Domain Name (FQDN) Resolution

Synopsis

It was possible to resolve the name of the remote host.

Description

Scanner was able to resolve the fully qualified domain name (FQDN) of the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/02/11, Modified: 2025/03/13

Plugin Output

tcp/0

```
52.74.6.109 resolves as ec2-52-74-6-109.ap-southeast-1.compute.amazonaws.com.
```

11219 - Scanner SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/80/www

```
Port 80/tcp was found to be open
```

11219 - Scanner SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/443/www

Port 443/tcp was found to be open

11219 - Scanner SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/2000

Port 2000/tcp was found to be open

11219 - Scanner SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information

Published: 2009/02/04, Modified: 2025/07/14

Plugin Output

tcp/5060

Port 5060/tcp was found to be open

Synopsis

This plugin displays information about the Scanner scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Scanner or Scanner Home).
- The version of the Scanner Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2026/03/04

Plugin Output

tcp/0

Information about this scan :

```
Scanner version : 10.12.0
Scanner build : 20184
Plugin feed version : 202606072245
Scanner edition used : Scanner
Scanner OS : LINUX
Scanner distribution : ubuntu1604-x86-64
Scan type : Normal
Scan name : dynamicfitness.lk
Scan policy used : Bestwebscan-May2025
Scanner IP : 10.168.0.63
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 76.328 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : yes
Plugin debugging enabled : no
Paranoia level : 0
Report verbosity : 1
Safe checks : yes
Optimize the test : yes
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : enabled
Web application tests : disabled
Max hosts : 100
Max checks : 5
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Scanner Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2026/6/9 5:00 +0530 (UTC +05:30)
Scan duration : 1272 sec
```

Scan for malware : yes
Fully Scan Operational Technology devices : no
Safely Scan Operational Technology devices with OT Discovery : no

209654 - OS Fingerprints Detected

Synopsis

Multiple OS fingerprints were detected.

Description

Using a combination of remote probes (TCP/IP, SMB, HTTP, NTP, SNMP, etc), it was possible to gather one or more fingerprints from the remote system. While the highest-confidence result was reported in plugin 11936, "OS Identification", the complete set of fingerprints detected are reported here.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2025/02/26, Modified: 2025/03/03

Plugin Output

tcp/0

Following OS Fingerprints were found

Remote operating system : Linux Kernel 2.x on CentOS
Confidence level : 56
Method : MLSinFP
Type : unknown
Fingerprint : unknown

Following fingerprints could not be used to determine OS :
HTTP://Server: Netlify

SinFP://
P1:B10113:F0x12:W64480:00204ffff:M1240:
P2:B10113:F0x12:W65084:00204ffff0402080affffff4445414401030309:M1240:
P3:B00000:F0x00:W0:00:M0
P4:191800_7_p=80R
SSLcert://i/CN:E7i/0:Let's Encrypts/CN:dynamicfitness.lk
477b1ae42f23a20caecb414645d5c10cb4531305

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2003/12/09, Modified: 2025/06/03

Plugin Output

tcp/0

```
Remote operating system : Linux Kernel 2.x on CentOS
Confidence level : 56
Method : MLSinFP
```

Not all fingerprints could give a match. If you think that these signatures would help us improve OS fingerprinting, please submit them by visiting <https://www.tenable.com/research/submitsignatures>.

HTTP:!:Server: Netlify

SSLcert:!:i/CN:E7i/0:Let's Encrypts/CN:dynamicfitness.lk
477b1ae42f23a20caecb414645d5c10cb4531305

SinFP:!:
P1:B10113:F0x12:W64480:00204ffff:M1240:
P2:B10113:F0x12:W65084:00204ffff0402080affffff4445414401030309:M1240:
P3:B00000:F0x00:W0:00:M0
P4:191800_7_p=80R

The remote host is running Linux Kernel 2.x on CentOS

277650 - Remote Services Not Using Post-Quantum Ciphers

Synopsis

Reports remote services that do not offer post-quantum ciphers.

Description

This plugin reports network services that do not offer post-quantum ciphers. Tenable makes no attempt to determine whether the remote service would be vulnerable to a post-quantum attack.

However, cryptography that depends on the classic difficulty of solving the discrete logarithm problem or on the classic difficulty of large prime factorization is broken by Shor's algorithm. Examples of this are RSA asymmetric encryption and Diffie-Hellman key exchange.

See Also

<http://www.nessus.org/u?7a390f87>
<http://www.nessus.org/u?ad7d6b3b>
<http://www.nessus.org/u?1c0c61e0>
<http://www.nessus.org/u?5eec4b28>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2025/12/08, Modified: 2025/12/08

Plugin Output

tcp/443/www

The target TLS server offers no post-quantum ciphers.

31422 - Reverse NAT/Intercepting Proxy Detection

Synopsis

The remote IP address seems to connect to different hosts via reverse NAT, or an intercepting proxy is in the way.

Description

Reverse NAT is a technology which lets multiple computers offer public services on different ports via the same IP address.

Based on OS fingerprinting results, it seems that different operating systems are listening on different remote ports.

Note that this behavior may also indicate the presence of a intercepting proxy, a load balancer or a traffic shaper.

See Also

https://en.wikipedia.org/wiki/Proxy_server#Intercepting_proxy_server

Solution

Make sure that this setup is authorized by your security policy

Risk Factor

None

Plugin Information

Published: 2008/03/12, Modified: 2022/04/11

Plugin Output

tcp/0

```
+ On the following port(s) :  
- 5060 (0 hops away)  
- 2000 (0 hops away)
```

The operating system was identified as :

```
FortiOS on Fortinet FortiGate  
Linux Kernel 2.4
```

```
+ On the following port(s) :  
- 443 (14 hops away)  
- 80 (14 hops away)
```

The operating system was identified as :

```
Linux Kernel 2.2  
Linux Kernel 2.4  
Linux Kernel 2.6
```

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/12/01, Modified: 2025/06/16

Plugin Output

tcp/443/www

This port supports TLSv1.3/TLSv1.2.

Synopsis

The remote host has an SSL certificate chain with one or more certificates that are going to expire soon.

Description

The remote host has an SSL certificate chain with one or more SSL certificates that are going to expire soon. Failure to renew these certificates before the expiration date may result in denial of service for users.

Solution

Renew any soon to expire SSL certificates.

Risk Factor

None

Plugin Information

Published: 2015/05/08, Modified: 2015/05/08

Plugin Output

tcp/443/www

```
The following soon to expire certificate was part of the certificate
chain sent by the remote host :
```

```
| -Subject : CN=dynamicfitness.lk
| -Not After : Jul 27 04:29:56 2026 GMT
```

42981 - SSL Certificate Expiry - Future Expiry

Synopsis

The SSL certificate associated with the remote service will expire soon.

Description

The SSL certificate associated with the remote service will expire soon.

Solution

Purchase or generate a new SSL certificate in the near future to replace the existing one.

Risk Factor

None

Plugin Information

Published: 2009/12/02, Modified: 2020/09/04

Plugin Output

tcp/443/www

```
The SSL certificate will expire within 60 days, at
Jul 27 04:29:56 2026 GMT :
```

```
Subject : CN=dynamicfitness.lk
Issuer : C=US, O=Let's Encrypt, CN=E7
Not valid before : Apr 28 04:29:57 2026 GMT
Not valid after : Jul 27 04:29:56 2026 GMT
```

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2008/05/19, Modified: 2021/02/03

Plugin Output

tcp/443/www

Subject Name:

Common Name: dynamicfitness.lk

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: E7

Serial Number: 06 3B 19 03 14 34 E9 16 37 D3 AB E3 01 15 85 64 DC 33

Version: 3

Signature Algorithm: ECDSA With SHA-384

Not Valid Before: Apr 28 04:29:57 2026 GMT

Not Valid After: Jul 27 04:29:56 2026 GMT

Public Key Info:

Algorithm: EC Public Key

Elliptic Curve: P256

Key Length: 256 bits

Public Key X: 38 DA 7C 05 C1 41 D8 CC 16 46 29 E6 F7 D8 3D 25 A1 B0 2E 42
1F 61 D3 2C 93 39 FC 1E C4 F9 AD 8E

Public Key Y: 13 47 97 4A E1 40 D7 4E EB 2A F4 A5 40 EA EA F0 6B 8C 77 D8
9C 5F EF D0 B9 FC EB 8D 57 2A 00 0E

Signature Length: 102 bytes / 816 bits

Signature: 00 30 64 02 30 76 92 68 C0 EB 5E 68 32 E5 9F 7A C1 6C FE A1
B2 4C DC 8D 09 0F 30 BE 45 4D 10 30 4B E3 8F 88 34 E8 1F 35
87 B8 8D D4 50 EB 59 68 BF 95 3B BB 79 02 30 20 B8 21 15 9D
C7 CF BE 70 1A E8 48 21 0B F1 E8 3A 16 6E 8C 77 A8 74 5B 49
37 62 DA 93 6E E3 71 10 AB 99 E2 72 AD A1 B8 41 B3 37 D7 DA
1D 86 B9

Extension: Key Usage(2.5.29.15)

Critical: 1

Key Usage: Digital Signature

Extension: Extended Key Usage(2.5.29.37)

Critical: 0

Purpose#1: Web Server Authentication (1.3.6.1.5.5.7.3.1)

Extension: Basic Constraints(2.5.29.19)

Critical: 1

Extension: Subject Key Identifier(2.5.29.14)

Critical: 0

Subject Key Identifier: B9 8A 30 96 3C A2 79 AD FF 06 35 7A 80 23 F7 7E 10 C1 D8 9D

Extension: Authority Key Identifier(2.5.29.35)

Critical: 0

Key Identifier: AE 48 9E DC 87 1D 44 A0 6F DA A2 E5 60 74 04 78 C2 9C 00 80

Extension: Authority Information Access(1.3.6.1.5.5.7.1.1)

Critical: 0
Method#1: Certificate Authority Issuers
URI: http://e7.i.lencr.org/

Extension: Subject Alternative Name(2.5.29.17)
Critical: 0
DNS: *.dynamicfitness.lk
DNS: dynamicfitness.lk

Extension: Policies(2.5.29.32)
Critical: 0
Policy ID #1: 2.23.140.1.2.1

Extension: CRL Distribution Points(2.5.29.31)
Critical: 0
URI: http://e7.c.lencr.org/52.crl

Extension: 1.3.6.1.4.1.11129.2.4.2
Critical: 0
Data: 04 81 FB 00 F9 00 77 00 D8 09 55 3B 94 4F 7A FF C8 16 19 6F
94 4F 85 AB B0 F8 FC 5E 87 55 26 0F 15 D1 2E 72 BB 45 4B 14
00 00 01 9D D2 8F 6A EA 00 00 04 03 00 48 30 46 02 21 00 A2
F7 BA C9 EA FE 42 96 3A 09 4A 62 C8 B4 74 90 9B B4 53 A2 46
B5 05 09 08 DE AD EB CC 3C 21 32 02 21 00 A6 03 7A 67 B7 41
6A CF 0F 6E 2B 33 4B 81 63 A0 A9 B3 92 BD 05 04 20 8E 4C 2F
E2 9B CE 44 C8 EC 00 7E 00 26 E3 64 6E 58 69 21 23 BC 34 3F
47 24 35 9B 37 92 CD 24 5A 88 D8 15 D3 93 33 FD 99 18 AB 47
23 00 00 01 9D D2 8F 6B DE 00 08 00 00 05 00 0A FF 8D F1 04
03 00 47 30 45 02 21 00 E5 67 BC E3 8F 83 5B D8 57 19 E9 3A
A0 22 21 D6 21 55 78 76 37 58 96 05 01 58 B5 83 36 0F 44 97
02 20 46 5E 95 4B 6D 4C 94 C2 00 14 E5 F0 94 EF F9 91 37 0B
72 1E 65 A4 89 B8 38 D8 19 6E 9B E9 3C 0A

Fingerprints :

SHA-256 Fingerprint: 75 7A 3E F4 F4 2E 47 3E 4D DA DD 09 41 55 0C E2 61 FB 50 36
37 38 61 F9 06 4E 03 74 E3 F7 A0 CE
SHA-1 Fingerprint: 47 7B 1A E4 2F 23 A2 0C AE CB 41 46 45 D5 C1 0C B4 53 13 05
MD5 Fingerprint: 3B 51 4E EA C2 91 96 7B D8 08 3A 0F 46 99 0F 4E

PEM certificate :

-----BEGIN CERTIFICATE-----
MIIDojCCAymgAwIBAgISBjsZAxQ06RY306vjARWFZNwzMAoGCCqGSM49BAMDMDIxCzAJBgNVBAYTA1VTMRYwFAYDVQQK
KEW1MZXQncyBFbmNyeXB0MQswCQYDVQQDEwJFbnZaEw0yNjA0MjgwNDI5NTdaFw0yNjA3MjcwNDI5NTZaMBwxGjAYBg
NVBAMTEwR5bmFtaWNaXRUZXRuZlMxMFkwEwYHKoZIzj0CAQYIKoZIzj0DAQcDQgAE0Np8BcFB2MwWRinm99g9JaGwL
kIfYdMskzn8HsT5rY4TR5dK4UDXTusq9KVA6urwa4x32Jxf79C5/0uNVyoADq0CAjMwggIvMA4GA1UdDwEB/wQEAwIH
gDATBgNVHUEDDAKBgggrBgEFBQcDATAMBgNVHRMBAf8EAjAAMB0GA1UdDgQWBBS5ijCWPKJ5rf8GNXqAI/d+EMHYnTA
fBgNVHSMEGDAWgBSuSj7chx1EoG/aouVgdAR4wpwAgDAyBgggrBgEFBQcBAQQmMCQwIgYIKwYBBQUHMAKGfMh0dHA6Ly
9lNy5pLmXlbnNlM9yZy8wMQYDVROBRCowKIITkI5keW5hbWljZm10bmVzcy5sa4IRZHLuYwlpY2ZpdG5lc3MubGswE
wYDVROgBAwwCjAIBgZngQwBAGewLQYDVROfBCYwJDAioCCgHoYcaHR0cDovL2U3LmMubGVuY3Iub3JnLzUyLmNybDCC
AQ0GCisGAQQB1nkCBAIEGf4EgfsA+QB3ANgJVTuT3r/yBYZb5RPhauw+Pxeh1UmDxXRLnK7RUuUAAABndKPauoAAAQ
DAEgWgRgIhAKL3usnq/kKW0glKYsi0dJCbtF0iRrUFCQjerevMPCEyAiEApgN6Z7dBas8PbiszS4FjoKmkzkr0FBCCOTC
/im85Ey0wAfgAm42RuWgkH7w0P0ckNZs3ks0kWoJYFd0TM/2ZGKtHIwAAAZ3Sj2veAAgAAAUAUAcv+N8QQDAEcwRQIhA
0Vnv00Pg1vYVxnp0QAIIdYhVXh2N1iWBQFYtYM2D0SXAiBGXpVLbUyUwgAU5fCU7/mRNwtyHmWkibg42Blum+k8CjAK
BggqhkJ0PQDAwNnADBKAjB2kmjA615oMuWfesFs/qGYTNyNCQ8wvkvNEDBL44+IN0gfNYe4jdRQ61lov5U7u3kCMCC
4IRWdx8++cBroSCEL8eg6Fm6Md6h0W0k3YtqTbuNxEKUz4nKtobhBsZfX2h2GuQ==
-----END CERTIFICATE-----

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffcd>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2006/06/05, Modified: 2026/04/13

Plugin Output

tcp/443/www

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv1.3
High Strength Ciphers (>= 112-bit key)

Name Code KEX Auth Encryption MAC

```
-----  
TLS_AES_128_GCM_SHA256 0x13, 0x01 - - AES-GCM(128) SHA256  
TLS_AES_256_GCM_SHA384 0x13, 0x02 - - AES-GCM(256) SHA384  
TLS_CHACHA20_POLY1305_SHA256 0x13, 0x03 - - ChaCha20-Poly1305(256) SHA256
```

SSL Version : TLSv1.2
High Strength Ciphers (>= 112-bit key)

Name Code KEX Auth Encryption MAC

```
-----  
ECDHE-ECDSA-AES128-SHA256 0xC0, 0x2B ECDHE ECDSA AES-GCM(128) SHA256  
ECDHE-ECDSA-AES256-SHA384 0xC0, 0x2C ECDHE ECDSA AES-GCM(256) SHA384  
ECDHE-ECDSA-CHACHA20-POLY1305 0xCC, 0xA9 ECDHE ECDSA ChaCha20-Poly1305(256) SHA256
```

The fields above are :

{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

-

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>
https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange
https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

n/a

Risk Factor

None

Plugin Information

Plugin Output

tcp/443/www

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name Code KEX Auth Encryption MAC

```
-----  
ECDHE-ECDSA-AES128-SHA256 0xC0, 0x2B ECDHE ECDSA AES-GCM(128) SHA256  
ECDHE-ECDSA-AES256-SHA384 0xC0, 0x2C ECDHE ECDSA AES-GCM(256) SHA384  
ECDHE-ECDSA-CHACHA20-POLY1305 0xCC, 0xA9 ECDHE ECDSA ChaCha20-Poly1305(256) SHA256
```

The fields above are :

```
{Tenable ciphertype}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information

Published: 2016/11/14, Modified: 2018/11/15

Plugin Output

tcp/443/www

The following root Certification Authority certificate was found :

```
| -Subject : C=US/O=Internet Security Research Group/CN=ISRG Root X1  
| -Issuer : C=US/O=Internet Security Research Group/CN=ISRG Root X1  
| -Valid From : Jun 04 11:04:38 2015 GMT  
| -Valid To : Jun 04 11:04:38 2035 GMT  
| -Signature Algorithm : SHA-256 With RSA Encryption
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Scanner was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2026/03/23

Plugin Output

tcp/80/www

A web server is running on this port.

22964 - Service Detection

-

Synopsis

The remote service could be identified.

Description

Scanner was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2026/03/23

Plugin Output

tcp/443/www

A TLSv1.3 server answered on this port.

11153 - Service Detection (HELP Request)

-

Synopsis

The remote service could be identified.

Description

It was possible to identify the remote service by its banner or by looking at the error message it sends when it receives a 'HELP' request.

Solution

n/a

Risk Factor

None

Plugin Information

Plugin Output

tcp/443/www

A web server seems to be running on this port.

298387 - Shor's Harvest Now Decrypt Later -

Synopsis

Reports remote services potentially vulnerable to Shor's Algorithm.

Description

This plugin reports network services that may be vulnerable now to a future attack by adversaries using a cryptographically relevant quantum computer (CRQC). Shor's is a theoretical algorithm that leverages the unique ability of quantum computation to do massively parallel calculations developed by Peter Shor in 1994.

This algorithm easily computes two classically difficult mathematical problems used in modern cryptography; discrete logarithms, and factoring numbers formed by multiplying large primes. Shor's reduces both of these problems from taking exponential time in chosen cases to being solvable in polynomial time.

Asymmetric encryption algorithms such as RSA, Diffie-Hellman and Elliptic Curve Diffie-Hellman are impacted by Shor's Algorithm. The most common uses of these algorithms are in symmetric key establishment and authentication. These uses render Shor's Algorithm particularly dangerous because it may give an adversary the ability to harvest network communications now, and in the future, when a CRQC becomes available, extract the symmetric key and decrypt the communication.

See Also

<http://www.nessus.org/u?54fba2c1>

Solution

Replace affected ciphers with algorithms chosen to resist CRQC attack.

Risk Factor

None

Plugin Information

Published: 2026/02/09, Modified: 2026/04/13

Plugin Output

tcp/0

The TLS service on port 443/TLSv1.2 offers these ciphers vulnerable to Shor's:
TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_ECDSA_WITH_CHACHA20_POLY1305_SHA256
TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256

25220 - TCP/IP Timestamps Supported -

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution
n/a
Risk Factor
None
Plugin Information
Published: 2007/05/16, Modified: 2023/10/17
Plugin Output
tcp/0

84821 - TLS ALPN Supported Protocol Enumeration

Synopsis
The remote host supports the TLS ALPN extension.
Description
The remote host supports the TLS ALPN extension. This plugin enumerates the protocols the extension supports.
See Also

<https://tools.ietf.org/html/rfc7301>

Solution
n/a
Risk Factor
None
Plugin Information
Published: 2015/07/17, Modified: 2024/09/11
Plugin Output
tcp/443/www

http/1.1
h2

277654 - TLS Supported Groups

Synopsis
The remote service negotiates TLS supported curve groups.
Description
This plugin detects which TLS supported groups entries are supported by the remote service.
Solution
n/a
Risk Factor
None
Plugin Information
Published: 2025/12/08, Modified: 2026/04/13
Plugin Output
tcp/443/www

These are the TLS supported groups offered by the remote server :

TLS supported groups :

Name	Code
------	------

-------	--

secp256r1	0x0017
-----------	--------

x25519	0x001d
--------	--------

136318 - TLS Version 1.2 Protocol Detection -

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information

Published: 2020/05/04, Modified: 2026/04/13

Plugin Output

tcp/443/www

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection -

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information

Published: 2020/07/09, Modified: 2026/04/13

Plugin Output

tcp/443/www

TLSv1.3 is enabled and the server supports at least one cipher.

10287 - Traceroute Information -

Synopsis

It was possible to obtain traceroute information.

Description

Makes a traceroute to the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 1999/11/27, Modified: 2026/04/27

Plugin Output

udp/0

```
For your information, here is the traceroute from 10.168.0.63 to 52.74.6.109 :
10.168.0.63
10.168.0.3
52.74.6.109
```

```
Hop Count: 2
```