

Name: Nadya Zafirah Binti Mohd Fairuz

Student ID: 52215225256

Questions start

27 of 30 points

✓ Access keys are mainly used for: *

1/1

☐ AWS Management Console login

☒ Programmatic access ✓

☐ Docker login

☐ Kubernetes dashboard login

✓ Which AWS identity has unlimited privileges? *

1/1

☒ Root User ✓

☐ IAM User

☐ IAM Group

☐ IAM Role

✓ Which account should never have access keys created for routine use? *

1/1

☐ Analyst User

☒ Root User ✓

☐ IAM User

☐ IAM Role

✗ Which ARN component identifies the AWS account that owns the resource? *

*0/1

☐ Region

☐ Service

☐ Resource ID

☒ Account ID ✗

Correct answer

☒ Resource ID

✓ Which service model provides virtual machines? *

1/1

☒ IaaS

✓

☐ SaaS

☐ PaaS

☐ DBaaS

✓ A Kubernetes cluster consists of: *

1/1

☐ Containers only

☐ Multiple policies

☒ Multiple nodes

✓

☐ Access keys

✓ Docker is mainly used to: *

1/1

☐ Create databases

☐ Manage IAM

☐ Create AWS accounts

☒ Run containers

✓

✓ What does ARN stand for? *

1/1

☐ Amazon Registry Name

☐ AWS Resource Namespace

☒ Amazon Resource Name

✓

☐ Amazon Resource Number

✓ Which IAM identity is normally used as a temporary identity? * 1/1

☐ IAM Group

☒ IAM Role ✓

☐ Root User

☐ IAM User

✓ For easier permission management, policies should preferably be attached to: *1/1

☐ The Root User

☒ IAM Groups ✓

☐ Individual users

☐ Access keys

✓ Which service model requires customers to manage the operating system? *1/1

☒ IaaS ✓

☐ FaaS

☐ PaaS

☐ SaaS

✓ Which endpoint is commonly used with LocalStack? * 1/1

☐ <http://localhost:80>

☐ <http://localhost:22>

☒ <http://localhost:4566> ✓

☐ <http://localhost:3389>

✓ In the ARN `arn:aws:s3::my-bucket`, which component represents the AWS service? *1/1

☐ my-bucket

☒ s3 ✓

☐ arn

☐ aws

✓ Google Docs is an example of: * 1/1

☐ IaaS

☐ PaaS

☐ Virtual Machine

☒ SaaS ✓

✓ Which is NOT an essential characteristic of cloud computing? * 1/1

☐ Measured Service

☐ Resource Pooling

☒ Manual Provisioning ✓

☐ Rapid Elasticity

✓ If an access key is compromised, what should be done first? * 1/1

☐ Restart Docker

☐ Delete the IAM user immediately

☐ Ignore it

☒ Deactivate or rotate the key ✓

✓ Which command lists Kubernetes nodes? *

1/1

- ☐ kubectl get buckets
- ☒ kubectl get nodes
- ☐ docker ps
- ☐ aws iam list-users

✓

✓ The smallest deployable unit in Kubernetes is: *

1/1

- ☐ Node
- ☐ Cluster
- ☒ Pod
- ☐ Virtual Machine

✓

✗ Which deployment model provides the MOST control? *

0/1

- ☒ Hybrid Cloud
- ☐ Community Cloud
- ☐ Public Cloud
- ☐ Private Cloud

✗

Correct answer

- ☒ Private Cloud

✓ Which characteristic allows cloud resources to automatically grow or shrink?

*1/1

- ☒ Rapid Elasticity
- ☐ Broad Network Access
- ☐ On-demand Self-Service
- ☐ Resource Pooling

✓

✓ Which AWS-managed policy provides full administrative access? * 1/1

- ☐ IAMReadOnlyAccess
- ☐ RootPolicy
- ☐ AmazonS3ReadOnlyAccess
- ☒ AdministratorAccess ✓

✓ Which security principle gives users only the permissions required to perform their tasks? *1/1

- ☐ Zero Trust
- ☐ Defense in Depth
- ☒ Principle of Least Privilege ✓
- ☐ Confidentiality

✓ LocalStack is used because it: * 1/1

- ☐ Creates AWS accounts
- ☐ Replaces Docker
- ☐ Installs Kubernetes
- ☒ Simulates AWS services locally ✓

✓ A collection of IAM users is called: * 1/1

- ☐ S3 Bucket
- ☐ IAM Policy
- ☐ IAM Role
- ☒ IAM Group ✓

✓ Which IAM component contains permissions? *

1/1

- ☐ IAM Role
- ☐ IAM User
- ☒ IAM Policy
- ☐ IAM Group

✓

✓ A node is: *

1/1

- ☐ A database
- ☐ A storage bucket
- ☐ A Docker image
- ☒ A worker machine

✓

✓ Which AWS CLI command verifies the current identity? *

1/1

- ☒ aws sts get-caller-identity
- ☐ aws identity
- ☐ aws iam whoami
- ☐ aws login

✓

✗ Cloud computing refers to: *

0/1

- ☒ Delivering computing resources over the Internet
- ☐ Buying more physical servers
- ☐ Running applications only on Windows
- ☐ Installing software locally

✗

Correct answer

- ☒ Buying more physical servers

✓ Which tool creates a local Kubernetes cluster? *

1/1

- ☐ Docker Desktop
- ☐ LocalStack
- ☐ Amazon EC2
- ☒ kind



✓ Which deployment model combines private and public cloud? *

1/1

- ☐ Public Cloud
- ☒ Hybrid Cloud
- ☐ Community Cloud
- ☐ Multi-cloud

