

- Software craft

A pass with nothing behind it.

I had a check missing files it was supposed to inspect.


Scan



Missed

The scan boundary was incomplete.

- Software craft



Rerunning can give the same reassurance.

The output looked clean. Part of the material
had never reached the check.

An incomplete search can return a pass.

- Software craft

There are two questions
inside that green result.

I want an answer to each before I rely on it.

01 Did this run reach the intended
material?

02 Can the detector still recognise a
known defect?

Coverage and detection are separate.

- Software craft

Start with what the run actually read.

Inspect the selected files and exclusions.
Compare them with an independently stated scope.

01 Name what should be in scope.

02 Inspect what was selected.

03 Explain what was left out.

A plausible count alone is not enough.

- Software craft

Give the detector a reason to object.

Use a controlled fixture containing a known defect. Check that the detector rejects it.

Known bad input
→ expected rejection

Suggested detector test.

- Software craft

The canary can pass
while the real run misses
files.

A self-test exercises its own inputs. It does not establish that the normal selection reaches every intended file.

01 Test the detector on the fixture.

02 Test the real selection separately.

Keep both observations visible.

- Software craft

Try excluding something that should be included.

I would deliberately remove an in-scope file from a controlled selection, then check whether the coverage guard notices.

Missing coverage should stay visible.

Suggested coverage test; no new result claimed.

- Software craft

Let the pass say what it has earned.

State what was inspected and which defect the detector could catch. That gives the next person a boundary they can judge.

Neither check proves the whole system correct.