

- Agent systems

What would another agent add?

Choose the shape of the work from the task.

One effort

Different
contributions

Name the difference.

- Agent systems

One coherent object to develop?

Start with one effort.

Example: revise a short explanation around a clear purpose.

Another participant needs a specific contribution to justify the handoff.

One effort

Different
contributions

→ Name the difference.


- Agent systems

Distinct options worth exploring?

Run independent attempts, then compare.

Example: a minimal interface and an exploratory interface for the same decision.

Keep the initial attempts apart so they can differ.



- Agent systems

Does one answer determine the next question?

Use a sequence.

Example: identify a constraint, design around it, then inspect the resulting tradeoff.

Parallel effort would begin without the needed information.



- Agent systems

Do contributors see different evidence?

Bring the evidence together, with its source and conflicts visible.

Agreement alone does not tell you whether the evidence is independent.

One effort

Different
contributions

Name the difference.

- Agent systems

Worked brief: compare learning interfaces

Attempt A: make starting easy.

Attempt B: make exploration rich.

Shared input: the same learning goal and constraints.

Compare: which distinct choices does each design make possible?

Baseline: one attempt asked to develop both alternatives.

- Agent systems

Compare useful outcomes and total effort.

Keep the extra contributor when the difference earns its coordination cost.

This is a proposed decision aid, not a benchmark result.

One effort

Different contributions

Name the difference.