

- System design




Turn a product opinion into a comparison.

An experiment card for intelligent interfaces.

Chat


Move the session
earlier.

Direct edit



Same purpose. Different way to revise.

- System design



State the decision.


Should plan revision happen through chat, direct editing, or both?

The decision concerns an interaction, not whether AI is useful in general.

Chat


Move the session
earlier.

Direct edit



Same purpose. Different way to revise.

- System design



Hold the capability steady.

Use the same task materials and model setup where possible.


Change how the person expresses a revision.

Record differences you cannot hold steady.

Chat

Move the session
earlier.

Direct edit



Same purpose. Different way to revise.

- System design



Prediction for chat.


People may express unfamiliar changes more freely.

Look for important requests the editing controls cannot represent.

Chat

Move the session earlier.

Direct edit



Same purpose. Different way to revise.

- System design



Prediction for editing.


People may make related consequences easier to inspect.

Look for decisions that become clearer when changes stay visible.

Chat


Move the session
earlier.

Direct edit



Same purpose. Different way to revise.

- System design



Worked observation card

Task: move the user session earlier.

Constraint: keep the interaction being studied.

Chat route: describe the change in words.

Editing route: move the session on the timeline.

Record in each: what was expressible, what stayed fixed, what needed repair.

- System design

Write what changed your decision.


Keep both routes if they serve different moments.

This is a study design proposal. A small exploratory comparison cannot establish a universal winner.

Chat

Move the session earlier.

Direct edit



Same purpose. Different way to revise.