

AeroSetu

Vision and AI powered drone food delivery

SECTIONS AND PRESENTERS

- 1 MD Masfie Amin Srijon
- 2 Nafis Islam Kabbo
- 3 MRM Mubashshirul Haque
- 4 MD Jebon Sheikh
- 5 Refayet Hossain Ananda
- 6 Nelay Nandi
- 7 Anindo Chama
- 8 MD. Nafis Sadot

Vision and AI powered drone food delivery



AeroSetu

Autonomous Aerial Delivery for Cities

Overview

Presentation outline

- | | |
|--|--|
| <div><div>1</div><div>The Problem, Market and Value Proposition
Problem-Solution Fit and Value Proposition Canvas</div></div> <hr/> | <div><div>5</div><div>External Opportunities and Threats
SWOT external analysis</div></div> <hr/> |
| <div><div>2</div><div>Technology, Safety and Navigation Risk
Architecture and Technology Selection and Risk Analysis</div></div> <hr/> | <div><div>6</div><div>Competition and Industry Landscape
Porter's Five Forces</div></div> <hr/> |
| <div><div>3</div><div>Business Model, Revenue and Unit Economics
Business Model Canvas and Cost and Contribution Analysis</div></div> <hr/> | <div><div>7</div><div>Operations and People System
Operations Process Design</div></div> <hr/> |
| <div><div>4</div><div>Internal Strengths and Weaknesses
SWOT internal</div></div> <hr/> | <div><div>8</div><div>Social Impact, Ethics and Future Strategy
Triple Bottom Line, Ethics, Future Strategy</div></div> <hr/> |

AeroSetu flies a corridor, not a route

How one order travels, end to end

1

Order and pad

App matches a kitchen to a landing pad

2

Launch

Aircraft is loaded at the hub

3

Corridor flight

Vision follows the corridor to the pad

4

Landing

Pad occupancy and descent are checked

5

Return

Aircraft returns to the hub for recharge

The product is a promise

- Fifteen minutes, not sixty
- The price of a fixed corridor
- A pad the customer already trusts

What the customer gets

- Predictable arrival time
- No rider traffic exposure
- Food that arrives hot

We are not competing with Pathao on convenience. We are competing on a promise they cannot make: a delivery time.

AeroSetu uses vision to fly the corridor. A reasoning model is called only when a decision is hard, which is what makes the promise affordable.

Rajshahi first, on purpose

We are not avoiding Dhaka. We are sequencing it.



Rajshahi city skyline. CC BY-SA 4.0, Wikimedia Commons

The honest weakness, and why we still start here

- Less dense than Dhaka, so corridors run longer against our 6 km range
- That needs a higher density of pad sites per corridor, which is capital we spend early
- RCC will ask hard questions about airspace over the university area

553,288

People in the city at the 2022 census

Tk 490 cr

Four flyovers started 2023, all unfinished

162

Air quality index, worst in Bangladesh that day

33%

Urbanisation rate, growing about 8 percent a year

Roads cannot keep up. A smaller regulator is a smaller bet. Dhaka is the prize, not the starting line.

Sources: BBS 2022 census, IQAir 16 March 2025, The Daily Star and Rajshahi City Corporation reporting on the Tk 490 crore fly over projects, September 2026

The road tax Dhaka already pays

This is the market, and it is not a forecast



74 min

Average Dhaka road journey for a trip a drone flies in six

1.4 M

Trips a day, and roughly a fifth of them now take over an hour

4 hours

Average time a Dhaka commuter loses each day

0.6%

Rise in mean trip time since 2016, because the corridor space is taken

This is not a market we have to create. It is a market that already exists, priced every day, in lost time.

And Rajshahi pays the same tax in a smaller city: four unfinished flyovers, about 63 percent of traffic commercial, and motorised traffic growing roughly 8.5 percent a year.

Sources: Dhaka Metropolitan Development Planning Committee area study, General Motors Bangladesh Study 2017, TomTom and Uber Movement indices, The Business Standard on the 2024 corridor and cabling works

Value Proposition Canvas

Nine blocks, one claim

Customer jobs

Get hot food fast

Order arrives by a known time, without sitting in traffic

Pain

Traffic and uncertainty

Jams, a rider who may not show up, no arrival time

Gain

Time back in the day

A predictable window instead of an open guess

Products

A corridor delivery

Flight from hub to pad, and the landing pad itself

Services

A promise, tracked

Live order state, a fixed window, a named fallback

Pain relievers

Vision flying

A corridor is not a road, so congestion is irrelevant

Gain creators

Predictable windows

A rider cannot beat a fixed window, and does not try

Competitors

Pathao, foodpanda

Strong on demand, weak on a guaranteed arrival time

The claim we must defend: a rider can be fast, but a rider cannot be fifteen minutes, every time, in rain, without a road.

Problem Solution Fit is real, and it is not yet proven


The customer problem is solved. The operating context is not.

Dimension	What we found	Verdict
The problem	Dhaka road journeys average about 74 minutes for trips a drone covers in 6	Real and measured
Our solution	Vision guided corridor flight with pad landing and a fixed delivery window	Technically demonstrated elsewhere
The customer	Urban households ordering three or more times a week	Matches existing behaviour
The channel	Kitchen apps, and a pad network we install ourselves	The pads are the barrier
Revenue	Delivery fee, subscription and kitchen contracts	Comparable economics
The context	Airspace permission, monsoon season, and a regulator with no precedent	Unproven in Bangladesh

Customer problem solved: yes. Operating context solved: not yet. That is the honest answer, and it is why we start in Rajshahi.

The escalation architecture

Vision flies. The models are called only when a decision is hard.



The expensive model is the exception, not the rule. That is the whole design.

Four architectures, plotted

Our choice is the only point in the cheap corner that still covers the hard case



Only one point sits high on coverage and low on latency at the same time. That is the architecture we build.

GLM-5.3-Flash and Jev, chosen on licence and cost

One vendor we own, one vendor we rent, and escalation in between

GLM-5.3-Flash, Z.ai

Licence and access

MIT licence, weights ungated on Hugging Face, commercial use permitted

Cost to us

About \$0.075 per million input and \$0.25 per million output tokens

Why this model

Intelligence index 57, against a median near 27 for open weight peers

Control we keep

Reasoning effort is capped, so a hard flight cannot bill without limit

Jev, TypeSafe AI

Licence and access

Proprietary and hosted. No public weights, so no self hosting

Cost to us

About \$0.0029 per thousand decisions on the vendor's own estimate


Why this model

Returns a typed action with a probability, so a flight path can act on it

Dependency we accept

Vendor lock in on the fastest tier. A licence change would force a rebuild

What the intelligence costs, as a share of one hub



AI inference, Tk 18,000 a month

Everything else in a hub, Tk 855,000


About 2 percent of a hub goes on intelligence. Escalation is what keeps it there.

Sources: Z.ai model documentation and release announcement, Hugging Face model card, TypeSafe AI Jev documentation, Artificial Analysis, JevBench. Release dates and prices as at October 2026

Nine risks, plotted by probability and impact

Two of them sit in the corner that can end the business

IMPACT



- 1 **CAAB refuses permission**
Medium and severe. Mitigated by a written pre application first
- 3 **Aircraft lands off pad**
Low and severe. Mitigated by on board pad recognition and a geofence
- 5 **Vision fails in heavy rain**
High and high. Mitigated by weather thresholds that stop launches
- 7 **Jev is withdrawn or repriced**
Medium and medium, and the one people forget

One and two sit in the same square. They are the same risk: whether we are allowed to fly at all.

Risk register, risks 1 to 5

Probability, impact and a mitigation we can actually run

#	Risk	Probability	Impact	Mitigation
1	CAAB refuses permission	Medium	Severe	Pre-application meeting first. No hardware ordered before a written response
2	Corridor crosses restricted airspace	Medium	Severe	Altitude capped below the restricted volume, corridor re-routed, verified on map before launch
3	Aircraft lands outside a pad	Low	Severe	Pad recognition on board, geofence enforced locally, damage reporting to the pad owner
4	Liability dispute over a roof	Medium	High	Insurance with a named third party, host contracts with a liability clause, legal retainer
5	Vision fails in heavy rain	High	High	Weather thresholds stop launches outright, corridor designed for the worst month, not the average

Risks 1 and 2 are the same risk seen from two sides: whether we are allowed to fly at all.

Risk register, risks 6 to 9

Operating and commercial risks

#	Risk	Probability	Impact	Mitigation
6	Battery degrades faster than budgeted	Medium	Medium	Second battery set per airframe, monthly cycle counts, replacement booked into monthly cost
7	Jev is withdrawn or repriced	Medium	Medium	Deterministic rule set reproduces its decisions, GLM fallback, contract reviewed before launch
8	Pad host withdraws consent	Medium	High	Minimum term in every contract, a removal clause, and never one pad on a critical corner
9	Rider or customer refuses a pad	Medium	Low	Pad count per corridor held above the minimum density, doorstep fallback for the corner case

Risk 7 is the one people forget

- We chose a closed model for the fastest tier, and accept that
- The mitigation is a rule set that works without Jev

Three risks we will not take

Stated as prohibitions, not ambitions

No flight over a crowd

Corridors are sized so a corridor never crosses a school, a hospital or a stadium. No exception, no launch.

No flight without a recoverable pad

If the pad is not recognised on board, the aircraft does not descend. It holds, then returns home.

No model on the safety path

Safety rules, state estimation, planning and control stay local. No network call can unlock a flight.

These three are not negotiable and they are not on the roadmap for improvement. They are the reason a regulator might listen at all.

The whole section comes back to one line: the aircraft is always allowed to refuse, and no model or manager can tell it to continue.

Business Model Canvas

Nine blocks, and the two that decide everything

Key partners

RCC and CAAB, pad hosts, kitchen partners, battery suppliers, insurers

Key activities

Corridor design, pad operation, fleet maintenance, AI supervision

Key resources

Airframe fleet, landing pads, hub sites, flight data, CAAB approval

Value propositions

A fixed delivery window, hot food, no rider exposure, live tracking

Customer relationships

In app self service, with a subscription for frequent buyers

Channels

Kitchen apps and our own app, both linked to the pad network

Customer segments

Urban households in Rajshahi first, then Dhaka, ordering three or more times a week

Cost structure

Airframes, hubs, pads, staff, insurance, connectivity, AI inference

Revenue streams

Delivery fee, subscription, kitchen contract, corporate and NGO contracts

The bottom row is where this business lives or dies: who orders, what it costs us, and what we earn per flight.

Six revenue streams, in the order they switch on

Only the first two are needed to reach break even

Stream	Price	Switches on	Why it matters
Delivery fee	Tk 90 per flight	Day one	Immediate, per flight, no contract needed
Subscription	Tk 499 a month	Month 6	Lifts frequency and cuts acquisition cost
Kitchen contract	6 to 10 percent	Month 9	Predictable volume from a named partner
Pad hosting	Tk 400 a month	Month 9	Pays for the pad on the customer's roof
Corporate and NGO	Tk 60,000 a month	Year 2	Emergency, medical and blood runs
Data and mapping	Tk 200,000 a month	Year 3	Corridor data sold to logistics and planners

Why delivery fee alone is not enough

- A single flight has to cover airframe life, not just fuel

Why subscription changes the maths

- Five flights a month turns a cost into a habit

Model assumptions from Pathao and foodpanda commission rates, and BSRTC concession fees per ride

One hub, one month, itemised

This is the number that decides whether the business exists

Monthly cost line	Amount
Airframe lease, 6 aircraft	Tk 180,000
Hub rent and utilities	Tk 120,000
Salaries, 9 staff	Tk 270,000
Battery replacement	Tk 60,000
Connectivity and cloud	Tk 25,000
AI inference, at launch volume	Tk 18,000
Insurance and maintenance	Tk 40,000
Pad build, 40 pads at Tk 4,000	Tk 160,000
Total monthly fixed cost per hub	Tk 873,000



Zipline drone on its launch rail. CC BY-SA 4.0, Wikimedia Commons

What this number is not

- It is one hub, not the company
- It excludes growth capex and founders pay

Model assumption. Airframe and hub costs benchmarked against Pathao vehicle lease costs, Dhaka rents and Bangladeshi aviation fuel prices

Unit economics decide whether this works

Per delivery, in Rajshahi, at launch volumes

Line	Amount	Note
Delivery fee collected	Tk 90	The only certain line in the model
Pad hosting, after month 9	Tk 20	Net of what the host pays us
Variable cost, per flight	Tk 46	Electricity, wear, connectivity, support time
AI inference, per flight	Tk 1	Escalation only, so it stays under a taka
Contribution per flight	Tk 43	Before any hub fixed cost

Tk 43 per flight before hub costs. That is the whole question, and the next slide answers it.

Tk 20,290

Monthly fixed cost, per hub

471

Flights a month to cover one hub

16


Flights a day, across all six aircraft

3

Flights per aircraft per day, with margin for weather

Break even is a density problem

Rajshahi has the units, Dhaka has the density



At break even	Rajshahi	Dhaka
Flights a day, all hubs	16	34
Flights per aircraft	3	6
Contribution per flight	Tk 43	Tk 43
Contribution per month	Tk 20,600	Tk 44,000
Fixed cost per hub	Tk 20,290	Tk 20,290
Operating result	Tk 310	Tk 23,700

Rajshahi reaches break even on a thin margin. Dhaka reaches it with room to survive a bad month. We launch in the hard city to learn cheaply, and we scale in the dense one to earn.

The honest limit: if a hub runs under twelve flights a day, it loses money. Density is the constraint, not demand.

4. Internal Strengths and Weaknesses

Internal strengths

Resources and capabilities we genuinely control

Vision first architecture

The safety path never needs a network, so a link drop is a slower delivery, not an unsafe one

Corridor, not a road

A corridor ignores congestion, so the promise does not depend on traffic

Local cost base

Rajshahi rents and salaries are materially below Dhaka, which lowers the cost of learning

Escalation design

Vision, then Jev, then GLM, so the costly reasoning model runs on a minority of flights

Pad based landing

Delivery ends at a pad we install and maintain, not on a balcony we do not control

Founder operator access

A team that can design corridors, negotiate pads and hold an engineering conversation with vendors

4. Internal Strengths and Weaknesses

Internal weaknesses, and the plan against each

Stated plainly, because a SWOT that flatters itself is useless

Weakness	What it really means	Our response
No operating history	No CAAB approval, no live corridor, no proven unit economics	Single hub pilot in Rajshahi before any expansion
No regulatory approval	Bangladeshi airspace is closed to this use and no precedent exists	Pre-application meeting with CAAB, before hardware is ordered
Capital hungry	Pads, hubs and airframes are paid for long before revenue arrives	Start with two corridors and one hub, not a city wide plan
Weather exposure	Monsoon and low visibility stop flights outright	Design corridors for the worst month, not the average one
Model dependency	Jev is hosted and closed, so the fastest tier is not ours	Keep a deterministic rule set that reproduces its decisions
Team of eight	No dedicated safety engineer, no legal counsel, no regulator relations	Named owners for every risk, reviewed monthly

4. Internal Strengths and Weaknesses

Every strength has a limit

Which is why the SWOT is one argument, not four lists

Strength	Why it helps	Its limit	How we hold it
Vision first architecture	Independent of the network	Needs a fallback that is provably safe	Fallback is local and deterministic
Escalation design	Low AI cost per flight	Depends on two models behaving as tested	Hub can fall back to Jev alone, or to rules
Corridor, not a road	Predictable arrival time	Needs pads, and pads need permission	Pilot corridor sized to the pad budget
Pad based landing	Delivery lands where we control	Pad owner can withdraw consent	Contracts hold a minimum term and a removal clause
Local cost base	Lower fixed cost in Rajshahi	Thinner margin if volume is low	Break even shown at three flights per aircraft
Founder operator access	Fast decisions on corridor and pad design	Key person risk across eight founders	Every critical process has a written owner

A strength without a limit is optimism. Every one of ours has a named condition attached.

External opportunities

Demand and conditions already moving in our favour

A measured road problem

74 minutes for a trip a drone flies in six, across 1.4 million daily journeys

Bangladesh is ready for drone policy

The National Drone Policy 2026 framework exists, so the conversation can start

Pad and rooftop space

Terraced housing in both cities suits a pad model better than a tower block city

Delivery demand compounding

Platform orders grew sharply through 2024 and 2025, and the ceiling is not in sight

Unreliable last mile

Low rider availability in peripheral areas leaves demand that roads cannot serve

Corporate and NGO demand

Medical and blood runs already travel by road at high cost and low speed

External threats

Two of these can end the business on their own

CAAB refuses permission

No approval means no flights, and a hardware business with no revenue

Platform price response

Pathao and foodpanda can subsidise delivery below our cost

Airspace conflict

Military, police and utility corridors constrain where a corridor can go

Monsoon shutdown

The worst month for air is also the worst month for road demand

Public safety incident

One accident ends the conversation with the regulator

Liability exposure

Damage on a third party roof is a legal question we have not settled

5. External Opportunities and Threats

Every threat has an owner and a trigger

A threat without both is a worry, not a risk

Threat	Severity	Owner	Trigger we watch
CAAB refusal	Severe	Founder and CAAB liaison	Written refusal, or silence past 90 days
Price response	High	Head of partnerships	Platform fee cut below Tk 40 on our corridor
Airspace conflict	High	Corridor lead	Proposed corridor crosses a restricted zone
Monsoon shutdown	Medium	Operations lead	More than four consecutive no-fly days
Safety incident	Severe	Safety lead	Any ground contact not on a pad
Liability dispute	High	Legal adviser, retainer	First claim from a pad owner
Pad owner withdraws	Medium	Hub manager	Five pads withdrawn in a month
Vendor price change	Medium	Head of AI and data	Jev or GLM price more than doubles

Eight named threats, eight owners, and a trigger for each one. That is the difference between a SWOT and a plan.

Political and legal: the gate, and the four unanswered questions

We cannot price this business until these four are answered

Who authorises delivery flight?

CAAB holds airspace, but no delivery corridor licence class exists today

Over what height, and over whose land?

No published ceiling and no consent rule for flying over private property

Who issues an operator certificate?

We are not pilots, so the rule that applies to us is not written yet

What is the liability position?

Damage to a pad, a roof or a person has no defined allocation of risk

The only responsible answer today

We have not been granted permission and we do not assume we will be. The first milestone is a written pre-application meeting with CAAB. Until that document exists, our financial plan is a hypothesis and every slide in this deck says so.

Sources: CAAB notices and drone related press reporting, National Drone Policy 2026 framework reporting, BTRC spectrum allocation, The Daily Star on unlicensed drones

Porter's Five Forces, one at a time

The forces decide the margin, not the technology

Rivalry

High

- Pathao and foodpanda both fight for orders
- They can subsidise below our cost
- We compete on a promise, not a discount

New entrants

Medium

- Hardware can be bought
- Pads and corridors cannot be bought
- One corridor at a time is a moat

Substitutes

High

- A rickshaw is a substitute
- Walking and a car are substitutes
- Only the fixed window is unsubstitutable

Supplier power

Low

- Airframes from a small number of vendors
- Batteries are replaceable
- Open weights reduce supplier power

Buyer power

High

- The customer holds one tap and no contract
- We must earn the window every flight
- Pubs give us the density we need

Three of five forces are high. That is why the model is not a discount business.

Rivalry, substitutes and buyer power are all set by the customer, not by us. Our only lever is the pad network and the fixed window it makes possible. Everything else is a price we have to survive.

The pad network is the moat

What an entrant would have to copy first

1

Sign pad hosts
Months of negotiation, one roof at a time

2

Get permission
CAAB approval, which no competitor has

3

Design the corridor
Needs flight data and airspace clearance

4

Prove the window
Hundreds of deliveries to earn a fifteen minute promise

Barrier	Speed to copy	Why	Strength
Airframe	Buyable	Six months and capital	Low
Software	Buyable	Open weights are free	Low
Pad network	Slow	One host at a time, on a roof	High
CAAB approval	Slow	A pre-application, then a licence	High
Proven corridor data	Very slow	Hundreds of flights to collect	High

How one order actually moves

Eight handovers, each with a named owner

1. Order placed

App receives order, pad and kitchen matched

2. Kicked off

Kitchen accepts, clock starts, customer notified

3. Loaded

Drone loaded at the hub and pre-flight checks run

4. Launched

Airframe launches and enters the corridor

5. Corridor flight

Vision follows the corridor, Jev watches for bounded calls

6. Approach

Pad occupancy and descent are verified on board

7. Landing

Touchdown on the pad, package released, pad confirmed empty

8. Returned

Drone returns, recharges, and the flight is logged for review

The rule that governs every handover

- The aircraft decides its own safety, and may refuse a landing at any step
- A refused landing means return home, a rebooked order, then a refund
- No operator, customer or model can override the safety path on board

The people the system needs

Nine roles in the pilot hub, and what each one owns

Role	Count	What this person owns
Hub manager	1	Pad network, host relationships, corridor design input
Flight operations lead	1	Launch and recovery schedule, weather calls, no fly decisions
Safety lead	1	Safety path ownership, incident review, regulator liaison
Corridor engineer	1	Corridor geometry, pad placement, airspace compliance
AI and data lead	1	Vision and model evaluation, escalation thresholds, drift
Line mechanics	2	Airframe checks, battery swaps, pad maintenance
Kitchen coordinator	1	Partner kitchens, packaging that survives a landing
Customer support	1	Failed delivery recovery, refunds, pad host complaints
Regulatory affairs	1	CAAB applications, permits, insurance liaison

Nine roles, of which three are new to a delivery business: safety lead, AI and data lead, and regulatory affairs. None of the three are optional in Bangladesh.

Who decides when the AI is involved

The escalation rule, as an operating procedure

Tier	Trigger	Action	Frequency
Vision only	Obstacle is clear of the corridor, pad is free, weather is inside limits	Continue, entirely on board	Always
Vision to Jev	Pad occupied, approach is degraded, confidence is below the floor	Continue, reposition, abort landing, or return home	Most decisions
Jev to GLM	Case is ambiguous or unlike anything seen in training	Higher level recommendation to the flight supervisor	Rare
Safety path	Any hard limit is crossed, or the link is lost	Deterministic return, land and disarm	Never escalated

Escalation is a cost control and a safety control at the same time. Fewer calls mean a lower bill, and a lower tier means a faster, more predictable answer.

Triple bottom line: what helps and what hurts

People, planet and profit, in that order of how we will judge it

People

- Riders lose the worst trips on the network
- A paid income for households that own a roof
- Fewer injuries, because fewer road kilometres

Planet

- No tailpipe emissions on the corridor
- Less fuel burned across the network
- Rotor noise is a cost we pay in goodwill

Profit

- A fixed window the platforms cannot match
- Contribution that scales with corridors
- A regulator who can say no to us at any time

The trade we accept

Riders lose the highest paying, worst paying, most dangerous trips if we take the easy ones first. We will take them deliberately and slowly, and publish what it costs the rider who loses one.

People first is only credible if it names who pays for it. The riders pay, so the riders are in scope.

Ethics: five commitments we would publish

Written before launch, not after criticism

1. No flight over a crowd	Schools, hospitals and stadiums are excluded from every corridor
2. The aircraft may refuse	No operator or model can force a landing the safety path rejects
3. Pad consent is renewable	Any host can end hosting with thirty days notice, and we remove the pad
4. Riders keep their income floor	Corridor assignment never drops a rider below their current daily average
5. Every incident is disclosed	Reported to the customer, the pad owner and the regulator, in that order

Five commitments, each one a promise a customer or a rider can hold us to.

Ethics of the AI, specifically

Five limits we will not cross, whichever model is in the loop

No model commands a flight

Models recommend. State estimation, planning and control stay local and deterministic

No training on customer data

No images, addresses or order history leave our infrastructure for training

Every decision is logged

Vision output, Jev action and GLM recommendation are recorded for review

Confidence is respected

Below the floor the system abstains and asks a human. It never guesses a landing

Human escalation has authority

A supervisor can stop any flight, and the aircraft will not argue

Rule zero: the drone must be safe to fly with no network, no model and no data. Anything we cannot guarantee that, we do not launch.

Three horizons, and what each one must prove

A roadmap that a regulator and an investor can both read

Horizon 1

Months 0 to 6

- CAAB pre-application answered
- One hub, two corridors, forty pads
- Vision only, with Jev behind a flag

Horizon 2

Months 6 to 18

- Written permission in hand
- Jev and GLM live on escalated flights
- Break even on one hub

Horizon 3

Years 2 to 3

- Dhaka corridors, three more hubs
- Medical and blood contracts
- Corridor data sold as a product

Permission gates Horizon 2, and break even gates Horizon 3. Neither can be bought ahead of the other.

Rajshahi is Horizon 1 and 2. Dhaka is Horizon 3. We would rather be early in a small city than late in a large one.

Six conditions, and the verdict

What has to be true, stated as testable conditions

#	Condition	Threshold	Status
1	CAAB grants corridor permission	Binary	Not yet
2	A hub flies 16 deliveries a day	12 needed	Not yet
3	Contribution holds above Tk 40	Tk 43 modelled	Not yet
4	Landing on a pad, not a rooftop	Demonstrated elsewhere	Not yet
5	Escalation keeps AI cost under Tk 1 a flight	Tk 1 modelled	Not yet
6	Monsoon does not close the network	Open	Not yet

The verdict

Six of six conditions are untested. That is the honest position of any first year. The plan is not to prove the market, which is already proven, but to prove permission and density, in Rajshahi, before any capital is committed to Dhaka.

Thank You

Open Discussions

We welcome questions from the professor and audience.

- 1 If CAAB approves a single corridor, does that change the order of our plan?
- 2 How much of the fifteen minute promise survives a week of monsoon rain?
- 3 Would you rather we started in Dhaka, and what would it cost us?

Vision and AI powered drone food delivery