

## Day-4\_100 Days Challenge-\_yber Security & Ethical Hacking

A company had strong security on its main website, but during assessment, I discovered vulnerable subdomains that were overlooked.

On Day 4, I learned how attackers perform **subdomain enumeration** to identify:

- Forgotten **admin panels**
- Exposed **test / staging environments**
- Old **legacy application**.

### Tools Commonly Used

- Subfinder
- Amass
- Assetfinder
- crt.sh

## 1 Subfinder

### Definition:

**Subfinder** finds subdomains using **public data sources** like search engines, certificates, and APIs.

Fast, clean, and widely used in **bug bounty**.

Syn: **subfinder -d example.com**

Ex:

$$(\text{kali} \oplus \text{kali}) - [\sim]$$

```
└─$ subfinder -d xyz.com
```

            //      /   ( )             //          

/         ////   V //      V      /   -V        /

(    ) /   //// //       //////// //       //   

/          ^        ,   /          //       ////    ^        ,   ^        /   /

projectdiscovery.io

[INF] Current subfinder version v2.6.0 (outdated)

[INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml

[INF] Enumerating subdomains for xyz.com

testapi.xyz.com

management.xyz.com

ips.xyz.com

team2.xyz.com

tracker.xyz.com

testing5.xyz.com

hackinglab.xyz.com

internal.xyz.com

xyz.com

subdomain2789.xyz.com

admin.xyz.com

api.xyz.com

ids.xyz.com

testingwebsite.xyz.com

www.xyz.com

testing10.xyz.com

blog.xyz.com

[INF] Found 24 subdomains for xyz.com in 32 seconds 367 milliseconds

## 2 Amass

### Definition (Easy)

**Amass** performs **deep subdomain discovery** using OSINT, DNS, certificates, and graph analysis.

More powerful, slower, very detailed.

**Syn :** `amass enum -passive -d example.com`

**Ex :**

```
└─(kali㉿kali)-[~]
```

```
└─$ amass enum -passive -d xyz.com
```

```
xyz.com (FQDN) --> ns_record --> ns1.dns-parking.com (FQDN)
```

```
xyz.com (FQDN) --> ns_record --> ns2.dns-parking.com (FQDN)
```

```
xyz.com (FQDN) --> a_record --> 82.25.123.126 (IPAddress)
```

```
xyz.com (FQDN) --> node --> www.xyz.com (FQDN)
```

```
xyz.com (FQDN) --> node --> ips.xyz.com (FQDN)
```

```
xyz.com (FQDN) --> node --> team.xyz.com (FQDN)
```

```
xyz.com (FQDN) --> node --> ids.xyz.com (FQDN)
```

```
xyz.com (FQDN) --> node --> newclass.xyz.com (FQDN)
```

```
xyz.com (FQDN) --> node --> tracker.xyz.com (FQDN)
```

The enumeration has finished

```
└─(kali㉿kali)-[~]
```

```
└─$
```

## 3 Assetfinder

### Definition (Easy)

**Assetfinder** quickly finds subdomains from **multiple public sources**.

Lightweight and fast.

### Example Command

```
assetfinder example.com
```

### Output

```
example.com
```

```
blog.example.com
```

```
shop.example.com
```


```
staging.example.com
```

## 4 crt.sh (Certificate Transparency)

### Definition (Easy)

**crt.sh** shows subdomains from **SSL/TLS certificates** issued for a domain.

Even private or internal subdomains may leak here.



The screenshot shows the crt.sh Identity Search interface. The browser address bar displays 'crt.sh/?q=skillsuprise.com'. The page features a search bar with the text 'crt.sh Identity Search' and a search button. Below the search bar, there are filters for 'Criteria', 'Type: Identity', 'Match: ILIKE', and 'Search: 'skillsuprise.com''. The search results are displayed in a table with columns: 'Certificates', 'crt.sh ID', 'Logged At', 'Not Before', 'Not After', 'Common Name', 'Matching Identities', and 'Issuer Name'. The table contains 15 rows of data, each representing a certificate entry for the domain 'skillsuprise.com'.

| Certificates | crt.sh ID                   | Logged At  | Not Before | Not After  | Common Name                     | Matching Identities             | Issuer Name                   |
|--------------|-----------------------------|------------|------------|------------|---------------------------------|---------------------------------|-------------------------------|
|              | <a href="#">23156996386</a> | 2025-12-16 | 2025-12-16 | 2026-03-16 | testingwebsite.skillsuprise.com | testingwebsite.skillsuprise.com | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">23156967475</a> | 2025-12-16 | 2025-12-16 | 2026-03-16 | testingwebsite.skillsuprise.com | testingwebsite.skillsuprise.com | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">23148060500</a> | 2025-12-16 | 2025-12-16 | 2026-03-16 | team2.skillsuprise.com          | team2.skillsuprise.com          | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">23148029877</a> | 2025-12-16 | 2025-12-16 | 2026-03-16 | team2.skillsuprise.com          | team2.skillsuprise.com          | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22837081268</a> | 2025-11-29 | 2025-11-29 | 2026-02-27 | tracker.skillsuprise.com        | tracker.skillsuprise.com        | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22865373874</a> | 2025-11-29 | 2025-11-29 | 2026-02-27 | tracker.skillsuprise.com        | tracker.skillsuprise.com        | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22759198162</a> | 2025-11-26 | 2025-11-26 | 2026-02-24 | ips.skillsuprise.com            | ips.skillsuprise.com            | C=US, O=Let's Encrypt, CN=R13 |
|              | <a href="#">22745228924</a> | 2025-11-26 | 2025-11-26 | 2026-02-24 | ips.skillsuprise.com            | ips.skillsuprise.com            | C=US, O=Let's Encrypt, CN=R13 |
|              | <a href="#">22807750314</a> | 2025-11-26 | 2025-11-26 | 2026-02-24 | ids.skillsuprise.com            | ids.skillsuprise.com            | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22744507812</a> | 2025-11-26 | 2025-11-26 | 2026-02-24 | ids.skillsuprise.com            | ids.skillsuprise.com            | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22670648205</a> | 2025-11-21 | 2025-11-21 | 2026-02-19 | team.skillsuprise.com           | team.skillsuprise.com           | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22637772346</a> | 2025-11-21 | 2025-11-21 | 2026-02-19 | team.skillsuprise.com           | team.skillsuprise.com           | C=US, O=Let's Encrypt, CN=R12 |
|              | <a href="#">22463800096</a> | 2025-11-14 | 2025-11-14 | 2026-02-12 | newclass.skillsuprise.com       | newclass.skillsuprise.com       | C=US, O=Let's Encrypt, CN=R13 |