PERFORMANCE WORK STATEMENT (PWS)
Server Hardware Maintenance and Support
Headquarters (HQ), United States Military Entrance
Processing Command (USMEPCOM) 2834 Green Bay Road,
North Chicago, IL 60064-3091

.

PART 1
GENERAL INFORMATION

1. GENERAL: This is a non-personal services contract to provide Server Hardware Maintenance and Support. The Government shall not exercise any supervision or control over the contract service providers performing the services herein. Such contract service providers shall be accountable solely to the Contractor who, in turn is responsible to the Government.

1.1. Description of Services/Introduction: The contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform Server Hardware Maintenance and Support as defined in this PWS except for those items specified as government furnished property and services. The contractor shall perform to the standards in this contract.

1.2. Background: USMEPCOM is the vital link between recruiting and training today's armed forces. The command's motto, "Freedom's Front Door" symbolizes the command's mission of determining the physical, mental, and moral qualifications of every member of the armed services. USMEPCOM is a joint service command staffed with people from all five branches of service. The command, through its 65 Military Entrance Processing Stations (MEPS), determines whether applicants are qualified for enlistment based on standards set by each of the services.

1.3. Objectives:

1.3.1. Remedial and preventive maintenance to include firmware/microcode upgrades service required by the USMEPCOM J-6, Information Technology Directorate for the Government-owned automated data processing (ADP) equipment. Please refer to Technical Exhibit (TE) C for more information.

1.3.2. Vendor shall provide maintenance services for off-warranty equipment. The equipment is to receive maintenance at HQ USMEPCOM in North Chicago, IL

1.4. Scope: Contractor shall provide all labor, material, travel, parts, tools, diagnostic software, firmware/microcode, and test equipment necessary for a full-service maintenance contract for USMEPCOM J-6 Information Technology Directorate Government-owned equipment

1.5. RESERVED

1.6. General Information

1.6.1. Quality Assurance: The government shall evaluate the contractor's performance under this contract in accordance with (IAW) the Quality Assurance Surveillance Plan. This plan is primarily focused on what the Government must do to ensure that the contractor has performed IAW the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and the minimum acceptable defect rate(s).

1.6.2. Recognized Holidays: The contractor shall provide services during normal hours of operation and not during the legal holidays below. However, at the government's discretion for special projects, the government can require services or activities outside of normal hours of operation or on the legal holidays below. Proper

coordination shall be made with the Contracting Officer Representative (COR) to ensure that USMEPCOM personnel are available to support and allow access. Legal Federal holidays are as follows:

New Year's Day
Martin Luther King Jr.'s Birthday
President's Day
Memorial Day
Independence Day
Juneteenth Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

1.6.3. Quality Control: The Contractor shall provide a written Quality Control Plan (QCP) which outlines the development, implementation, and maintenance of an effective Quality Control System. The QCP shall implement standardized procedure and methodology for monitoring and documenting contract performance to ensure all contract requirements are met. The Contractors' QCP must contain a systematic approach to monitor operations to ensure acceptable services/products are provided to the Government. The QCP, at a minimum, shall address continuous process improvement; procedures for scheduling, conducting, and documentation of inspection; discrepancy identification and correction; corrective action procedures to include procedures for addressing Government discovered nonconformances; procedures for root cause analysis to identify the root cause and root cause corrective action to prevent re-occurrence of discrepancies; procedures for trend analysis; procedures for collecting and addressing customer feedback/ complaints. The Contractor shall upon request provide to the Government their quality control documentation. The QCP shall be provided to the Contracting Officer (KO) and COR via e-mail within thirty days of the performance start date. The Government will accept or return the QCP for revision within ten business days. Any change to the QCP requires the review and acceptance of the KO.

1.6.4. Hours of Operation: The contractor shall conduct business between the hours of 0800 to 430, CT Monday through Friday except Federal holidays or when the Government facility is closed due to local or national emergencies, administrative closings, or similar Government directed facility closings. The Contractor must at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when the Government facility is not closed for the above reasons. When hiring personnel, the Contractor shall keep in mind that the stability and continuity of the workforce are essential.

1.6.5. Place of Performance: The work to be performed under this contract will be performed at USMEPCOM HQ, located in Building 3400 at 2834 Green Bay Road, North Chicago, Illinois.

1.6.6. Type of Contract: Firm fixed price

1.6.7. Security Requirements: Contractor personnel performing work under this contract must be IAW Army Regulation 25-2, Army Regulation 380-67, and DoD Directive 5200.8. There are certain categories of positions or duties which, although not requiring access to classified information, if performed by unworthy persons, could enable them to jeopardize the security of USMEPCOM or otherwise endanger national security. The investigative requirements for personnel occupying Information Systems Positions designated IT-I, IT-II and IT-III are as follows: IT-I: SSBI (Single Scope Background Investigation), IT-II: NACI (National Agency Check with Inquiries) and IT-III: NAC (National Agency Check). This investigation is required for all contractor personnel working on and off-site under this task. The request for investigation shall be submitted by the Contractor's Facility Security Officer to OPM before the start of the task, in accordance with DoD5220.22-M, Chapter 2 at time of the proposal submission, and must maintain the level of security required for the life of the contract. The work is SENSITIVE but UNCLASSIFIED. Each task in this PWS shall require at a minimum an IT-II NACI investigation for all positions.

1.6.7.1. PHYSICAL Security: The contractor shall be responsible for safeguarding all government equipment, information and property provided for contractor use. At the close of each work period, government facilities, equipment, and materials shall be secured.

1.6.7.2. Key Control: The contractor shall establish and implement methods of making sure all keys/key cards issued to the contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the contractor by the Government shall be duplicated. The contractor shall develop procedures covering key control that shall be included in the QCP. Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas. The contractor shall immediately report any occurrences of lost or duplicate keys/key cards to the KO.

1.6.7.2.1. In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the KO, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

1.6.7.2.2. The Contractor shall prohibit the use of Government issued keys/key cards by any persons other than the Contractor's employees. The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the KO.

1.6.7.3. Lock Combinations . RESERVED

1.6.7.4. Anti-Terrorism and Information Assurance Training. IAW ATTP 4-10 (FM 3-100.21)

1.6.7.5. Contractor Employees Who Require Access to Government Information Systems: All contractor employees with access to a government info system must be registered in the ATCTS (Army Training Certification Tracking System) https://atc.us.army.mil/iastar/index.php at commencement of services and must successfully complete the DOD Information Assurance Awareness prior to access to the information systems and then annually thereafter.

1.6.7.6. Global Address Listing (GAL): All contract employees who require access to Government Information Systems shall update their profile and Global Address Listing (GAL) information: https://www.dmdc.osd.mil/milconnect within 10 working days of being granted access.

1.6.7.7. Annual Cyber Awareness Training: All contractor employees, to include subcontractor employees, requiring access to Army installations, facilities and controlled access areas shall complete the Annual Cyber Awareness Training located at the US Army IA Training Center web site listed below (previous training expires 25/Nov/13): Link: https://ia.signal.army.mil/DoDIAA/default.asp.

1.6.7.8. Acceptable Use Policy: All contractor employees, to include subcontractor employees, requiring access to Army installations, facilities and controlled access areas shall complete a new Acceptable Use Policy (Annual Requirement) at the same web site: Link: https://ia.signal.army.mil/DoDIAA/default.asp. (Click "Login", Log in with CAC, confirm information on page, click on "View and Sign AUP").

1.6.8. Special Qualifications:

1.6.8.1. Cyber-Workforce Certification: The Contractor shall ensure that all personnel performing duties requiring access to Government information systems, information assurance/information technology functions or network connected systems possess and maintain Information Assurance Technician (IAT) Level I professional certification (in accordance with DoD 8140.03/8570.01-M) during the execution of this contract.

1.6.8.2. Contractor personnel whose duties are limited to physical technician work, such as performing maintenance, troubleshooting, installation, etc., and who do not require administrative access to the system's network configuration are not required to hold IAT certifications.

1.6.9. Post Award Conference/Periodic Progress Meetings: The Contractor agrees to attend any post award conference convened by the contracting activity or contract administration office in accordance with the Revolutionary Federal Acquisition Regulation Overhaul (RFO FAR) Subpart 42.302 The KO, COR, and other Government personnel, as appropriate, may meet periodically with the contractor to review the contractor's performance. At these meetings the KO will apprise the contractor of how the government views the contractor's performance and the contractor will apprise the Government of problems, if any, being experienced. Appropriate action shall be taken to resolve outstanding issues. These meetings shall be at no additional cost to the government.

1.6.10. Contracting Officer Representative (COR): The COR will be identified by separate letter. The COR monitors all technical aspects of the contract and assists in contract administration The COR is authorized to perform the following functions: assure that the Contractor performs the technical requirements of the contract: perform inspections necessary in connection with contract performance: maintain written and oral communications with the Contractor concerning technical aspects of the contract: issue written interpretations of technical requirements, including Government drawings, designs, specifications: monitor Contractor's performance and notifies both the KO and Contractor of any deficiencies; coordinate availability of government furnished property, and provide site entry of Contractor personnel. A letter of designation issued to the COR, a copy of which is sent to the Contractor, states the responsibilities and limitations of the COR, especially with regard to changes in cost or price, estimates or changes in delivery dates. The COR is not authorized to change any of the terms and conditions of the resulting order.

1.6.11. Key Personnel: Key personnel are those personnel considered essential to successful contractor performance. Employee roster shall be provided initially within 15 days of contract award and two weeks prior to change. The contractor shall provide written notification (Employee Roster) to the COR and Government Security two weeks prior to replacing or reassigning key technical personnel. The contractor shall provide a contract manager who shall be responsible for the performance of the work. The name of this person and an alternate who shall act for the contractor when the manager is absent shall be designated in writing to the KO. The contract manager or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The contract manager or alternate shall be available between the hours, i.e., 8:00 a.m. to 4:30p.m., Monday through Friday except Federal holidays or when the government facility is closed for administrative reasons.

1.6.12. Identification of Contractor Employees: All contract personnel attending meetings, answering Government telephones, and working in other situations where their contractor status is not obvious to third parties are required to identify themselves as such to avoid creating an impression in the minds of members of the public that they are Government officials. They must also ensure that all documents or reports produced by contractors are suitably marked as contractor products or that contractor participation is appropriately disclosed. Upon entry into HQ USMEPCOM or any MEPS facility, after verification that the contractor employee is cleared to work, and in the presence of a Government employee escort, the Government will issue the individual a temporary identification badge. While within the EDC or MEPS facility, all personnel are required to wear and display the USMEPCOM identification badge on the outside and above the waist of all outer clothing.

1.6.13. Contractor Travel: Travel is included in maintenance. The Contractor shall bear all expenses necessary to repair equipment, except for repairs caused by acts of God or negligence of the Government.

1.6.14. Organizational Conflict of Interest: Contractor and subcontractor personnel performing work under this contract may receive, have access to or participate in the development of proprietary or source selection information (e.g., cost or pricing information, budget information or analyses, specifications or work statements, etc.) or perform evaluation services which may create a current or subsequent Organizational Conflict of Interests (OCI) as defined in RFO FAR Subpart 9.5. The Contractor shall notify the KO immediately whenever it becomes aware that such access or participation may result in any actual or potential OCI and shall promptly submit a plan to the KO to avoid or mitigate any such OCI. The Contractor's mitigation plan will be determined to be acceptable solely at the discretion of the KO and in the event the KO unilaterally determines that any such OCI cannot be satisfactorily avoided or mitigated, the KO may affect other remedies as he or she deems necessary, including prohibiting the Contractor from participation in subsequent contracted requirements which may be affected by the OCI.

PART 2
DEFINITIONS, ACRONYMS, AND ABBREVIATIONS

2. DEFINITIONS, ACRONYMS, AND ABBREVIATIONS:

2.1. DEFINITIONS:

2.1.1. CONTRACTOR. A supplier or vendor awarded a contract to provide specific supplies or service to the government. The term used in this contract refers to the prime.

2.1.2. CONTRACTING OFFICER. A person with authority to enter into, administer, or terminate contracts, and make related determinations and findings on behalf of the government. Note: The only individual who can legally bind the government.

2.1.3. CONTRACTING OFFICER'S REPRESENTATIVE (COR). An employee of the U.S. Government appointed by the KO to assist in the administration of the contract. Such an appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the Contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have the authority to change the terms and conditions of the contract.

2.1.4. DEFECTIVE SERVICE. A service output that does not meet the standard of performance associated with the Performance Work Statement.

2.1.5. DELIVERABLE. Anything that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

2.1.6. KEY PERSONNEL. Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the Key Personnel listed in the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.7. PHYSICAL SECURITY. Actions that prevent the loss or damage of Government property.

2.1.8. QUALITY ASSURANCE. The government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.9. QUALITY ASSURANCE Surveillance Plan (QASP). An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.10. QUALITY CONTROL. All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

2.1.11. SUBCONTRACTOR. One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

2.1.12. WORKDAY. The number of hours per day the Contractor provides services in accordance with the contract.

2.1.13. WORK WEEK. Monday through Friday, unless specified otherwise.

2.2. ACRONYMS AND ABBREVIATIONS

ACOR	Alternate Contracting Officer's Representative
AFARS	Army Federal Acquisition Regulation Supplement
AR	Army Regulation
CCE	Contracting Center of Excellence
CFR	Code of Federal Regulations
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer Representative
COTS	Commercial-Off-the-Shelf
DA	Department of the Army
DD250	Department of Defense Form 250 (Receiving Report)
DD254	Department of Defense Contract Security Requirement List
DFARS	Defense Federal Acquisition Regulation Supplement
DMDC	Defense Manpower Data Center
DOD	Department of Defense
FAR	Federal Acquisition Regulation
HIPAA	Health Insurance Portability and Accountability Act of 1996
KO	Contracting Officer
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
ODC	Other Direct Costs
PIPO	Phase In/Phase Out
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Plan
TE	Technical Exhibit

PART 3
GOVERNMENT FURNISHED PROPERTY, EQUIPMENT, AND SERVICES

3. GOVERNMENT FURNISHED ITEMS AND SERVICES:

3.1. Services : RESERVED

3.2. Facilities : RESERVED

3.3. Utilities : RESERVED

3.4. Equipment : RESERVED

3.5. Materials : RESERVED

PART 4
CONTRACTOR FURNISHED ITEMS AND SERVICES

4. CONTRACTOR FURNISHED ITEMS AND RESPONSIBILITIES:

4.1 General : The Contractor shall furnish all supplies, equipment, facilities and services required to perform work under this contract that are not listed under Section 3 of this PWS.

4.2 Secret Facility Clearance : RESERVED

4.3. Materials . The Contractor shall provide all parts and firmware/microcode upgrades to return equipment to an operational state to meet the requirements under the PWS.

4.3.1. RESERVED

4.3.2. RESERVED

4.4. Equipment . The Contractor shall provide all equipment necessary to complete the required tasks. The contractor is required to provide all safety equipment for all employees providing services under this contract. The contractor is required to provide all test equipment necessary to diagnose problems. The contractor is required to provide all necessary installation equipment.

4.4.1. RESERVED

PART 5
SPECIFIC TASKS

5. Specific Tasks:

5.1. Basic Services: The contractor shall provide full-service maintenance for Government-owned equipment as identified in TE C. Remedial and preventive maintenance to include firmware/microcode upgrade services as required to return equipment to original equipment manufacturer (OEM) standard.

5.2. The Contractor shall preform Remedial Maintenance (RM) and submit a monthly report with all activity covered with in that billing cycle to the COR.

5.2.1. To complete the performance of RM, the contractor shall return the system/component fully restored and operational, to OEM standard, as determined by MEIT-CSD-ESB personnel.

5.3. Equipment: The Contractor shall provide remedial maintenance 24 hours per day, 7 days per week. Contractor personnel shall acknowledge service calls within 60 minutes and arrive onsite within the response times established in paragraph 5.4.6. Full repair or replacement shall be completed within 24 hours whenever possible.

5.3.1. During the term of support and maintenance, the repair clock starts from the time a trouble call is placed with the Contractor's Help Desk.

5.3.2. Trouble calls that require multiple visits to correct shall remain open until the malfunction is completely resolved as determined by the user.

5.3.3. The Contractor shall provide RM at no additional cost to the Government when maintenance is required due to fault or negligence of the Contractor.

5.4. Principal Period of Maintenance (PPM) and Outside PPM (OPPM) Service

5.4.1. Critical Equipment: On an on-call basis, the Contractor shall provide maintenance OPPM for the IBM AIX servers, critical application servers, server TBUs and integrated peripherals that are a single point of failure affecting the mission of USMEPCOM. OPPM hours are defined as hours not within the PPM.

5.4.2. The Contractor shall make OPPM arrangements for access to equipment with the HQ USMEPCOM point of contact (POC) during official operating hours.

5.4.3. Provide a toll-free telephone number(s) and email address to receive Government requests for warranty and maintenance service 24 hours per day, 7 days a week.

5.4.4. The Contractor shall provide a business letter to the COR, indicating the primary maintenance point of contact (POC) for HQ USMEPCOM with associated telephone number(s) and address within 30 days of contract award. The Contractor shall arrange to receive requests for maintenance service for the Principal Period of Maintenance that is 24 hours per day, 7 days per week, and 365/366 days per year. The Contractor shall also provide an alternate POC in the event the primary POC is not available. The Contractor shall update the names and telephone numbers within 30 days of changes occur. Answering machines and unreturned voicemails are not acceptable..

5.4.5. Within 30 days of contract award, the Contractor shall provide a list in excel format to the COR, of all technicians on this contract with at least; Name, ID, Location, cell phone number and if they have a background investigation.

5.4.6. Upon notification of a failure, the contractor shall provide a callback within 60 minutes and onsite arrival within 2 hours.

5.4.7. After four (4) hours of repair time without correcting the problem, the Contractor shall provide an original equipment manufacturer (OEM) specialist to the J6/MEIT-CSD-ESB at no cost to the Government. If used this should be included in the monthly report.

5.4.8. The Contractor shall provide a functionally identical replacement server or TBU, for each server listed in TE C at no cost to the Government if they are not repairable on site. Functionally identical replacement equipment may include successor-generation equipment provided the replacement maintains equal or greater operational capability, compatibility, and performance necessary to support the USMEPCOM mission and existing configuration requirements.

5.4.9. The Contractor shall maintain an inventory of critical spare parts and tools necessary to maintain normal operation of the equipment for the life of the contract to include firmware/microcode upgrades service. A limited amount of these parts may be stored within the J-6/EIT-CSD-ESB server area,. The Contractor must have additional emergency parts available twenty-four (24) hours per day, seven days per week. When requested, critical replacement parts must arrive on-site within four (4) hours.

5.4.10. The Contractor shall use only new standard parts or reconditioned parts certified by the manufacturer equal in quality and in performance to new parts. Where applicable the Contractor shall use parts specified by Field Replaceable Unit (FRU) numbers or part numbers.

5.3.11. All replaced parts will become the property of the Contractor with the exception of hard disk drives and/or other removable media. All replaced parts must be removed (or arranged to be removed) before the ticket can be closed. The policy that is outlined in accordance within Chapter 4-18., Army Regulation 25-2. Information Assurance dated 3 August 2007 and in Best Business Practice (BBP) document 04-PE-O-0002, “Reuse of Army Computer Hard Drives,” dated 24 January 2004 will apply. If used this should be included in the monthly report.

5.3.11.1. Extract from BBP 04-PE-O-0002, Paragraph 12.A: Government-Owned Hard Drives, Operable hard drives that are reusable in an environment different from the previous environment, shall be purged and declassified prior to transfer. If the operable hard drives are to be removed from Army or DoD service or control for any reason, they will be purged and declassified IAW this BBP. Hard drives previously used in a classified environment will not be removed from DoD service or control and will be degaussed or destroyed at the end of their usefulness. If used this should be included in the monthly report.

5.4.11.1.1. Inoperable hard drives will be degaussed or destroyed at the end of their lifecycle.

5.4.11.2. Paragraph 12.C. Warranty Actions. For hard drives previously used in the unclassified or sensitive environment, the warrantor will make a determination as to whether the hard drive can be repaired and returned to the original Government user, repaired, and redirected to another user, or permanently removed from service. The processes and procedures for handling inoperable hard drives that are returned for warranty action are the same as those for inoperable hard drives that are returned to the contractor under lease agreements (Paragraph B. Leased Computers, this BBP). If the hard drive is inoperable and has been previously used in a classified environment, it will be physically destroyed or degaussed IAW this BBP.

5.4.12. There shall be no additional charges to the Government for parts replaced by the Contractor while performing preventive or remedial maintenance to include hard drive replacement for those that must remain under government control as noted above.

5.5. Equipment and Maintenance Changes:

5.5.1. The Government reserves the right to discontinue maintenance services at any time during the life of the contract. The Government will provide the Contractor 30 days' written notice prior to discontinuation.

5.5.2. Substitutions: The Government may replace any equipment, to include equipment dealing with firmware/microcode upgrades, with substitute equipment, which is similar or identical to the equipment replaced, whether or not the equipment obtained from the Contractor. The Contractor shall maintain the substitute equipment for the life of the contract. All equipment and maintenance must not interfere or be non-compatible with the Command's current configuration.

5.5.3. Additions or Deletions: The Government may add similar, upgraded, or new equipment (to include firmware), or delete items of equipment, to be maintained under this contract by written notification at any time during the life of the contract. Equipment of the same make and model will be charged the same monthly equipment unit price as those listed in TE C. Conversely, similar, upgraded, or new equipment maintenance will be priced appropriately for current market conditions and negotiated with the COR through the KO as needed or required for additional funding.

PART 6
APPLICABLE PUBLICATIONS

6. APPLICABLE PUBLICATIONS (CURRENT EDITIONS)

6.1. The Contractor must abide by all applicable regulations, publications, manuals, and local policies and procedures.

Department of Defense Directive (DoDD) (http://www.dtic.mil/whs/directives/		
DoDI 8500.01	14 March 14	Cybersecurity
DoDD 8570.01-M	24 Jan 12	Information Assurance (IA) Workforce Improvement Program
Department of Defense Instruction (DoDI) (http://www.dtic.mil/whs/directives/		
DoDI 8510.01	12 March 2014	Risk Management Framework for DoD Information Technology
DoDI 8520.03	13 May 2011	Identity Authentication for Information Systems
DoDI 8580.1	9 July 2004	Information Assurance (IA) in the Defense Acquisition System
Department of Defense Regulation (DoD-R) (http://www.dtic.mil/whs/directives/		
DoDD 5500.7-R	29 Nov 2007	Standards of Conduct
Army Regulation (AR) (http://www.apd.army.mil/)		
AR 25-1	25 June 2013	Information Management, Army Information Technology
AR 25-2	23 March	Information Management, Information Assurance
AR 190-13	25 Feb 2011	The Army Physical Security Program
AR 190-51	30 Sep 1993	Security of Unclassified Army Property
AR 380-5	29 Sep 2000	Department of the Army Information Security Program
AR 530-1	26 Sep 2014	Operations Security (OPSEC) (Available ONLY from AKO)
National Institute of Standards and Technology, U.S. Department of Commerce (http://csrc.nist.gov/publications/nistpubs/800-37-rev1/sp800-37-rev1-final.pdf)		
NIST Special Publication 800-37, Revision 1	Feb, 2010	Guide for Applying the Risk Management Framework to Federal Information Systems, A Security Life Cycle Approach)
252.204-7012 Safeguarding Covered Defense Information and Cyber Incident Reporting		Guide to Safeguarding Covered Defense Information and Cyber Incident Reporting
Best Business Practice (BBP) document 04-PE-O-0002		
"Reuse of Army Computer Hard Drives," dated 24 January 2004 IBM Field Replaceable Unit (FRU) for each Model on contract		

PART 7
ATTACHMENT/TECHNICAL EXHIBIT LISTING

Attachment/Technical Exhibit List:

7.1. Technical Exhibit A – Performance Requirements Summary

7.2. Technical Exhibit B – Deliverables Schedule

7.3. Technical Exhibit C - MEPCOM Server Listing

TECHNICAL EXHIBIT A
PERFORMANCE REQUIREMENTS SUMMARY (PRS)

PERFORMANCE OBJECTIVE	PERFORMANCE STANDARD	PERFORMANCE THRESHOLD	INCENTIVE / DISINCENTIVE
PWS 5.2 Remedial Maintenance	Return the system/component to the fully restored and operational condition, as determined by MEIT-CSD-ESB personnel.	Full repair within 24 hours of notice 90% of the time.	Reperform at no additional cost to the Government. Performance quality will be documented in the Surveillance reports.
PWS 5.4.9. Inventory of Critical Parts & Tools	Maintain an inventory of critical spare parts and tools necessary to maintain normal operation of the equipment	Emergency parts available twenty-four (24) hours per day, seven days per week 98% of the time.	Reperform at no additional cost to the Government. Performance quality will be documented in the Surveillance reports.

TECHNICAL EXHIBIT B
DELIVERABLES SCHEDULE

PWS Para #	Deliverable Title	Distribution	Days after Contract Award	Frequency
1.6.3	QCP	COR	30 calendar days	Once and then as needed when changes are made
1.6.8.	IAT Level 1 professional certification	COR	Prior to accessing Government information and network connected systems. Prior to performing information assurance and information technology functions.	Once and then as needed if personnel changes are made.
1.6.11	Key Personnel	COR	15 Calendar Days	2 weeks prior to changes
5.2	Provide Remedial Maintenance Report	COR	30 Calendar Days	Monthly
5.4.4	Business Letter of Certification(s)	COR	30 Calendar Days	If the POC changes
5.4.5	List of technicians	COR	30 Calendar Days	If the Technicians changes

TECHNICAL EXHIBIT C
MEPCOM SERVER LISTING

Location	Location Address	Line #	OEM	Model Number	Description	Serial Number	SLA	Qty
Main	2834 Green Bay Rd. N. Chicago, IL 60064	7	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FLWPBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	1	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM0QBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	2	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM0MBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	3	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM1MBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	4	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM1NBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	5	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM0TBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	6	DELL	POWEREDGE M630	DELL POWEREDGE M630 2.5IN CTO CHASSIS	FM0NBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	7	DELL	POWEREDGE M1000E	DELL POWEREDGE M1000E BLADE ENCLOSURE	FM7RBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	8	DELL	POWEREDGE M1000E	DELL POWEREDGE M1000E BLADE ENCLOSURE	FM8NBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	9	DELL	POWEREDGE M1000E	DELL POWEREDGE M1000E BLADE ENCLOSURE	FM7SBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	10	DELL	POWEREDGE M1000E	DELL POWEREDGE M1000E BLADE ENCLOSURE	FM8MBM2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	11	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J5JBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	12	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J5QRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	13	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4SRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	14	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4RRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	15	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4HBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	16	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4PRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	17	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4QRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	18	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4VRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	19	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4JBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	20	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4TRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	21	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J5HBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	22	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J5PRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	23	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J4GBZ2	12A-12A 4 HOUR	1

Main	2834 Green Bay Rd. N. Chicago, IL 60064	24	DELL	POWEREDGE M640	DELL POWEREDGE M640 CTO BLADE CHASSIS	4J5GBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	25	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3SRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	26	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0SRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	27	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0JBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	28	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3PRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	29	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0RRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	30	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3QRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	31	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3TRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	32	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3VRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	33	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3JBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	34	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3RRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	35	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0PRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	36	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0QRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	37	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL0TRZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	38	DELL	POWEREDGE MX740C	DELL POWEREDGE MX740C	FL3HBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	39	DELL	POWEREDGE MX7000	DELL POWEREDGE MX7000 8-SLOT CHASSIS	FL4GBZ2	12A-12A 4 HOUR	1
Main	2834 Green Bay Rd. N. Chicago, IL 60064	40	DELL	POWEREDGE MX7000	DELL POWEREDGE MX7000 8-SLOT CHASSIS	FL0VRZ2	12A-12A 4 HOUR	1