---

1. **Base Item Number in Pricing Tables**

Q: What is the Government expecting offerors to provide within those cells?
A: Q&A addressed how to complete pricing tables and what to enter for CLINs.

---

2. **Unit Price and Extended Price Calculation**

Q: Does the Government expect that our monthly firm fixed price will go into the Unit Price cell and that the Extended Total will effectively be 12 times the Unit Price?
A: Q&A confirms monthly FFP in Unit Price and Extended Price as 12x Unit Price.

---

3. **Current Ins-Pi Annual Subscription Cost and ODC Breakout**

Q: Please provide the current Ins-Pi annual subscription cost, and clarify ODC breakout.
A: Q&A states the Government will not provide the current cost; offerors should propose based on market research and break out platform/user management as needed.

---

4. **Travel NTE Value and GSA Per Diem**

Q: Will the Government provide a not-to-exceed amount for CLIN 0006 Travel, or should offerors develop independent estimates? Confirm GSA per diem.
A: Q&A specifies a $50,000 NTE for travel and GSA per diem/FTR compliance.

---

5. **ODC Tab or Embedded in CLINs**

Q: Should price proposal include a separate tab for ODCs or embed in CLINs?
A: Q&A allows for ODCs as separate line items or tabs, with sufficient detail.

---

6. **Deliverables Table Requirement and Page Limit**

Q: Is the contractor deliverables table required in Volume I, and does it count against the 15-page limit?
A: Q&A confirms the approach to satisfying the requirements of the table is required and counts against the page limit unless specifically excluded.

---

7. **Confidence Evaluation Without Past Performance**

Q: How will the Government evaluate confidence without Past Performance? Please extend the page count to allow bidders to submit relevant past performance.
A: Q&A explains the confidence rating framework and that past performance is not evaluated. A responsibility determination will be made in accordance with section M.6 of the solicitation.

---

8. **Resumes for Key Personnel and Page Limit**

Q: Are resumes for proposed key personnel required, and do they count against the 15-page limit?
A: Q&A states resumes are not required and if included, count against the page limit.

---

9. **Active Ins-Pi/YouDesign Subscription Status**

Q: Does TSA currently have an active Ins-Pi/YouDesign subscription, or is the contractor expected to procure a new subscription?
A: Q&A directs offerors to assume a new subscription unless otherwise amended.

---

10. **Period of Performance Start and Fitness Determination**

Q: Does the July 15, 2026 start date account for the 60-day fitness determination? What activities may begin prior to completion?
A: Q&A explains performance is expected to begin July 15, 2026, and contractors should be prepared to start on day one; no substantive work may begin prior to fitness determination completion.

---

11. **Anticipated CONUS Locations for TSE Mission Architecture Support**

Q: Please provide the anticipated CONUS locations for TSE mission architecture support, or confirm whether locations will be defined via task orders.
A: Q&A states specific locations are not provided and will be defined at the task order level during performance.

---

12. Intent to Exercise Option Years and Pricing Assumptions

Q: Please confirm the Government's intent to exercise both option years, and how to reflect this in pricing.
A: Q&A states offerors should price the base and two option years as required; exercise of options is at the Government's discretion.

---

13. Active Associate Contractors Related to ADMB Scope

Q: Please identify any currently active associate contractors performing work related to the ADMB scope.
A: Q&A states the Government does not provide a list of associate contractors; offerors should plan for coordination as required by the PWS.

---

14. Incumbent Contractor and Transition Funding

Q: Is there an incumbent contractor, and will a funded transition-in period be provided?
A: Q&A states there was an incumbent, but no separate transition-in period or funding; transition costs should be included in base year pricing.

---

15. Ins-Pi COTS Platform Integration with TSA ServiceNow

Q: Please confirm whether the Ins-Pi COTS platform is currently integrated with the TSA ServiceNow environment.
A: The Ins-Pi COTS platform is not currently integrated with TSA’s ServiceNow environment. Offerors should propose an approach that includes initial integration and compatibility testing as required by the PWS.

---

16. ServiceNow CSDM Implementation and Metamodel

Q: What is the current state of the ServiceNow CSDM implementation at TSA (e.g., version, maturity level, number of populated tables/classes)? Is the metamodel already defined, or is the Contractor expected to design it from scratch?
A: The Contractor should be prepared to assess the existing environment and propose an approach that accommodates both extending an existing metamodel and designing a new metamodel if required, ensuring compatibility with ServiceNow CSDM and TSA’s mission architecture data.

---

17. Existing Mission/Segment/Solution Architectures and Artifact Volume

Q: How many mission areas, segments, and solution architectures currently exist in the repository? Can the Government provide an estimate of the volume of architecture artifacts currently under management?
A: Offerors should propose scalable methods and tools to accommodate a potentially large and evolving set of architecture artifacts.

---

18. Section 7.0 Minimum Labor Standard Content

Q: Section 7.0 "Minimum Labor Standard" appears as a header with no accompanying content. Does the Government intend to include minimum labor qualifications, certifications, or experience requirements? If so, will these be provided via amendment?
A: Offerors should propose personnel with the expertise necessary to fulfill the requirements of the PWS.

---

19. List of Architecture Tools and Repositories (GFE vs. Contractor-Provided)

Q: Can the Government identify all architecture tools and repositories currently in use (including version numbers), and indicate which are GFE vs. Contractor-provided?
A: The Government does not provide a comprehensive list of architecture tools and repositories, nor their version numbers or GFE/contractor status, in this solicitation. Offerors should propose solutions compatible with industry standards and the requirements of the PWS.

---

20. Transition Plan Requirement in PWS

Q: The only occurrence of "Transition" or "Transition Plan" in the PWS refers to migrating architectures vs. contractor activities following award. Please clarify or confirm if this is a new requirement with no transition or the government's transition requirements and duration.
A: The Transition Plan referenced in the PWS pertains to the migration of architectures and not to contractor transition activities. There is no separate contractor transition-in period required by the Government.

---

21. ServiceNow Version and UPMX Extension Pack Compatibility

Q: Can the Government confirm the specific ServiceNow version/release currently in use at TSA and whether the UPMX Extension Pack has been previously deployed and tested for compatibility?
A: The Government does not provide the current ServiceNow version or UPMX deployment status in this solicitation. Offerors should propose solutions that are compatible with recent ServiceNow releases and be prepared to support integration and compatibility testing as required.

---

22. Relevant ServiceNow Modules Beyond CSDM/Proven Optics

Q: What specific ServiceNow modules beyond CSDM and Proven Optics are relevant to this effort (e.g., ITBM, SPM, CMDB, APM, Discovery)?
A: The solicitation does not specify additional ServiceNow modules beyond CSDM and Proven Optics. Offerors should propose solutions that are compatible with standard ServiceNow modules commonly used in enterprise architecture and IT management.

---

23. QASP Uptime Measurement Window and Tiered Requirements

Q: Can the Government define the measurement window for 99% uptime (e.g., 24x7x365, business hours only)? Does this apply to all tools equally, or are there tiered availability requirements?
A: The solicitation does not specify the measurement window for uptime or tiered availability requirements. Offerors should propose a standard industry approach for uptime measurement (e.g., 24x7x365) and indicate any proposed tiering for different tools in their Quality Assurance Plan.

---

24. Architecture Tool Licenses (GFE vs. Contractor-Provided)

Q: Are all existing architecture tool licenses (other than Ins-Pi) GFE? If not, can the Government provide a list of tools with their license status (GFE vs. Contractor-provided)?
A: The Government does not provide a list of existing architecture tool licenses or their GFE/contractor status. Offerors should propose all necessary licenses for tools required to fulfill the PWS, unless otherwise specified as GFE during contract execution.

---

25. ATO Responsibility for Ins-Pi and Contractor-Furnished Tools

Q: Is the Contractor responsible for obtaining and maintaining the Authority to Operate (ATO) for Ins-Pi and other Contractor-furnished tools, or does TSA's existing ATO cover these tools?
A: The Contractor is responsible for supporting the ATO process for Ins-Pi and any other contractor-furnished tools, as required by TSA security policies. TSA's existing ATOs do not automatically cover new contractor-furnished tools.

---

26. GFE IT Equipment (Laptops, etc.)

Q: Will TSA be providing all necessary IT equipment (Laptops, etc.) or is this to be furnished by the contractor?
A: Offerors should propose to furnish all necessary IT equipment for their personnel unless otherwise specified by the Government during contract execution.
