

## ngMockE2E

An angular module which contains mocks suitable for end-to-end testing. Currently there is only one mock present in this module - the e2e \$httpBackend mock.


## \$httpBackend

Fake HTTP backend implementation suitable for end-to-end testing or backend-less development of applications that use the \$http service.


Service in ngMockE2E module

How can we setup a fake backend  
using the ngMockE2E \$httpBackend  
Service?

# Using `$http` in Angular Unit Tests with `ngMock`



# Using `$http` in Angular Application with `ngMockE2E`



# *when* Function

Specifies Backend Definition

```
$httpBackend
```

```
  .when( 'GET', 'http://localhost/api', [data], [headers] )  
  .respond( 200, { foo: 'bar' } );
```

# *when* Function

Specifies Backend Definition

```
$httpBackend  
  .when( 'GET', 'http://localhost/api', [data], [headers] )  
  .passThrough( ) ;
```

# Supported HTTP Verbs

GET

POST

PUT / PATCH

DELETE

HEADER

JSONP



# Differences from ngMock's \$httpBackend

Possible to setup *when* configuration in the same way

Able to make real http calls via *passThrough()*

Call to *flush()* not required

Not available in unit tests

ngMockE2E is not in the same module  
as ngMock!

<https://github.com/angular/angular.js/issues/1434#issuecomment-152315282>

# What we've Learned

## ngMock

Covered the entire module

Used a TDD workflow

Built a *Movie Application*

## ngMockE2E

Fake HTTP backend implementation