#### A Project Report on

# JWELLERY WHOLESALE MANAGEMENT

#### Developed by

PATADIYA SHUBHAM .A. – Department of IT, DD University NAGADIA PREET .M.- Department of IT, DD University

Guided By
Internal Guide:
Prof. Sunil Vithlani
Department of Information Technology
Faculty of Technology
DD University



Department of Information Technology
Faculty of Technology, Dharmsinh Desai University
College Road, Nadiad-387001
SEPTEMBER-2018

#### DHARMSINH DESAI UNIVERSITY NADIAD-387001, GUJARAT



#### **CERTIFICATE**

This is to certify that the project entitled "JWELLERY WHOLSALE
<u>MANAGEMENT</u> "is a bonafied report of the work carried out by
1) Mr. PATADIYA SHUBHAM , Student ID No: 16ITUON025
2) Mr. NAGADIA PREET, Student ID No: 16ITUOS099
of Department of Information Technology, semester V, under the guidance and
supervision for the subject Database Management System. They were involved in
Project training during academic year 2018-2019.


Prof. Roshni M. Raval / Prof. Sunil K. Vithlani (Project Guide) Department of Information Technology, Faculty of Technology, Dharmsinh Desai University, Nadiad Date:

Prof. Vipul Dabhi Head , Department of Information Technology, Faculty of Technology, Dharmsinh Desai University, Nadiad Date:

#### **ACKNOWLEDGEMENT**

#### **TABLE OF CONTENTS**

I. Certificate	Ι
II. Acknowledgement	II
1. SYSTEM OVERVIEW	1
1.1 Current system	2
1.2 Objectives of the Proposed System	3
1.3 Advantages of the Proposed system (over current)	4
2. E-R DIAGRAM	5
2.1 Entities	5
2.2 Relationships	6
2.3 Mapping Constraints.	
3. DATA DICTIONARY	7
4. SCHEMA DIAGRAM	8
5. DATABASE IMPLEMENTION	9
5.1 Create Schema	9
5.2 Insert Data values	9
5.3 Queries (Based on functions, group by, having, joins, sub query etc.)	10
5.4 PL/SQL Blocks (Procedures and Functions)	10
5.5 Views	11
5.6 Triggers	12
5.7 Cursors.	13
6. FUTURE ENHANCEMENTS OF THE SYSTEM	14
7. BIBLIOGRAPHY	15



#### Table of contents

1 customers	Page number: 2
2 customer_contact	Page number: 3
3 products	Page number: 4
4 salesmen	Page number: 5
5 salesmen_contact	Page number: 6
6 supplied	Page number: 7
7 supplied_contact	Page number: 8
8 supplied_products	Page number: 9
9 supplier	Page number: 10
10 supplier_contact	Page number: 11
11 supplier_products	Page number: 12
12 transaction	Page number: 13
13 workers	Page number: 14
14 workers_contact	Page number: 15
15 worker_production	Page number: 16
16 Relational schema	Page number: 17

#### 1 customers

Creation: Sep 13, 2018 at 06:26 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
C_ID	varchar(5)		No					
S_ID	varchar(5)		No			-> salesmen.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
C_NAME	text		No					
C_ADDRESS	text		No					

### 2 customer\_contact

Creation: Sep 13, 2018 at 06:27 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
C_ID	varchar(5)		No			-> customers.C_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
CONTACT1	bigint(13)		Yes	NULL				
CONTACT2	bigint(13)		Yes	NULL				

## 3 products

Creation: Sep 13, 2018 at 10:51 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
P_ID	varchar(5)		No					
P_TYPE	text		No					
P_WEIGHT	float(5,2)		No					
P_PRICE	double(10,2		No					

#### 4 salesmen

Creation: Sep 13, 2018 at 06:23 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No					
S_NAME	text		No					
S_ADDRESS	text		No					
S_EMAIL	text		No					
COMMISSIO	double(8,2)		No					
N								

### 5 salesmen\_contact

Creation: Sep 13, 2018 at 06:24 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No			-> salesmen.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
CONTACT1	bigint(13)		Yes	NULL				
CONTACT2	bigint(13)		Yes	NULL				

# 6 supplied

Creation: Sep 13, 2018 at 06:13 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No					
S_NAME	text		No					
S_EMAIL	text		No					
S_ADDRESS	text		No					
BILL PENDING	double(10,2		No					
BILL	double(10,2		No					

### 7 supplied\_contact

Creation: Sep 13, 2018 at 06:17 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No			-> supplied.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
CONTACT1	bigint(13)		Yes	NULL				
CONTACT2	bigint(13)		Yes	NULL				

#### 8 supplied\_products

Creation: Sep 13, 2018 at 06:15 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No			-> supplied.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
P_ID	varchar(5)		No					

# 9 supplier

Creation: Sep 13, 2018 at 06:06 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No					
S_NAME	text		No					
S_ADDRESS	text		No					
S_EMAIL	text		No					
IS PARCEL	tinyint(1)		No					
BILL PENDING	double(10,2		No					
BILL	double(10,2		No					

### 10 supplier\_contact

Creation: Sep 13, 2018 at 06:11 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No			-> supplier.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
CONTACT1	bigint(13)		Yes	NULL				
CONTACT2	bigint(13)		Yes	NULL				

### 11 supplier\_products

Creation: Sep 13, 2018 at 06:08 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
S_ID	varchar(5)		No			-> supplier.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
P_ID	varchar(5)		No					

#### 12 transaction

Creation: Sep 13, 2018 at 10:52 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
T_ID	varchar(5)		No					
S_ID	varchar(5)		No			-> salesmen.S_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
C_ID	varchar(5)		No			-> customers.C_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
T_DATE	date		No					
P_ID	varchar(5)		No			-> products.P_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
AMOUNT	double(10,2		No					
IS PARCEL	tinyint(1)		No					
PAID	tinyint(1)		No					

### 13 workers

Creation: Sep 13, 2018 at 05:51 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
W_ID	varchar(5)		No					
W_NAME	text		No					
W_ADDRESS	text		No					
W_SALARY	bigint(10)		No					

### 14 workers\_contact


Creation: Sep 13, 2018 at 06:00 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
W_ID	varchar(5)		No			-> workers.W_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
CONTACT1	bigint(13)		Yes	NULL				
CONTACT2	bigint(13)		Yes	NULL				

### 15 worker\_production

Creation: Sep 13, 2018 at 05:53 PM

Column	Туре	Attributes	Null	Default	Extra	Links to	Comments	MIME
W_ID	varchar(5)		No			-> workers.W_ID ON UPDATE RESTRICT ON DELETE RESTRICT		
P_ID	varchar(5)		No					



CREATE TABLE `dbms project`.`WORKERS` ( `W\_ID` VARCHAR(5) NOT NULL, `W\_NAME` TEXT NOT NULL, `W\_ADDRESS` TEXT NOT NULL, `W\_SALARY` BIGINT(10) NOT NULL, PRIMARY KEY ( `W\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`WORKER\_PRODUCTION` ( `W\_ID` VARCHAR(5) NOT NULL , `P\_ID` VARCHAR(5) NOT NULL , PRIMARY KEY ( `P\_ID` )) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`WORKERS\_CONTACT` ( `W\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NOT NULL, `CONTACT2` BIGINT(13) NOT NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`WORKERS\_CONTACT` (`W\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NULL, `CONTACT2` BIGINT(13) NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIER` ( `S\_ID` VARCHAR(5) NOT NULL, `S\_NAME` TEXT NOT NULL, `S\_ADDRESS` TEXT NOT NULL, `S\_EMAIL` TEXT NOT NULL, `IS PARCEL` BOOLEAN NOT NULL, `BILL PENDING` DOUBLE(10,2) NOT NULL, `BILL` DOUBLE(10,2) NOT NULL, PRIMARY KEY (`S\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIER\_PRODUCTS` (`S\_ID` VARCHAR(5) NOT NULL, `P\_ID` VARCHAR(5) NOT NULL, PRIMARY KEY (`P\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIER\_CONTACT` ( `S\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NULL, `CONTACT2` BIGINT(13) NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIED` ( `S\_ID` VARCHAR(5) NOT NULL, `S\_NAME` TEXT NOT NULL, `S\_EMAIL` TEXT NOT NULL, `S\_ADDRESS` TEXT NOT NULL, `BILL PENDING` DOUBLE(10,2) NOT NULL, `BILL` DOUBLE(10,2) NOT NULL, PRIMARY KEY (`S\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIED\_PRODUCTS` ( `S\_ID` VARCHAR(5) NOT NULL , `P\_ID` VARCHAR(5) NOT NULL , PRIMARY KEY ( `P\_ID` )) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SUPPLIED\_CONTACT` ( `S\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NULL, `CONTACT2` BIGINT(13) NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`PRODUCTS` ( `P\_ID` VARCHAR(5) NOT NULL, `P\_TYPE` TEXT NOT NULL, `P\_WEIGHT` DOUBLE(5,5) NOT NULL, `P\_PRICE` DOUBLE(10,2) NOT NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SALESMEN` (`S\_ID` VARCHAR(5) NOT NULL, `S\_NAME` TEXT NOT NULL, `S\_ADDRESS` TEXT NOT NULL, `S\_EMAIL` TEXT NOT NULL, `COMMISSION` DOUBLE(8,2) NOT NULL, PRIMARY KEY (`S\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`SALESMEN\_CONTACT` (`S\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NULL, `CONTACT2` BIGINT(13) NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`CUSTOMERS` ( `C\_ID` VARCHAR(5) NOT NULL, `S\_ID` VARCHAR(5) NOT NULL, `C\_NAME` TEXT NOT NULL, `C\_ADDRESS` TEXT NOT NULL, PRIMARY KEY ( `C\_ID`)) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`CUSTOMER\_CONTACT` ( `C\_ID` VARCHAR(5) NOT NULL, `CONTACT1` BIGINT(13) NULL, `CONTACT2` BIGINT(13) NULL) ENGINE = InnoDB;

CREATE TABLE `dbms project`.`TRANSACTION` ( `T\_ID` VARCHAR(5) NOT NULL, `S\_ID` VARCHAR(5) NOT NULL, `C\_ID` VARCHAR(5) NOT NULL, `T\_DATE` DATE NOT NULL, `P\_ID` VARCHAR(5) NOT NULL, `AMOUNT` DOUBLE(10,2) NOT NULL, `IS PARCEL` BOOLEAN NOT NULL, `PAID` BOOLEAN NOT NULL, PRIMARY KEY ( `T\_ID`)) ENGINE = InnoDB;

#### <------ INSERT DATA----->

```
INSERT INTO `customers` VALUES ('C101', 'S101', 'MOHIT', 'VANKIYA'); INSERT INTO `customers` VALUES ('C102', 'S102', 'KARTIK', 'KESHIYA'); INSERT INTO `customers` VALUES ('C103', 'S103', 'HARSHIL', 'JODIYA'); INSERT INTO `customers` VALUES ('C104', 'S101', 'RAJ', 'JAMNAGER'); INSERT INTO `customers` VALUES ('C105', 'S102', 'JAGAV', 'NADIAD'); INSERT INTO `customers` VALUES ('C106', 'S103', 'BANTI', 'LIMBADI'); INSERT INTO `customers` VALUES ('C107', 'S101', 'NIRAV', 'HAJAMCHORA'); INSERT INTO `customers` VALUES ('C108', 'S102', 'RAHUL', 'BADANPAR'); INSERT INTO `customers` VALUES ('C109', 'S103', 'CHIRAG', 'JAYVA'); INSERT INTO `customers` VALUES ('C110', 'S101', 'HIREN', 'RAJKOT');
```

```
INSERT INTO `customer_contact` VALUES ('C101', '7418529630', '9567891230'); INSERT INTO `customer_contact` VALUES ('C102', '8529637410', '8527419630'); INSERT INTO `customer_contact` VALUES ('C103', '7894561230', '9426378015'); INSERT INTO `customer_contact` VALUES ('C104', '6398527410', '7283922127'); INSERT INTO `customer_contact` VALUES ('C105', '7531594613', '9408876175'); INSERT INTO `customer_contact` VALUES ('C106', '8529637410', '9426330381'); INSERT INTO `customer_contact` VALUES ('C107', '8527419560', '7894531205'); INSERT INTO `customer_contact` VALUES ('C108', '7894561230', '7531594604'); INSERT INTO `customer_contact` VALUES ('C109', '6398527485', '7531594620'); INSERT INTO `customer_contact` VALUES ('C110', '9517534682', '8889632100');
```

```
INSERT INTO 'products' VALUES ('P101', 'CHAIN', '10.55', '0'); INSERT INTO 'products' VALUES ('P102', 'CHAIN', '12.55', '0'); INSERT INTO 'products' VALUES ('P103', 'CHAIN', '20.63', '0');
```

```
INSERT INTO 'products' VALUES ('P104', 'CHAIN', '4.33', '0');
INSERT INTO 'products' VALUES ('P105', 'RING', '7.33', '0');
INSERT INTO 'products' VALUES ('P106', 'RING', '1.2', '0');
INSERT INTO 'products' VALUES ('P107', 'EARINGS', '4.5', '0');
INSERT INTO 'products' VALUES ('P108', 'EARINGS', '7.85', '0');
INSERT INTO `products` VALUES ('P109', 'SET', '30.451', '0');
INSERT INTO 'products' VALUES ('P110', 'BANGLES', '50.11', '0');
INSERT INTO `products` VALUES ('P111', 'SET', '100.321', '0');
INSERT INTO 'products' VALUES ('P112', 'BANGLES', '45.89', '0');
INSERT INTO 'products' VALUES ('P113', 'LUCKY', '12.55', '0');
INSERT INTO `products` VALUES ('P114', 'LUCKY', '10.55', '0');
INSERT INTO `products` VALUES ('P115', 'BISCUIT', '100', '0');
INSERT INTO `products` VALUES ('P116', 'BISCUIT', '100', '0');
INSERT INTO `products` VALUES ('P117', 'PAYAL', '60.22', '0');
INSERT INTO 'products' VALUES ('P118', 'PAYAL', '50.33', '0');
INSERT INTO 'products' VALUES ('P119', 'EARINGS', '5.5', '0');
INSERT INTO `products` VALUES ('P120', 'EASRINGS', '6.3', '0');
INSERT INTO 'salesmen' VALUES ('S101', 'PARTH', 'DHORL',
'AB@GMAIL.COM', '0');
INSERT INTO `salesmen` VALUES ('S102', 'JIL', 'VIDYANAGAR',
'AC@GMAIL.COM', '0');
INSERT INTO `salesmen` VALUES ('S103', 'JEET', 'NAVASARI',
'JE@GMAIL,COM', '0');
INSERT INTO `salesmen_contact` VALUES ('S101', '6352141790', '7894561235');
INSERT INTO `salesmen contact` VALUES ('$102', '9408815175', '8527419630');
INSERT INTO `salesmen_contact` VALUES ('S103', '7283945210', '9638527410');
INSERT INTO 'supplied' VALUES ('S101', 'GOPAL', 'p@gmail.com',
'PALANPUR', '80000', '545640');
INSERT INTO `supplied` VALUES ('S102', 'DHARMESH', 'q@gmail.com',
'AHMEDABAD', '100000', '564513');
INSERT INTO 'supplied' VALUES ('S103', 'VIPUL', 'w@gmail.com',
'BHAVNAGAR', '120000', '0');
INSERT INTO `supplied` VALUES ('S104', 'JIGNESH', 'e@gmail.com', 'RAJKOT',
'140000', '500500');
INSERT INTO 'supplied' VALUES ('S105', 'HIMANSHU', 'r@gmail.com',
'SURAT', '0', '200000');
INSERT INTO `supplied` VALUES ('S106', 'RAKESH', 't@gmail.com', 'VAPI',
'180000', '1056548');
INSERT INTO `supplied` VALUES ('S107', 'RAVI', 'y@gmail.com', 'AMRELI',
'200000', '1056479');
INSERT INTO 'supplied' VALUES ('S108', 'VIJAY', 'u@gmail.com', 'JAMNAGAR',
'220000', '86226');
INSERT INTO `supplied_contact` VALUES ('S101', '9235326581', '9823265312');
```

INSERT INTO `supplied\_contact` VALUES ('S102', '9565832356', '7953035302');

```
INSERT INTO `supplied_contact` VALUES ('S103', '9862632142', '9354321643');
INSERT INTO `supplied_contact` VALUES ('S104', '8656626831', '9135323432');
INSERT INTO `supplied contact` VALUES ('S105', '8632323532', '9264264646');
INSERT INTO 'supplied contact' VALUES ('S106', '7923533431', '9462354321');
INSERT INTO `supplied_contact` VALUES ('S107', '8693235321', '6587323413');
INSERT INTO `supplied_contact` VALUES ('S107', '8693235321', '6587323413');
INSERT INTO `supplied_contact` VALUES ('S107', '8693235321', '6587323413');
INSERT INTO 'supplied products' VALUES ('S101', 'P109');
INSERT INTO `supplied_products` VALUES ('S102', 'P106');
INSERT INTO 'supplied products' VALUES ('S103', 'P103');
INSERT INTO 'supplied products' VALUES ('S104', 'P104');
INSERT INTO `supplied_products` VALUES ('S105', 'P111');
INSERT INTO `supplied_products` VALUES ('S106', 'P115');
INSERT INTO `supplied_products` VALUES ('S107', 'P108');
INSERT INTO `supplied_products` VALUES ('S108', 'P120';
INSERT INTO `supplier` VALUES ('S101', 'RAJU', 'NADIAD', 'A@GMAIL.COM',
'1', '0', '1500000');
INSERT INTO 'supplier' VALUES ('S102', 'CHINTAN', 'KHEDA',
'B@GMAIL.COM', '0', '120000', '2900000');
INSERT INTO 'supplier' VALUES ('S103', 'RUDRA', 'JUNAGADH',
'B@GMAIL.COM', '1', '60000', '1900000');
INSERT INTO 'supplier' VALUES ('S104', 'CHIRAG', 'ANAND',
'B@GMAIL.COM', '0', '640000', '80000');
INSERT INTO 'supplier' VALUES ('S105', 'JATIN', 'MEHSANA',
'B@GMAIL.COM', '0', '0', '98000');
INSERT INTO 'supplier' VALUES ('S106', 'AJAY', 'SURAT', 'B@GMAIL.COM',
'0', '75500', '0');
INSERT INTO 'supplier' VALUES ('S107', 'SANDO', 'VADODRA',
'B@GMAIL.COM', '1', '900000', '1600000');
INSERT INTO `supplier contact` VALUES ('S101', '8173136715', '7326531465');
INSERT INTO `supplier_contact` VALUES ('S102', '7316439135', '7733543034');
INSERT INTO `supplier_contact` VALUES ('S103', '9238135135', '9232613264');
INSERT INTO `supplier_contact` VALUES ('S104', '8326354731', '9832635311');
INSERT INTO `supplier_contact` VALUES ('S105', '7351352643', '9932354311');
INSERT INTO `supplier contact` VALUES ('S106', '8321351324', '8832354311');
INSERT INTO `supplier contact` VALUES ('S107', '9936472165', '8323531216');
INSERT INTO 'supplier products' VALUES ('S101', 'P111');
INSERT INTO `supplier_products` VALUES ('S102', 'P112');
INSERT INTO `supplier_products` VALUES ('S103', 'P113');
INSERT INTO 'supplier products' VALUES ('S104', 'P114');
INSERT INTO `supplier_products` VALUES ('S105', 'P115');
INSERT INTO `supplier_products` VALUES ('S106', 'P116');
INSERT INTO `supplier_products` VALUES ('S107', 'P117');
INSERT INTO 'supplier products' VALUES ('S101', 'P118');
INSERT INTO `supplier_products` VALUES ('S105', 'P119');
INSERT INTO `supplier_products` VALUES ('S106', 'P120');
```

```
INSERT INTO `transaction` VALUES ('T102', 'S102', 'C102', '2/3/1998', 'P120', '0',
'1', '1'):
INSERT INTO `transaction` VALUES ('T103', 'S103', 'C103', '2/4/1998', 'P103', '0',
'0', '0');
INSERT INTO `transaction` VALUES ('T104', 'S101', 'C104', '2/5/1998', 'P104', '0',
INSERT INTO `transaction` VALUES ('T105', 'S102', 'C105', '2/6/1998', 'P115', '0',
'0', '0');
INSERT INTO `transaction` VALUES ('T106', 'S103', 'C106', '2/7/1998', 'P106', '0',
INSERT INTO `transaction` VALUES ('T107', 'S101', 'C107', '2/8/1998', 'P107', '0',
('0', '0'):
INSERT INTO `transaction` VALUES ('T108', 'S102', 'C108', '2/9/1998', 'P108', '0',
'1', '1');
INSERT INTO `transaction` VALUES ('T109', 'S103', 'C109', '2/10/1998', 'P119', '0',
'0', '1');
INSERT INTO `transaction` VALUES ('T110', 'S102', 'C110', '2/11/1998', 'P110', '0',
'0', '1');
INSERT INTO 'workers' VALUES ('W101', 'BHAVY', 'NADIAD', '12000');
INSERT INTO `workers` VALUES ('W102', 'RUSHI', 'BHAVNAGAR', '9000');
INSERT INTO `workers` VALUES ('W103', 'VIVEK', 'JAMNAGAR', '11000');
INSERT INTO `workers` VALUES ('W104', 'JAINIL', 'RAJKOT', '15000');
INSERT INTO `workers` VALUES ('W105', 'KHATRI', 'AHMEDABAD', '6000');
INSERT INTO `workers_contact` VALUES ('W101', '9420851670', '7990776164');
INSERT INTO `workers contact` VALUES ('W102', '9408815175', '9426818926');
INSERT INTO `workers_contact` VALUES ('W103', '7283921127', '8200500823');
INSERT INTO `workers contact` VALUES ('W104', '9033723420', '9426166369');
INSERT INTO `workers contact` VALUES ('W105', '9426330371', '9978723420');
INSERT INTO 'worker_production' VALUES ('W101', 'P101');
INSERT INTO 'worker_production' VALUES ('W102', 'P102');
INSERT INTO 'worker_production' VALUES ('W103', 'P103');
INSERT INTO 'worker production' VALUES ('W104', 'P104');
INSERT INTO 'worker production' VALUES ('W105', 'P105');
INSERT INTO 'worker_production' VALUES ('W101', 'P106');
INSERT INTO 'worker production' VALUES ('W102', 'P107');
INSERT INTO 'worker production' VALUES ('W103', 'P108');
INSERT INTO 'worker_production' VALUES ('W104', 'P109');
INSERT INTO 'worker_production' VALUES ('W105', 'P110');
ALTER TABLE `customers` ADD FOREIGN KEY (`S_ID`) REFERENCES
`salesmen`(`S_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;
```

INSERT INTO `transaction` VALUES ('T101', 'S101', 'C101', '2/2/1998', 'P101', '0',

ALTER TABLE `customer\_contact` ADD FOREIGN KEY (`C\_ID`) REFERENCES `customers`(`C\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `salesmen\_contact` ADD FOREIGN KEY (`S\_ID`) REFERENCES `salesmen`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `supplied\_contact` ADD FOREIGN KEY (`S\_ID`) REFERENCES `supplied`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `supplied\_products` ADD FOREIGN KEY (`S\_ID`) REFERENCES `supplied`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `supplier\_contact` ADD FOREIGN KEY (`S\_ID`) REFERENCES `supplier`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `supplier\_products` ADD FOREIGN KEY (`S\_ID`) REFERENCES `supplier`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `transaction` ADD FOREIGN KEY (`C\_ID`) REFERENCES `customers`(`C\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT; ALTER TABLE `transaction` ADD FOREIGN KEY (`P\_ID`) REFERENCES `products`(`P\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT; ALTER TABLE `transaction` ADD FOREIGN KEY (`S\_ID`) REFERENCES `salesmen`(`S\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `workers\_contact` ADD FOREIGN KEY (`W\_ID`) REFERENCES `workers`(`W\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;

ALTER TABLE `worker\_production` ADD FOREIGN KEY (`W\_ID`) REFERENCES `workers`(`W\_ID`) ON DELETE RESTRICT ON UPDATE RESTRICT;