
Terraform Configuration Files and Syntax



Ned Bellavance
HashiCorp Certified Instructor

nedinthecloud.com

Welcome to Globomantics



GLOBOMANTICS




GLOBOMANTICS







Deployment Architecture



Terraform Configuration Files

```
> tree
.
├── README.md
├── main.tf
├── terraform.tf
├── nachos.jpg
├── modules
│   ├── README.md
│   ├── tacos.tf
```



Terraform Configuration Files

```
> tree
.
├── README.md
├── main.tf
├── terraform.tf
├── nachos.jpg
├── modules
│   ├── README.md
│   ├── tacos.tf
```





HashiCorp Configuration Language



Human readable and writable



Comment support



Functions and complex expressions

Block Syntax

main.tf

```
block_type "label" "label" {

  argument_name = expression

  nested_block {
    argument_name = expression
  }

}
```



Block Syntax

main.tf

Used by Terraform

```
resource "aws_instance" "web_server" {

  name = "web-server"

  ebs_volume {
    size = 40
  }

}
```

Used by AWS

```
resource "aws_instance" "web_server" {
  name = "web-server"
  ebs_volume {
    size = 40
  }
}
```


Terraform Object Reference

<resource_type>.<name_label>.<attribute>


aws_instance.web_server.name



Terraform Block Types



Terraform



Providers



Resources



Data sources

Other Block Types

Variable

Output

Local