

Task-04

```
<!DOCTYPE html>
<html>
<head>
<title>Professional To-Do Application</title>
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<style>
body{
margin:0;
font-family:Segoe UI, sans-serif;
background:#0f172a;
display:flex;
justify-content:center;
align-items:center;
height:100vh;
color:#e2e8f0;
}

.container{
background:#1e293b;
width:400px;
padding:30px;
border-radius:12px;
box-shadow:0 8px 20px rgba(0,0,0,0.4);
}

h2{
text-align:center;
color:#38bdf8;
margin-bottom:20px;
}

.input-section{
display:flex;
gap:10px;
margin-bottom:20px;
}

input{
flex:1;
padding:10px;
border-radius:6px;
border:none;
outline:none;
background:#334155;
color:white;
}

button{
padding:10px 15px;
border:none;
border-radius:6px;
cursor:pointer;
font-weight:500;
}
```

```
.add-btn{
background:#2563eb;
color:white;
}
```

```
.delete-btn{
background:#475569;
color:white;
margin-left:8px;
}
```

```
ul{
list-style:none;
padding:0;
margin:0;
max-height:200px;
overflow-y:auto;
}
```

```
li{
background:#334155;
padding:10px;
margin-bottom:10px;
border-radius:6px;
display:flex;
justify-content:space-between;
align-items:center;
}
```

```
.completed{
text-decoration:line-through;
opacity:0.6;
}
```

```
</style>
</head>
```

```
<body>
```

```
<div class="container">
<h2>Task Manager</h2>
```

```
<div class="input-section">
<input type="text" id="taskInput" placeholder="Enter new task">
<button class="add-btn" onclick="addTask()">Add</button>
</div>
```

```
<ul id="taskList"></ul>
```

```
</div>
```

```
<script>
function addTask(){
let input = document.getElementById("taskInput");
let taskText = input.value.trim();
```

```
if(taskText === "") return;
```

```
let li = document.createElement("li");
```

```
let span = document.createElement("span");
```

```
span.textContent = taskText;
span.onclick = function(){
span.classList.toggle("completed");
};

let delBtn = document.createElement("button");
delBtn.textContent = "Delete";
delBtn.className = "delete-btn";
delBtn.onclick = function(){
li.remove();
};

li.appendChild(span);
li.appendChild(delBtn);

document.getElementById("taskList").appendChild(li);

input.value = "";
}
</script>

</body>
</html>
```

Output:



